

To Order Contact: Exact Tooling / [www.exacttooling.com](http://www.exacttooling.com) / [sales@exacttooling.com](mailto:sales@exacttooling.com) / 888-988-8820



**NO METAL STANDS A CHANCE™**

To Order Contact: Exact Tooling / [www.exacttooling.com](http://www.exacttooling.com) / [sales@exacttooling.com](mailto:sales@exacttooling.com) / 888-988-8820

# 4

# FEATURES MATERIALS

11	RESIN FIBER DISCS
17	FLAP DISCS
27	QUICK-LOK DISCS
35	PSA DISCS
45	BONDED
49	BELTS
58	SURFACE CONDITIONING
68	CLEAN & FINISH
72	FLAP WHEELS
77	LEAVES
79	ROLLS
80	SPECIALTIES
86	NO LAP BANDS

Understand the differences in grain structure, backing materials and other important factors to help with your abrasive choices.

## LIST OF ABBREVIATIONS

D .....	Diameter
W .....	Width
L.....	Length
A.....	Arbor Hole
SH.....	Shank


All indicated dimensions are in inches, unless noted.

# CAPABILITIES

## SAMPLES

One very important part of our sales process is to provide samples for end user testing. We value our customers and make the delivery of your sample an important priority.

To share our knowledge of the metalworking industry, we allow you to request the specific samples needed. Going one step further, we can accompany you on a sales call to assist in closing your new opportunity.



## EDI & TRADING PARTNERS

To ease ordering, we use an industry standard EDI exchange software for the 'Trading Communities.' This allows us to receive your orders electronically, alleviating the need to keep track of physical paperwork.

*Our Direct Sales Force and Manufacturing Representatives are available throughout the United States, most of which cover a 200 mile radius.*

## REBATE PROGRAM

With a continuous interest in creating new business opportunities with our distributors, a rebate program can be offered for new sales. Not all distributor needs are similar, so we offer a wide range of incentive and rebates based on your preferences.

## PRIVATE LABEL PROGRAM

For select distributors, we can implement and apply an unbranded, or private label to both packaging and individual products with your company logo.

## SHIPPING PROGRAMS

Through our select carriers, we can ship overnight, provide competitive pallet rates, and drop ship directly to your customer. A free freight policy may also be available on select large orders.

# CAPABILITIES

## PRODUCTIVITY ANALYSIS

Understanding how our products work within weld removal, deburring and flash removal, and surface finishing applications is critical. We are continually testing our innovative products on these applications and comparing our results to commonly used products and techniques. This gives us a very clear understanding of how our products will work for you and is the staple of our continuous improvement and product development. Let us show you how we approach every situation with our 5-Step Productivity Analysis.

### STEP 1: Determine Process

Perform an in depth abrasive cost savings study on-site. The purpose is to completely understand the following:

- a. Metals being worked with
- b. Fabrication processes in the shop
- c. Current abrasive applications
- d. Current products used
- e. Customer objectives

### STEP 2: Recreate Conditions

Duplicate the end user's conditions in our lab, eliminating testing in your facility, to develop a cost effective process for your particular abrasive application.

### STEP 3: Demonstrate Modifications

Return to the end user with our lab results to perform focused end user testing.

### STEP 4: Document Feedback

Document all test results with each operator in writing.

### STEP 5: Provide Cost Savings and Process Improvements

Compare pricing and testing results to document product and process savings.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH


FLAP WHEELS

SHETS

ROLLS

SPECIALTIES

NO LAP BANDS



# COATED ABRASIVES

The cutting power of an abrasive grain is dependent on shape, hardness, toughness and orientation. All four factors control the penetration of cut and the life of the grain.

The shape of the grain governs the cutting efficiency. Sharper grains produce a cleaner cut and tend to stay cooler during use. Blocky grains give a rougher cut and create more friction. It is understood that different applications require different types of abrasive grain.

\* Grains shown at 1000%



## ALUMINUM OXIDE (AO)

Fused aluminum oxide is the most common abrasive grain in use today. AO is extremely tough and durable but has no clearly defined crystal structure. This means that when the grain eventually wears it produces rounded edges which reduce cutting power. Brown aluminum oxide is the usual grain for coated abrasives products but is also available in white, pink and other variants.

### SUGGESTED APPLICATIONS

Aluminum and ferrous metals, including alloy steel

- Brown or brownish-red man-made abrasive
- Durable with tough cutting edges
- Wear resistant and long lasting, even under stress applications

## ZIRCONIA ALUMINA (ZA)

Zirconia alumina is best described as an alloy of aluminum oxide and zirconia. During manufacturing the two components are quenched from molten form which gives the grain a crystalline structure. Under heat and/or pressure the structure fractures producing new cutting edges. This gives the grain a longer cutting life and is especially suited to coarser stock removal applications.



### SUGGESTED APPLICATIONS

Heavy duty grinding on all ferrous and non-ferrous metals


- Ultra rugged synthetic abrasive that self-sharpenes as it cuts
- Sharper, more blocky grain than aluminum oxide with large fracture planes
- Commonly used for heavy grinding applications where a cool cut is required
- Available only in coarser grits; bluish gray in color

# MINERALS

## COMPACT GRAIN

Individual grains are clumped, or clustered together to form a larger grain shape. This type of large grain construction will give extended life when compared to conventional abrasives. Compact grain is ideal for finishing applications on any metal in belt, PSA and quick-lok disc form.

\* 80 Grit



### SUGGESTED APPLICATIONS


Mild and stainless steel, titanium and nickel alloys. Not suggested for non-ferrous materials.

- Long life finishing applications
- Available in belt, PSA and quick-lok disc form
- Aluminum oxide and silicon carbide options

## SILICON CARBIDE

Silicon carbide is the hardest of all common abrasive materials. It is very sharp, but friable, leaving new sharp edges for cutting. For this reason, it is initially fast cutting, but short in life. It is ideal for use on non-ferrous metals like aluminum, brass, bronze, magnesium and titanium. For final finishing, the sharp crystal structure produces fine, straight edged grind lines that reflect light better than the rounded aluminum oxide grind lines.

\* 40 Grit



### SUGGESTED APPLICATIONS

Non-ferrous metals, non-metallics

- Hard, sharp, synthetic abrasive, black in color
- Grains fracture to continually expose new cutting edges
- Permits fast stock removal

## CERAMIC

Unlike fused aluminum oxide, ceramic aluminum oxides are formed via a chemical process. The grain from this process comprises millions of smaller crystals which fracture off during use and continuously form a new cutting surface. This self-sharpening process requires heavy pressure to ensure that the grains do not glaze.

### SUGGESTED APPLICATIONS

Highly recommended for high heat applications on stainless steel, titanium and high nickel alloys. Ceramic works best in coarser grits in belt, quick-lok and resin fiber disc form.

- Self-sharpening grain
- Cuts at rated grit throughout its life
- Controls heat during the grinding process
- High cut rate



\* 36 Grit

RESINFIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS


# COATED ABRASIVES

## VULCANIZED FIBER

Vulcanized fiber is a product made from cotton rags and treated with chemicals to form a gelatinous substance which is then layered into plies. The plies are heat vulcanized and calendered to give a strong and stiff base material. Due to its high stiffness, vulcanized fiber products can only be used in disc form such as resin fiber discs. The recommended use is for heavy duty stock removal, typically in grits 80 and coarser.

### SUGGESTED APPLICATIONS

Fiber is a hard, durable material with great mechanical strength, used to make resin fiber discs. Used in aggressive operations.



## CLOTH

The first two cloths in the U.S. market were cotton drills (X-wt.) and cotton jeans (J-wt.), both utilized a twill weave. Drill uses fewer yarns per inch but each yarn is heavier. The next advancement was a heavier weight drill commonly known as Y-wt. Sometimes an F is added as a suffix to denote extra flexing (e.g. JF and XF).

Cotton was the first cloth available. However, synthetic cloths, polyester and polyester/cotton mixes have become more prominent as they tend to be stronger and more stable in use. The synthetic polyesters are inherently waterproof while the cotton products need treatment to be waterproof.

### SUGGESTED APPLICATIONS

Mechanized belt, disc or wheel applications.

### OPTIONS

The two types of cloth backings offered are cotton and polyester. Cotton is lightweight and flexible, but not waterproof. Polyester backings are stronger than cotton. In addition, they are waterproof, fray resistant and they absorb shock.

# BACKING MATERIALS

## PAPER



Generally heavier papers are less flexible, more tear resistant and are suited to mechanical applications. The lighter papers are more flexible and better suited for hand sanding operations and finer finishing. Because the surface of the paper can be made extremely flat, paper is used for extremely fine grits where any surface imperfection in the substrate would cause inconsistent sanding patterns in the polishing applications. Paper can also be made waterproof by the addition of latex and other water resistant resins.

### SUGGESTED APPLICATIONS

Heavier mechanical to flexible hand sanding operations.  
Available in waterproof for more specialized applications.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PALETS

TRIMMED

BELTS

SURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

## FILM

If the variation in the thickness of any product backing is greater than the size of the grain particle, non-uniform grinding may occur. This is a problem for finer grits in tight tolerance or high performance grinding, such as cam shafts. Film backing is a recent development to solve this problem. Films can be made with exceptional flatness and with tight thickness tolerance making them suitable for technical operations. Film has added advantages of being tear-resistant and waterproof.

### SUGGESTED APPLICATIONS

Fine grinding with tight tolerances and most technical operations.

# NONWOVEN ABRASIVES



To understand the cutting action of nonwovens, imagine the grit particle held by a helical spring rather than a solid block. As a nonwoven product runs over a contoured surface the "springs" compress and expand allowing the grain to constantly be in contact with the entire surface. A coated product would skip over the valleys and remove excess metal on the peaks as the force of application would be concentrated on the smaller area of the peaks. The nonwoven finishes more uniformly contoured surfaces without compromising critical tolerances obtained in earlier machine or molding operations. This feature is especially important during a finishing process.

The conventional method for removing deep scratches is to use a progression of coated abrasives, e.g. 80, 120 and 180 grit, each giving a progressively finer finish while removing the previous deeper scratch. The conforming nature of nonwovens allows deeper scratches to be removed while providing a fine finish. This reduces the number of steps in the process - a major savings in labor costs.

The wear characteristics of nonwoven abrasives are different from coated abrasives. In use, the abrasive grain within coated abrasives wears down and changes shape which results in different scratch patterns. With nonwoven abrasives, as the product wears away, the substrate breaks down and the grain is lost which reveals a new sharp grain. This process leads to uniform finishing throughout the life of the product.

In nonwoven abrasives the fiber and resin are fully waterproof so the product can be used wet or dry. The structure of a nonwoven abrasive is extremely open so that the product resists loading and is cool running.

## COATED FINISH VS. NONWOVEN ABRASIVE FINISH

Grit Size	Clean & Finish Range	Surface Conditioning Range	Grit Size
60			60
80			80
100	Extra Cut (Brown)		100
120			120
150	A Medium (Tan) S Medium (Black)	A Coarse (Brown)	150
180			180
200		A Medium (Maroon)	200
220	A Fine (Maroon)		220
240	General Purpose (Green)		240
320			320
400	A Very Fine (Maroon)	A Very Fine (Blue)	400
500			500
600	S Ultra Fine (Gray)		600
800		S Superfine (Gray)	800
1000			1000

## SURFACE CONDITIONING

Surface conditioning materials, or SCM, have the basic nonwoven structure but are scrim reinforced and are one-sided. The scrim adds strength for use in high speed belt and disc operations.

For airfile belts, the base nonwoven is modified to give increased flexibility as the belt has to travel around a small diameter contact wheel (less than 1") without cracking. For longer belts the base has been modified to resist stretch in the length direction. Discs and quick-lok discs use a regular scrim product.

## CLEANING & FINISHING

Non-reinforced, or clean and finish (C&F) products are made of the nonwoven base and have not been reinforced with a woven scrim.

### PERFORMANCE QUALITIES

The performance qualities of SCM and C&F products versus coated abrasives are notable, as there is little overlap in use.

The conformability of nonwoven products leaves them less likely to gouge a work piece, avoiding disturbances to critical tolerances. The 3D structure disperses abrasive grains for a uniform scratch pattern throughout product life, and requires fewer finishing steps than coated materials.

The open structure of nonwoven material is resistant to loading. The synthetic components are also waterproof and resistant to cutting fluids and other metalworking chemicals.


### SUGGESTED APPLICATIONS

Surface conditioning, which is generally performed near the end of a manufacturing process, refers to the changing of a product's surface without damaging or removing the base material.

Typically used in mechanical operations, surface conditioning products include belts and discs.

Clean and finish nonwoven products are typically hand-operated type products. They are much weaker in nature than surface conditioning products, because not as much grain, fiber and resin is used in the production of these products. Clean and finish products include hand pads, sheets, rolls and flap wheels.

Performance Coating available on select nonwoven products.



# PRODUCT OVERVIEW

## PREDATOR™

Aggressive steel applications produce substantial heat during grinding, resulting in shortened disc life. A resin fiber disc is intended for aggressive applications, but the grain structure determines product longevity.

By reconstructing our proprietary blend of PREDATOR™ grains in resin fiber disc form, we have achieved top-tier gram removal ratios for both mild and stainless steel applications. PREDATOR™ resin fiber discs provide a long-lasting, aggressive cut throughout their life and reduce heat with an integrated grinding aid.



## PERFORMANCE COATING

Fabricators of soft metals are continuously frustrated by the inability to reduce loading during aggressive grinding applications. Due to the softer structure of aluminum, it overloads the functional surface area of abrasive grains, quickly ending productivity.

Performance Coated products offer exceptional cut and an ability to reduce loading, while also controlling heat during grinding. The integrated material enhancement realizes the full potential of the grain structure, allowing resin fiber discs to perform as they would on hardened steel.



## GENERAL PURPOSE

### ZIRCONIA ALUMINA

An affordable, general purpose material, zirconia alumina provides consistent removal rates, especially in finer grits. Zirconia alumina is not recommended for high production environments in which extra-long life and faster material removal are critical.

### ALUMINUM OXIDE

Due to loading from soft metals, product disposal can be frequent. Aluminum oxide is the most affordable choice for softermetals, relieving some of the cost associated with waste. Situations in which technical grains like zirconia alumina or ceramic are excessive, aluminum oxide is the optimal choice.



# RESIN FIBER DISCS

## MILD STEEL

### APPLICATION

Using a resin fiber disc for heavy material removal is a common application performed by many fabricators. Mild steel and its alloys do not generate enough heat during grinding to justify some full ceramic materials; however, several manufacturers promote these more expensive materials to mild steel fabricators. The cost of some full ceramic discs can nearly double for only a 10% increase in material removal.

### SOLUTION

PREDATOR™ and its proprietary blend of grains were designed specifically for mild steel. With an extremely high ratio of material removal and life, PREDATOR™ works well throughout its grit range on both heavy and light mild steel removal applications.

## STAINLESS STEEL

### APPLICATION

Coarse grit resin fiber discs are best suited for larger stainless steel MIG welds, while smaller TIG welds may only require 50 grit or finer. Regardless of the weld type, stainless material removal applications generate large amounts of heat.

### SOLUTION

PREDATOR™, and its blend of self-sharpening grains and two grinding aids easily reduces the heat generated while grinding stainless steel. PREDATOR™ resin fiber discs are an ideal choice for stainless applications, when compared to ordinary zirconia and aluminum oxide materials.




## Aluminum

### APPLICATION

Due to the excessive loading from aluminum during grinding, several unsuccessful solutions have been considered. Beeswax or messy lubricants attempt to extend product life, and less technical abrasives are chosen to limit cost. Unfortunately, aluminum oxide grains are often used, which increases heat and loading, even compared to zirconia alumina.

### SOLUTION

An integrated material enhancement can dramatically improve life and cut rate over a standard grinding aid. Performance coating has been proven to increase both life and cut rate of our PREDATOR™ resin fiber discs; in some cases by nearly 400%. Performance coated products will not contaminate welds and can be painted over without any effect to the finish.

RESIN FIBER  
DISCSFLAP DISCS  
DISCSQUICK-LOK  
DISCSPSA DISCS  
BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# RESIN FIBER DISCS



- Special PREDATOR™ self-sharpening abrasive grain blend with double grinding aids.
- Ideal for mild and stainless steel applications.
- Long lasting, aggressive cut throughout the life.
- Proprietary grain blend is an ideal choice when compared with standard Zirconia fiber discs and are a cost effective option to full ceramic materials.
- Also available in 5/8"-11.



- Our special post-production Performance Coating process helps improve cut and ability to reduce loading especially on softer metal, making this product particularly suitable for applications on aluminum, and non-ferrous metals.
- Extended product life.
- Also available in 5/8"-11.

## PREDATOR™

4-1/2 x 7/8"	Item	Grit
Pk Qty 25	71-047801	24
	71-047802	36
	71-047804	50
	71-047805	60
	71-047806	80
	71-047808	120

5 x 7/8"	Item	Grit
Pk Qty 25	71-057801	24
	71-057802	36
	71-057804	50
	71-057805	60
	71-057806	80
	71-057808	120

7 x 7/8"	Item	Grit
Pk Qty 25	71-077801	24
	71-077802	36
	71-077804	50
	71-077805	60
	71-077806	80
	71-077808	120

## Performance Coated PREDATOR™

4-1/2 x 7/8"	Item	Grit
Pk Qty 25	71-047801W	24
	71-047802W	36
	71-047804W	50
	71-047805W	60
	71-047806W	80
	71-047808W	120

5 x 7/8"	Item	Grit
Pk Qty 25	71-057801W	24
	71-057802W	36
	71-057804W	50
	71-057805W	60
	71-057806W	80
	71-057808W	120

7 x 7/8"	Item	Grit
Pk Qty 25	71-077801W	24
	71-077802W	36
	71-077804W	50
	71-077805W	60
	71-077806W	80
	71-077808W	120

# RESIN FIBER DISCS

## Zirconia Alumina



4-1/2 x 7/8"	Item	Grit
Pk Qty 25	37202	24
	37203	36
	37204	50
	37205	60
	37206	80
	3720608	120

5 x 7/8"	Item	Grit
Pk Qty 25	37208	24
	37209	36
	37210	50
	37211	60
	37212	80
	3721208	120

7 x 7/8"	Item	Grit
Pk Qty 25	37214	24
	37215	36
	37216	50
	37217	60
	37218	80
	3721908	120

- Affordable & efficient.
- Great choice for stainless.
- Also available in 5/8"-11.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# RESIN FIBER DISCS



- General purpose.
- Affordable choice for soft metals.
- Also available in 5/8"-11.

## Aluminum Oxide

4-1/2 x 7/8"	Item	Grit
Pk Qty 25	37110	24
	37111	36
	37112	50
	37113	60
	37114	80
	37116	120
5 x 7/8"	Item	Grit
Pk Qty 25	37118	24
	37119	36
	37120	50
	37121	60
	37122	80
	37124	120
7 x 7/8"	Item	Grit
Pk Qty 25	37126	24
	37127	36
	37128	50
	37129	60
	37130	80
	37132	120

# RESIN FIBER DISCS

## Back-Up Pads & Accessories



4-1/2 x 5/8"-11	Item	Grade	Max RPM
Pk Qty 1	5040Z2	MEDIUM	13,500
5"	Item	Grade	Max RPM
Pk Qty 1	50403	FLEXIBLE	13,000
	50404	MEDIUM	13,000
	50405	RIGID	13,000
7"	Item	Grade	Max RPM
Pk Qty 1	50409	FLEXIBLE	8,600
	50410	MEDIUM	8,600
	50411	RIGID	8,600
Center Nut 5/8"-11, 7 & 9"	Item		
Pk Qty 1			50418
Center Nut 4 & 5"	Item		
Pk Qty 1			50418Z1
Spanner Wrench	Item		
Pk Qty 1			50419
Disc Cutter Assembly	Item		
Pk Qty 1			50601
Lower Blade	Item		
Pk Qty 1			50603
Upper Blade	Item		
Pk Qty 1			50602

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# PRODUCT OVERVIEW

## HARD EDGE GEOMETRY



Hard Edge discs have a shape similar to our Type 29, or angle faced discs, but are engineered for extremely fast material removal using a reduced amount of pressure. This is accomplished by compressing the outside rim of the flaps to eliminate flexing during the grinding process.

Ordinary flap discs can flex over the work surface causing grains to shell or shed prematurely, resulting in longer grind times and shorter life. Hard edge discs provide a faster cut and longer life in coarse grits because they retain the abrasive grains so well.




After a 20 minute automated grinding test, our PREDATOR™ flap disc cut over 100 grams more than the next leading competitor. Although the disc may look worn, it continues to cut for extended periods of time.

## PREDATOR™

Flap discs provide the added benefit of finer finishing after aggressive grinding, compared to resin fiber discs. The dimensional layering of flap discs allow the continual exposure of abrasive grains, versus one layer of grains.

Flap discs contain just as much working surface as resin fiber discs, but within a much smaller diameter. This geometry is responsible for the versatility of a flap disc. AP (Advanced Products) flap discs have been engineered to expose more abrasive surface for each single flap, resulting in a faster cut.



# FLAP DISCS

## MINI FLAP DISCS



Flap discs provide aggressive material removal on all metals, but lack access to tight areas. Like quick-lok discs, mini flap discs can reach small areas in need of grinding but suit the needs of heavy material removal.

Mini flap discs are used with Type R and S Quick-Lok Disc Holders, retaining the time-saving changeover of quick-lok discs. From aggressive grinding to fine finishing with the benefit of a small diameter, PREDATOR™ Mini Flap Discs are an extremely versatile product.

## GENERAL PURPOSE

### ZIRCONIA ALUMINA

An excellent general purpose abrasive, ideal for use on steel, aluminum and composites. The cotton backing adds strength and durability to a very competitive product.



### ALUMINUM OXIDE

Especially suited for use on stainless steel or cold rolled steels, aluminum oxide flap discs are self-lubricating to avoid over-heating of the work piece. The size coat and top size coat also aid reduced clogging and improve the resulting finish.



97% on time shipping.

## FLAP DISC OPTIONS

### ARBOR

Several flap discs may be used in any given time period. If a quick change out is critical, a 5/8"-11 threaded hub should be considered. This option eliminates the need for a separate lock nut, as well as the accompanying tooling.



As their 3-dimensional structure allows flap discs to last longer than other abrasives products, your replacement frequency may be minimal. The added time of using a separate nut to secure the flap discs to your grinder may not affect your production. For this, you may choose the 7/8" arbor hole, which will fit on your grinder regardless of thread pitch.

### BACKING PLATE

The choice of backing plate is determined by the type of application. Aluminum backing plates are heavier and more rigid, which makes them best suited for harder grinding applications. fiberglass backing plates are most common, and can be used on a range of light to moderate removal applications.

### DENSITY

Flap quantity determines the density of flap discs. Compared to standard flap discs, high density discs are assembled with more flaps in the same area, and look much less compressed. High density flap discs are less aggressive, but will last longer than discs with a standard flap count.

The high density option is only available with our general purpose materials, as the function is best utilized by casual users.

### SHAPE



The workable angle of a flap disc surface is in direct relation to the shape of the backing plate. Type 27, or flat faced discs, are to be used as parallel as possible to the work piece. This is not always convenient, depending on the restrictions of the work area. To combat this restriction, Type 29, or angle faced discs, provide a 10 degree angle to the abrasive surface.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES  
NO LAP BANDS

# APPS & SOLUTIONS


## MILD STEEL

### APPLICATION

Some common mild steel applications start with a 40 or 50 grit flap disc to quickly remove welds or surface imperfections. Flap discs should be versatile because they need to quickly remove material and have formidable cleaning properties. Choosing a flap disc with these performance factors may be challenging.

### SOLUTION

PREDATOR™ flap discs have been designed to meet the challenges of mild steel fabricators. Not only does the unique blend of grains provide a fast cut, our exclusive hard edge construction shows the most durability and life seen by any other flap disc. PREDATOR™ flap discs will deliver fast material removal while remaining flexible for general clean up and burr removal applications.




## STAINLESS STEEL

### APPLICATION

Stainless fabricators may choose flap discs over resin fiber discs because of their finer finish. The added ability for flap discs to perform general clean up duties, such as spatter and mill scale removal, also make them a popular choice.

### SOLUTION

The self-sharpening grains and optional hard edge shape of PREDATOR™ flap discs deliver fast material removal and excellent cleaning properties. PREDATOR™ flap discs can outlast the excessive heat generated from stainless grinding, especially compared to standard zirconia and aluminum oxide flap discs.




## ALUMINUM

### APPLICATION

Although uncommon to use flap discs for heavy material or weld removal on aluminum, they can provide great control and last longer than a resin fiber disc. Flap discs are ideal when certain requirements are needed, such as a finer finish when removing a weld or a longer lasting cut while removing a burr.

### SOLUTION

To further decrease loading, Performance Coating can be added to PREDATOR™ flap discs. The integrated Performance Coating will lower the grinding temperature allowing a much faster cut and longer life.



# FLAP DISCS

## PREDATOR™ Plastic AP

- AP (Advanced Products) flap discs have been engineered to expose more abrasive surface for each single flap, resulting in a faster cut and longer life.



- Special designed reinforced nylon backing plate with a 5/8"-11 integrated hub, for quick replacement.
- Top-tier gram removal ratios for both mild steel and stainless steel application.
- Special grooves in the backing plate increase heat dissipation keeping the working surface cooler.
- Trimmable nylon backing plate.
- Our special post-production Performance Coating process increases cut rate on aluminum and non-ferrous metals, reduces heat transfer and extends product life.



- **Hard Edge** discs have a shape similar to Type 29 angled faced flap discs but are engineered for extremely fast stock removal using a reduced amount of pressure.

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10913AP	36	13,300
	71-10914AP	40	13,300
	71-10918AP	50	13,300
	71-10915AP	60	13,300
	71-10916AP	80	13,300
	71-10917AP	120	13,300

## Performance Coated PREDATOR™ Plastic AP

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10913APW	36	13,300
	71-10914APW	40	13,300
	71-10918APW	50	13,300
	71-10915APW	60	13,300
	71-10916APW	80	13,300
	71-10917APW	120	13,300

## PREDATOR™ Plastic Hard Edge

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10913HE	36	13,300
	71-10914HE	40	13,300
	71-10918HE	50	13,300
	71-10915HE	60	13,300
	71-10916HE	80	13,300
	71-10917HE	120	13,300

## Performance Coated PREDATOR™ Plastic Hard Edge

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10913HEW	36	13,300
	71-10914HEW	40	13,300
	71-10918HEW	50	13,300
	71-10915HEW	60	13,300
	71-10916HEW	80	13,300
	71-10917HEW	120	13,300

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# FLAP DISCS



- Special PREDATOR™ self-sharpening abrasive grain is blended with two grinding aids.
- Easily reduces the heat generated while grinding, especially on stainless steel.
- Top-tier gram removal ratios for both mild steel and stainless steel applications.
- Long lasting, aggressive cut throughout the life.
- Special grain blend is an ideal choice when compared with standard Zirconia flap discs and are a cost effective option when compared to full ceramic materials.
- Fiberglass backing plate.
- Type 27 flap discs have a flat shape and are engineered for blending and smoothing on flat surfaces.
- Hard Edge flap discs have a shape similar to Type 29 angle faced flap discs but are engineered for extremely fast stock removal using a reduced amount of pressure.

## PREDATOR™

<b>4-1/2 x 7/8"</b>	<b>Type 27</b>	<b>Hard Edge</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10823FF	71-10823AF	36	13,300
	71-10824FF	71-10824AF	40	13,300
	71-10828FF	71-10828AF	50	13,300
	71-10825FF	71-10825AF	60	13,300
	71-10826FF	71-10826AF	80	13,300
	71-10827FF	71-10827AF	120	13,300
<b>4-1/2 x 5/8"-11</b>	<b>Type 27</b>	<b>Hard Edge</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10813FF	71-10813AF	36	13,300
	71-10814FF	71-10814AF	40	13,300
	71-10818FF	71-10818AF	50	13,300
	71-10815FF	71-10815AF	60	13,300
	71-10816FF	71-10816AF	80	13,300
	71-10817FF	71-10817AF	120	13,300
<b>5 x 7/8"</b>	<b>Type 27</b>	<b>Hard Edge</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10843FF	71-10843AF	36	12,150
	71-10844FF	71-10844AF	40	12,150
	71-10848FF	71-10848AF	50	12,150
	71-10845FF	71-10845AF	60	12,150
	71-10846FF	71-10846AF	80	12,150
	71-10847FF	71-10847AF	120	12,150
<b>5 x 5/8"-11</b>	<b>Type 27</b>	<b>Hard Edge</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10833FF	71-10833AF	36	12,150
	71-10834FF	71-10834AF	40	12,150
	71-10838FF	71-10838AF	50	12,150
	71-10835FF	71-10835AF	60	12,150
	71-10836FF	71-10836AF	80	12,150
	71-10837FF	71-10837AF	120	12,150
<b>7 x 7/8"</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10863FF	71-10863AF	36	8,600
	71-10864FF	71-10864AF	40	8,600
	71-10868FF	71-10868AF	50	8,600
	71-10865FF	71-10865AF	60	8,600
	71-10866FF	71-10866AF	80	8,600
	71-10867FF	71-10867AF	120	8,600
<b>7 x 5/8"-11</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	71-10853FF	71-10853AF	36	8,600
	71-10854FF	71-10854AF	40	8,600
	71-10858FF	71-10858AF	50	8,600
	71-10855FF	71-10855AF	60	8,600
	71-10856FF	71-10856AF	80	8,600
	71-10857FF	71-10857AF	120	8,600

# FLAP DISCS

## Performance Coated PREDATOR™



- Special PREDATOR™ self-sharpening abrasive grain is blended with two grinding aids.
- Top-tier gram removal ratios for both mild steel and stainless steel applications.
- Long lasting, aggressive cut throughout the life.
- Special grain blend is an ideal choice when compared with standard Zirconia flap discs and are a cost effective option when compared to full ceramic materials.
- Fiberglass backing plate.
- Performance Coating is great for soft metal applications like aluminum.
- Our special post-production Performance Coating process increases cut rate on aluminum and non-ferrous metals, reduces heat transfer and extends product life.
- Reduced heat transfer.
- Available in Type 27, Type 29 and Hard Edge.

4-1/2 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
Pk Qty 10	71-10823FFW	71-10823AFW	36	13,300
	71-10824FFW	71-10824AFW	40	13,300
	71-10828FFW	71-10828AFW	50	13,300
	71-10825FFW	71-10825AFW	60	13,300
	71-10826FFW	71-10826AFW	80	13,300
	71-10827FFW	71-10827AFW	120	13,300

4-1/2 x 5/8"-11	Type 27	Hard Edge	Grit	Max RPM
Pk Qty 10	71-10813FFW	71-10813AFW	36	13,300
	71-10814FFW	71-10814AFW	40	13,300
	71-10818FFW	71-10818AFW	50	13,300
	71-10815FFW	71-10815AFW	60	13,300
	71-10816FFW	71-10816AFW	80	13,300
	71-10817FFW	71-10817AFW	120	13,300

5 x 7/8"	Type 27	Hard Edge	Grit	Max RPM
Pk Qty 10	71-10843FFW	71-10843AFW	36	12,150
	71-10844FFW	71-10844AFW	40	12,150
	71-10848FFW	71-10848AFW	50	12,150
	71-10845FFW	71-10845AFW	60	12,150
	71-10846FFW	71-10846AFW	80	12,150
	71-10847FFW	71-10847AFW	120	12,150

5 x 5/8"-11	Type 27	Hard Edge	Grit	Max RPM
Pk Qty 10	71-10833FFW	71-10833AFW	36	12,150
	71-10834FFW	71-10834AFW	40	12,150
	71-10838FFW	71-10838AFW	50	12,150
	71-10835FFW	71-10835AFW	60	12,150
	71-10836FFW	71-10836AFW	80	12,150
	71-10837FFW	71-10837AFW	120	12,150

7 x 7/8"	Type 27	Type 29	Grit	Max RPM
Pk Qty 10	71-10863FFW	71-10863AFW	36	8,600
	71-10864FFW	71-10864AFW	40	8,600
	71-10868FFW	71-10868AFW	50	8,600
	71-10865FFW	71-10865AFW	60	8,600
	71-10866FFW	71-10866AFW	80	8,600
	71-10867FFW	71-10867AFW	120	8,600

7 x 5/8"-11	Type 27	Type 29	Grit	Max RPM
Pk Qty 10	71-10853FFW	71-10853AFW	36	8,600
	71-10854FFW	71-10854AFW	40	8,600
	71-10858FFW	71-10858AFW	50	8,600
	71-10855FFW	71-10855AFW	60	8,600
	71-10856FFW	71-10856AFW	80	8,600
	71-10857FFW	71-10857AFW	120	8,600

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# FLAP DISCS



## PREDATOR™ AP Flap Discs

4-1/2 x 7/8"	Item	Grit	Max RPM
Pk Qty 10	71-10823FXL	36	13,300
	71-10824FXL	40	13,300
	71-10828FXL	50	13,300
	71-10825FXL	60	13,300
	71-10826FXL	80	13,300
	71-10827FXL	120	13,300

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10813FXL	36	13,300
	71-10814FXL	40	13,300
	71-10818FXL	50	13,300
	71-10815FXL	60	13,300
	71-10816FXL	80	13,300
	71-10817FXL	120	13,300

- AP (Advanced Products) flap discs have been engineered to expose more abrasive surface for each single flap, resulting in a faster cut and longer life.
- Easily reduces the heat generated while grinding, especially on stainless steel.
- Top-tier gram removal ratios for both mild steel and stainless steel application, in particular weld removal and beveling.
- Special grain blend is an ideal choice when compared with standard Zirconia flap discs and are a cost effective option when compared to full ceramic materials.
- Fiberglass backing plate.

- Our special post-production Performance Coating process increases cut rate on aluminum and non-ferrous metals, reduces heat transfer and extends product life.
- Performance Coated PREDATOR™ flap discs are excellent for soft metal applications like aluminum.

## Performance Coated PREDATOR™ AP Flap Discs

4-1/2 x 7/8"	Item	Grit	Max RPM
Pk Qty 10	71-10823FXLW	36	13,300
	71-10824FXLW	40	13,300
	71-10828FXLW	50	13,300
	71-10825FXLW	60	13,300
	71-10826FXLW	80	13,300
	71-10827FXLW	120	13,300

4-1/2 x 5/8"-11	Item	Grit	Max RPM
Pk Qty 10	71-10813FXLW	36	13,300
	71-10814FXLW	40	13,300
	71-10818FXLW	50	13,300
	71-10815FXLW	60	13,300
	71-10816FXLW	80	13,300
	71-10817FXLW	120	13,300

# FLAP DISCS

## PREDATOR™ Mini Flap Discs



- Mini flap discs can reach small areas in need of grinding but suit the needs of heavy material removal.
- PREDATOR™ mini flap discs are suitable for both mild steel and stainless steel applications.
- Available in Type R and S.
- Our special post-production Performance Coating process increases cut rate on aluminum and non-ferrous metals, reduces heat transfer and extends product life.
- Performance Coated PREDATOR™ mini flap discs are excellent for soft metal applications like aluminum.

2"	Type R	Type S	Grit
Pk Qty 10	71-1056103	71-1056403	40
	71-1056105	71-1056405	60
	71-1056106	71-1056406	80
	71-1056108	71-1056408	120

3"	Type R	Type S	Grit
Pk Qty 10	71-1056303	71-1056503	40
	71-1056305	71-1056505	60
	71-1056306	71-1056506	80
	71-1056308	71-1056508	120

## Performance Coated PREDATOR™ Mini Flap Discs

2"	Type R	Type S	Grit
Pk Qty 10	71-1056103W	71-1056403W	40
	71-1056105W	71-1056405W	60
	71-1056106W	71-1056406W	80
	71-1056108W	71-1056408W	120

3"	Type R	Type S	Grit
Pk Qty 10	71-1056303W	71-1056503W	40
	71-1056305W	71-1056505W	60
	71-1056306W	71-1056506W	80
	71-1056308W	71-1056508W	120

## Mini Flap Disc Holders

2 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50259	50253	30,000
3 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50260	50254	20,000



Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# FLAP DISCS



- Consistent removal rate.
- Good speed of cut.
- Suitable for application on **steel** and **stainless steel**.
- Fiberglass backing plate.
- Available in Type 27 and 29.

## Zirconia Alumina

<b>4 x 5/8"</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10803FF	10803AF	36	15,150
	10804FF	10804AF	40	15,150
	10805FF	10805AF	60	15,150
	10806FF	10806AF	80	15,150
	10807FF	10807AF	120	15,150

<b>4-1/2 x 7/8"</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10823FF	10823AF	36	13,300
	10824FF	10824AF	40	13,300
	10828FF	10828AF	50	13,300
	10825FF	10825AF	60	13,300
	10826FF	10826AF	80	13,300
	10827FF	10827AF	120	13,300

<b>4-1/2 x 5/8"-11</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10813FF	10813AF	36	13,300
	10814FF	10814AF	40	13,300
	10818FF	10818AF	50	13,300
	10815FF	10815AF	60	13,300
	10816FF	10816AF	80	13,300
	10817FF	10817AF	120	13,300

<b>5 x 7/8"</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10843FF	10843AF	36	12,150
	10844FF	10844AF	40	12,150
	10848FF	10848AF	50	12,150
	10845FF	10845AF	60	12,150
	10846FF	10846AF	80	12,150
	10847FF	10847AF	120	12,150

<b>5 x 5/8"-11</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10833FF	10833AF	36	12,150
	10834FF	10834AF	40	12,150
	10838FF	10838AF	50	12,150
	10835FF	10835AF	60	12,150
	10836FF	10836AF	80	12,150
	10837FF	10837AF	120	12,150

<b>7 x 7/8"</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10863FF	10863AF	36	8,600
	10864FF	10864AF	40	8,600
	10868FF	10868AF	50	8,600
	10865FF	10865AF	60	8,600
	10866FF	10866AF	80	8,600
	10867FF	10867AF	120	8,600

<b>7 x 5/8"-11</b>	<b>Type 27</b>	<b>Type 29</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	10853FF	10853AF	36	8,600
	10854FF	10854AF	40	8,600
	10858FF	10858AF	50	8,600
	10855FF	10855AF	60	8,600
	10856FF	10856AF	80	8,600
	10857FF	10857AF	120	8,600

# FLAP DISCS

## Aluminum Oxide



- General purpose flap disc.
- Great for quick material removal.
- High density option available.

### 4 x 5/8"

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063242-1	1063342-2	36	15,150
	1063243-1	1063343-2	40	15,150
	1063245-1	1063345-2	60	15,150
	1063246-1	1063346-2	80	15,150
	1063248-1	1063348-2	120	15,150

### 4-1/2 x 7/8"

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063252-1	1063352-2	36	13,300
	1063253-1	1063353-2	40	13,300
	1063255-1	1063355-2	60	13,300
	1063256-1	1063356-2	80	13,300
	1063258-1	1063358-2	120	13,300

### 4-1/2 x 5/8"-11

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063152-1	1063352-2	36	13,300
	1063153-1	1063353-2	40	13,300
	1063155-1	1063355-2	60	13,300
	1063156-1	1063356-2	80	13,300
	1063158-1	1063358-2	120	13,300

### 5 x 7/8"

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063262-1	1063362-2	36	12,150
	1063263-1	1063363-2	40	12,150
	1063265-1	1063365-2	60	12,150
	1063266-1	1063366-2	80	12,150
	1063268-1	1063368-2	120	12,150

### 7 x 7/8"

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063272-1	1063372-2	36	8,600
	1063273-1	1063373-2	40	8,600
	1063275-1	1063375-2	60	8,600
	1063276-1	1063376-2	80	8,600
	1063278-1	1063378-2	120	8,600

### 7 x 5/8"-11

Pk Qty 10	Type 27	Type 29	Grit	Max RPM
	1063172-1	1063372-2	36	8,600
	1063173-1	1063373-2	40	8,600
	1063175-1	1063375-2	60	8,600
	1063176-1	1063376-2	80	8,600
	1063178-1	1063378-2	120	8,600

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCSPSA DISCS  
BONDED  
BELTSSURFACE  
CONDITIONING  
CLEAN & FINISHFLAP WHEELS  
SHEETS

ROLLS

SPECIALTIES  
NO LAP BANDS

# PRODUCT OVERVIEW

## PREDATOR™

Smaller diameter discs typically do not last long, due to the small amount of abrasive grain able to fit within the product surface. The self-sharpening grains of PREDATOR™ quick-lok discs outlast many others, and the two grinding aids further increase life by keeping the material cool. Aggressive grinding with quick-lok discs is easily achieved due to the proprietary construction of PREDATOR™ materials.

## PREDATOR™ RESIN FIBER

Tough deburring and weld removal applications may wear or tear standard quick-lok disc backing materials. PREDATOR™ resin fiber quick-lok discs are made of the same thick, rugged, heat absorbing backing of resin fiber discs. Some flexibility is lost, but cut rates and product life are unsurpassed.



## Performance Coating

From the high RPM of a quick-lok disc application, excessive heat can quickly load the disc material with aluminum or other soft metals. This may be common and unavoidable with conventional quick-lok discs, but Performance Coating alleviates heat from the grinding process. Lab results have shown Performance Coated quick-lok discs cut as much as ten times faster than untreated discs.

# QUICK-LOK DISCS

## COMPACT GRAIN

The cluster, or agglomerate, that forms a compact grain is much different than conventional abrasives. Compact grains have multiple layers of the same grit - compared to only one layer of a conventional coated abrasive product. As an entire layer of abrasive grain is worn away, another layer is exposed. The compact grain construction results in less loading, longer life and a consistent finish.

If you were to convert conventional coated abrasives to the same compact grain grit size, compact grains will appear much coarser than their conventional abrasive equivalent; but, they are no coarser than the grit stated on the backing.



The unique manner in which compact grains wear away allow them to penetrate the hard structure of titanium and high nickel alloys, both very common materials for the aerospace industry.

In finer grits, such as 80 and 120, compact grain quick-lok discs have shown three-to-one performance over conventional aluminum oxide and silicon carbide discs. The stacked grain structure contributes less heat to the grinding process and leads to a faster cut and better life.

**AEROSPACE**  
ARC ABRASIVES INC



Stocking programs are available to assist our distributor partners.

## QUICK-LOK DISC OPTIONS

The small diameter of quick-lok discs leaves a small grinding footprint and allows the user to grind or polish in a space where a larger tool would not reach. A smaller footprint also allows the grind lines to stay tight to the weld area creating less secondary finishing work.

### BUTTON TYPE



The quick change mechanism allows fast product changeover with minimum tool down time. There are no performance differences between Type R and Type S buttons and the correct choice is only a matter of preference. Coordinating quick-lok disc holders are available for each diameter.

### MAXBAK™

Not as stiff as resin fiber quick-lok discs, MAXBAK™ quick-loks are a seamless blend of aggressive flexibility. MAXBAK™ is a proven choice for normal deburring and weld removal applications where a combination of flexibility, fast cut and long life are desired. MAXBAK™ quick-loks work well for blending corners and working on contoured surfaces.

### SINGLE-PLY



Quick-lok discs with a single-ply backing are popular with steel fabricators working on inside corners and tight, contoured surfaces. The single-ply backing is extremely flexible, yet sustains high edge retention for maximum benefit.

## Aerospace Applications Kit

Since 1960, we have been serving the aerospace industry with new and exclusive products. The Aerospace Applications Kit was carefully assembled to show the benefits of our exclusive aerospace products. The kit details product and process improvements tied to popular metal classes and applications in the aerospace market. These products will greatly improve your abrasive process at a lower cost, compared to competitor's.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# APPS & SOLUTIONS


## MILD STEEL

### APPLICATION

Weld removal and deburring in coarser grits are the most common quick-lok disc applications on mild steel sheet. The ability of a product to remove material quickly and stand up to sharp burrs and welds are the most important factors.

### SOLUTION

Our wide selection of backings can be utilized for high heat and tough deburring applications. The proprietary grains of PREDATOR™ provides mild steel fabricators the fastest cut available in the market. A fast cut and durable backing are critical for mild steel weld removal and deburring applications. PREDATOR™ discs offer the fast cut and long life that is essential for these applications.




## STAINLESS STEEL

### APPLICATION

The high heat applications of stainless steel, with the higher RPM of die grinders can quickly deteriorate the effectiveness of quick-lok discs. It is important to use a product that can control heat while delivering a high rate of removal.

### SOLUTION

The high concentration of select grains, and both size and top size grinding aids of PREDATOR™ quick-lok discs, compliments stainless steel applications very well. The range of backing options allow for additional life and controlled performance during stock removal or deburring.



## EXOTIC ALLOY

### APPLICATION

Titanium and high nickel alloys are involved in some of the most challenging applications. These hard metals do not respond well to controlled grinding and can quickly deplete the usable life of an abrasive. Poor performance has been generally accepted by using conventional, fine grit aluminum oxide, silicon carbide, or even costly full ceramic grains in coarse grits.

### SOLUTION

Forming silicon carbide into a compact grain structure alleviates the heat generated from hard metals. The manner in which compact grains breakdown during use is also beneficial to the harder exotic alloys. The layered construction of silicon carbide compact grains can provide life up to five times longer than conventional abrasive grains.



## ALUMINUM


### APPLICATION

Removal of spot welds, plasma cut burrs or machining marks are all common aluminum applications, and are all very different in nature. A diverse selection of products is needed to accomplish such a range of applications. Due to the high heat generated by using quick-lok discs, loading will also be an apparent issue.

### SOLUTION

For versatility, quick-lok discs offer several backing options, from contoured conformability to speed and aggression. Single-ply, MAXBAK™, and resin fiber backings are all available for our PREDATOR™ material.

Performance Coating is integrated to ensure a cooler cut, able to reduce or completely stop loading of soft metals. The coating is baked into the PREDATOR™ material and is especially effective when using quick-lok discs.



# QUICK-LOK DISCS

## PREDATOR™



- Smaller diameter discs typically do not last long, due to small amount of abrasive grain able to fit within the product surface. PREDATOR™ Quick-Lok discs, due to their special self-sharpening grain construction, outlast competition.
- The two grinding aid layers, further increase life by keeping the work surface cool.
- Provides aggressive grinding action with fast stock removal, ideal for mild steel applications.
- Available in Type P, R and S.
- Quick-Lok Disc Holders available on page 33.



- PREDATOR™ Resin FIBER Quick-Lok discs are made of the same thick, rugged, heat absorbing backing of resin FIBER discs.
- Stiffer material allows higher pressure during use.
- Long lasting, aggressive cut throughout the life.
- Available in Type P, R and S.
- Quick-Lok Disc Holders available on page 33.

1-1/2"	Type R	Type S	Grit
Pk Qty 100	71-31638	71-31438	36
	71-31639	71-31439	40
	71-31640	71-31440	50
	71-31641	71-31441	60
	71-31642	71-31442	80
	71-31643	71-31443	100
	71-31644	71-31444	120

2"	Type R	Type S	Grit
Pk Qty 100	71-31650	71-31450	36
	71-31651	71-31451	40
	71-31652	71-31452	50
	71-31653	71-31453	60
	71-31654	71-31454	80
	71-31655	71-31455	100
	71-31656	71-31456	120

3"	Type R	Type S	Grit
Pk Qty 50	71-31662	71-31462	36
	71-31663	71-31463	40
	71-31664	71-31464	50
	71-31665	71-31465	60
	71-31666	71-31466	80
	71-31667	71-31467	100
	71-31668	71-31468	120

4"	Type R	Type S	Grit
Pk Qty 50	71-31674	71-31474	36
	71-31675	71-31475	40
	71-31676	71-31476	50
	71-31677	71-31477	60
	71-31678	71-31478	80
	71-31679	71-31479	100
	71-31680	71-31480	120

## PREDATOR™ Resin Fiber

2"	Type R	Type S	Grit
Pk Qty 100	71-36201	71-38201	24
	71-36202	71-38202	36
	71-36204	71-38204	50
	71-36205	71-38205	60
	71-36206	71-38206	80
	71-36208	71-38208	120

3"	Type R	Type S	Grit
Pk Qty 50	71-36301	71-38301	24
	71-36302	71-38302	36
	71-36304	71-38304	50
	71-36305	71-38305	60
	71-36306	71-38306	80
	71-36308	71-38308	120

RESIN FIBER  
DISCSFLAP DISCS  
DISCSQUICK-LOK  
DISCSPSA DISCS  
BONDED  
BELTSSURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES  
NO LAP BANDS

# QUICK-LOK DISCS



- Smaller diameter discs typically do not last long, due to small amount of abrasive grain able to fit within the product surface. PREDATOR™ Quick-Lok discs, due to their special self-sharpening grain construction, outlast competition.
- Performance Coated PREDATOR™ quick-lok discs are excellent for soft metal applications like aluminum.
- Increased cut rate.
- Reduced heat transfer.
- Extended product life.
- Available in Type P, R and S.
- Quick-Lok Disc Holders available on page 33.



- Our special post-production Performance Coating process helps improve cut and ability to reduce loading, especially on softer metals, thus making this product suitable for applications on aluminum.

## Performance Coated PREDATOR™

1-1/2"	Type R	Type S	Grit
Pk Qty 100	71-31638W	71-31438W	36
	71-31639W	71-31439W	40
	71-31640W	71-31440W	50
	71-31641W	71-31441W	60
	71-31642W	71-31442W	80
	71-31643W	71-31443W	100
	71-31644W	71-31444W	120

2"	Type R	Type S	Grit
Pk Qty 100	71-31650W	71-31450W	36
	71-31651W	71-31451W	40
	71-31652W	71-31452W	50
	71-31653W	71-31453W	60
	71-31654W	71-31454W	80
	71-31655W	71-31455W	100
	71-31656W	71-31456W	120

3"	Type R	Type S	Grit
Pk Qty 50	71-31662W	71-31462W	36
	71-31663W	71-31463W	40
	71-31664W	71-31464W	50
	71-31665W	71-31465W	60
	71-31666W	71-31466W	80
	71-31667W	71-31467W	100
	71-31668W	71-31468W	120

4"	Type R	Type S	Grit
Pk Qty 50	71-31674W	71-31474W	36
	71-31675W	71-31475W	40
	71-31676W	71-31476W	50
	71-31677W	71-31477W	60
	71-31678W	71-31478W	80
	71-31679W	71-31479W	100
	71-31680W	71-31480W	120

## Performance Coated PREDATOR™ Resin Fiber

2"	Type R	Type S	Grit
Pk Qty 100	71-36201W	71-38201W	24
	71-36202W	71-38202W	36
	71-36204W	71-38204W	50
	71-36205W	71-38205W	60
	71-36206W	71-38206W	80
	71-36208W	71-38208W	120

3"	Type R	Type S	Grit
Pk Qty 50	71-36301W	71-38301W	24
	71-36302W	71-38302W	36
	71-36304W	71-38304W	50
	71-36305W	71-38305W	60
	71-36306W	71-38306W	80
	71-36308W	71-38308W	120

# QUICK-LOK DISCS



## Zirconia Alumina

1-1/2"	Type R	Type S	Grit
Pk Qty 100	31709	31522	24
	31710	31523	36
	31711	31524	40
	31712	31525	50
	31713	31526	60
	31714	31527	80
	31715	31528	100
	31716	31529	120
2"	Type R	Type S	Grit
Pk Qty 100	31717	31534	24
	31718	31535	36
	31719	31536	40
	31720	31537	50
	31721	31538	60
	31722	31539	80
	31723	31540	100
	31724	31541	120
3"	Type R	Type S	Grit
Pk Qty 50	31725	31546	24
	31726	31547	36
	31727	31548	40
	31728	31549	50
	31729	31550	60
	31730	31551	80
	31731	31552	100
	31732	31553	120
4"	Type R	Type S	Grit
Pk Qty 50	31733	31556	24
	31734	31557	36
	31735	31558	40
	31736	31559	50
	31737	31560	60
	31738	31561	80
	31739	31562	100
	31740	31563	120

- Suitable for stainless steel applications.
- An affordable and efficient choice.
- Improved stock removal capacity due to the addition of a grinding aid.
- Available in Type P, R and S.
- Quick-Lok Disc Holders available on page 33.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# QUICK-LOK DISCS



- The best general purpose discs for common metalworking applications.
- Affordable choice for soft metals.
- Available in Type P, R and S.
- Quick-Lok Disc Holders available on page 33.

## Aluminum Oxide

1"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31613	31413	24
	31614	31414	36
	31615	31415	40
	31616	31416	50
	31617	31417	60
	31618	31418	80
	31619	31419	100
	31620	31420	120
	31621	31421	150
	31622	31422	180
	31623	31423	240
	31624	31424	320
2"	Type R	Type S	Grit
<i>Pk Qty 100</i>	31649	31449	24
	31650	31450	36
	31651	31451	40
	31652	31452	50
	31653	31453	60
	31654	31454	80
	31655	31455	100
	31656	31456	120
	31657	31457	150
	31658	31458	180
	31659	31459	240
	31660	31460	320
3"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31661	31461	24
	31662	31462	36
	31663	31463	40
	31664	31464	50
	31665	31465	60
	31666	31466	80
	31667	31467	100
	31668	31468	120
	31669	31469	150
	31670	31470	180
	31671	31471	240
	31672	31472	320
4"	Type R	Type S	Grit
<i>Pk Qty 50</i>	31673	31473	24
	31674	31474	36
	31675	31475	40
	31676	31476	50
	31677	31477	60
	31678	31478	80
	31679	31479	100
	31680	31480	120
	31681	31481	150
	31682	31482	180
	31683	31483	240
	31684	31484	320

# QUICK-LOK DISCS

## Compact Grain



2"	Type R	Type S	Grit
Pk Qty 100	31654-5	31454-5	80
	31656-5	31456-5	120
3"	Type R	Type S	Grit
Pk Qty 50	31666-5	31466-5	80
	31668-5	31468-5	120

## Silicon Carbide Compact Grain

2"	Type R	Type S	Grit
Pk Qty 100	31654-8	31454-8	80
	31656-8	31456-8	120
	31658-8	31458-8	180
	31659-8	31459-8	240
3"	Type R	Type S	Grit
Pk Qty 50	31666-8	31466-8	80
	31668-8	31468-8	120
	31670-8	31470-8	180
	31671-8	31471-8	240

- A special grit design, in clusters or agglomerate, that forms a compact grain which have multiple layers. A new layer is exposed when an entire layer is worn away.
- Reduced loading, consistent finish and extended life.
- Especially suitable for hard structure metals, such as titanium or nickel alloys and the aerospace industry.
- Available in Type P, R and S.



## Quick-Lok Disc Holders

1 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50257	50251	40,000
1-1/2 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50258	50252	30,000
2 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50259	50253	30,000
3 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50260	50254	20,000
4 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50261	50255	10,000

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# PRODUCT OVERVIEW

## SPECTRA™

Available in 5" or 6" roll, hook and loop, or with tab, SPECTRA™ Premium Paper Discs utilize a sturdy paper backing combined with a premium grain and stearated surface. 5" and 6" discs may be available with 6 or 8 vacuum holes.

SPECTRA™ products are a seamless blend of affordability and performance for general purpose applications on all metals.




## PREDATOR™

An aggressive cloth PSA with both size and top size grinding aids, PREDATOR™ PSA discs deliver a fast cut with minimal loading. The technical grain combination of PREDATOR™ easily performs at a 3-to-1 cut rate over standard aluminum oxide and zirconia alumina discs. PREDATOR™ is available in both PSA and hook & loop backings, from 24 to 120 grit in a wide range of sizes.

# PSA DISCS

## COMPACT GRAIN

Compact grain is a unique product that has proven value in fine finishing applications - an ideal solution for PSA discs. While utilizing its clustered construction, expect longer life and similar finish to conventional aluminum oxide products.



## FILM



Film options are ideal for inside corner and sharp edge grinding applications, due to the minimal thickness of the backing. Although extremely thin, film is durable and will not tear like most paper discs, but perform similarly to cloth backed discs.



## PSA DISC OPTIONS

### STANDARD DISCS AND DISC ROLLS

Our paper discs are available in both disc rolls or boxed together with a liner and tab. Cloth discs are only available with a liner; no disc roll available. 5" and 6" are the most common disc roll sizes.

### VACUUM HOLES

Available in 5, 6 or 8 hole format. Available in paper form.



### LARGE DISCS

Large discs will always be PSA and used on stationary machines found in maintenance and repair shops.

### PRESSURE SENSITIVE ADHESIVE

Regardless of the disc size, the PSA used must securely hold the disc to the pad or platen and easily be removed after the disc is finished. The disc must not leave any residue on the pad or platen as this would give an uneven grinding surface with the next disc.

If the platen is not kept clean, the adhesive from the disc will not allow it to secure properly. This will cause the disc to come apart from the platen and possibly injure the operator.



RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES  
NO LAP BANDS

# APPS & SOLUTIONS

## MILD STEEL


### APPLICATION

PSA and hook & loop discs are commonly used to administer the final finish of a part before painting. Different backing options are utilized depending on the geometry of the work piece. Large, rough areas with sharp burrs, corners and weld spatter would require a heavier cloth disc. Finer finishing and smoother surfaces, including paint, would use a paper disc.

### SOLUTION

When working on large areas that include sharp burrs, corners, weld penetration or spatter, PREDATOR™ cloth PSA discs are recommended.

When working on smoother surfaces with less spatter, requiring minimal cleanup, SPECTRA™ Premium Paper Discs can be used. The SPECTRA™ product line was designed as a seamless blend of affordability and performance.



## ALUMINUM

### APPLICATION

As a result of the slow action of orbital tooling on a flat surface, aluminum will quickly load into the grain structure, dramatically reducing the life and cutting power of the PSA disc.

### SOLUTION

Performance Coated PSA discs have the ability to cut 10 times faster and last 10 times longer than untreated discs. The Performance Coating is an integrated enhancement, producing a resilient, long lasting PSA disc that reduces heat during grinding. Abrasive grains can be fully utilized on aluminum with this product enhancement. Many fabricators have used Performance Coated discs to greatly reduce production costs and increase efficiencies.

## STAINLESS STEEL



### APPLICATION

Stainless finishing contains a wide range of application factors, and your use of a particular PSA disc will depend on the size, geometry and final surface requirement. All of these factors indicate the type of grain, backing, flexibility and size needed.

### SOLUTION

A definitive factor of stainless grinding is the excessive heat generated. PREDATOR™ PSA discs can control heat and extend cut with the proprietary selection of self-sharpening grains.

When seeking a finish finer than 120 grit, consider using an aluminum oxide compact grain. Compared to conventional, single layer abrasive grains, the compact grain provides a faster cut and extended life on demanding stainless steel finishing applications.



# PSA DISCS



## PREDATOR™

5"	Item	Grit
<i>Pk Qty 50</i>	71-30438	36
	71-30439	40
	71-30440	50
	71-30441	60
	71-30442	80
	71-30444	120
6"	Item	Grit
<i>Pk Qty 50</i>	71-30450	36
	71-30451	40
	71-30452	50
	71-30453	60
	71-30454	80
	71-30456	120
8"	Item	Grit
<i>Pk Qty 50</i>	71-30474	36
	71-30475	40
	71-30476	50
	71-30477	60
	71-30478	80
	71-30480	120
10"	Item	Grit
<i>Pk Qty 25</i>	71-30498	36
	71-30499	40
	71-30500	50
	71-30501	60
	71-30502	80
	71-30504	120
12"	Item	Grit
<i>Pk Qty 25</i>	71-30510	36
	71-30511	40
	71-30512	50
	71-30513	60
	71-30514	80
	71-30516	120
20"	Item	Grit
<i>Pk Qty 10</i>	71-30558	36
	71-30559	40
	71-30560	50
	71-30561	60
	71-30562	80
	71-30564	120
24"	Item	Grit
<i>Pk Qty 5</i>	71-30570	36
	71-30571	40
	71-30572	50
	71-30573	60
	71-30574	80
	71-30576	120

RESIN FIBER  
DISCSFLAP DISCS  
DISCSQUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES  
NO LAP BANDS

- Exclusive PREDATOR™ self-sharpening abrasive grain blend with two grinding aids.
- The two grinding aid layers, further increase life by keeping the work surface cool.
- Provides aggressive grinding action with fast stock removal, ideal for mild steel applications.

• PSA Disc Holders available on page 43.

# PAPER DISCS



- Affordable performance.
- 60 - 600 grit range.
- Tabbed PSA, hook & loop and disc rolls available.
- B-weight material.
- Also available with vacuum holes.
- PSA Disc Holders available on page 43.



## SPECTRA™ PSA w/ Tab


Pk Qty 100

5"	6"	Grit
31505	36605	60
31506	36606	80
31507	36607	100
31508	36608	120
31509	36609	150
31510	36610	180
31511	36611	220
31512	36612	240
31514	36614	320
31515	36615	400
31517	36617	600

## SPECTRA™ PSA Disc Rolls

Pk Qty 1

5"	6"	Grit
311505	311605	60
311506	311606	80
311507	311607	100
311508	311608	120
311509	311609	150
311510	311610	180
311511	311611	220
311512	311612	240
311514	311614	320
311515	311615	400
311516	311617	600



## SPECTRA™ Hook & Loop

Pk Qty 100

5"	6"	Grit
349505	349605	60
349506	349606	80
349507	349607	100
349508	349608	120
349509	349609	150
349510	349610	180
349511	349611	220
349512	349612	240
349514	349614	320
349515	349615	400
349517	349617	600

- Also available with vacuum holes.

# PSA DISCS

## Aluminum Oxide - Cloth



- General purpose metalworking.
- Affordable choice for soft metals.
- Cloth backing adds strength.
- PSA Disc Holders available on page 43.

1/2"	Item	Grit
<i>Pk Qty 100</i>		
	30354	36
	30355	40
	30356	50
	30357	60
	30358	80
	30359	100
	30360	120
	30361	150
	30362	180
	30362GR	220
	30363	240
	30364	320
	30364GR	400
3/4"	Item	Grit
<i>Pk Qty 100</i>		
	30366	36
	30367	40
	30368	50
	30369	60
	30370	80
	30371	100
	30372	120
	30373	150
	30374	180
	30374GR	220
	30375	240
	30376	320
	30376Z1	400
1"	Item	Grit
<i>Pk Qty 100</i>		
	30378	36
	30379	40
	30380	50
	30381	60
	30382	80
	30383	100
	30384	120
	30385	150
	30386	180
	30386GR	220
	30387	240
	30388	320
	30388GR	400
2"	Item	Grit
<i>Pk Qty 100</i>		
	30402	36
	30403	40
	30404	50
	30405T	60
	30406T	80
	30407T	100
	30408T	120
	30409T	150
	30410T	180
	30410TGR	220
	30411T	240
	30412T	320
	30412TZ2	400

RESIN FIBER  
DISCSFLAP DISCS  
DISCSQUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# PSA DISCS



- General purpose metalworking.
- Affordable choice for soft metals.
- Cloth backing adds strength.
- PSA Disc Holders available on page 43.

## Aluminum Oxide - Cloth

3"	Item	Grit
Pk Qty 50	30414	36
	30415	40
	30416	50
	30417T	60
	30418T	80
	30419T	100
	30420T	120
	30421T	150
	30422T	180
	30422TGR	220
	30423T	240
	30424T	320
	30424TGR	400
4"	Item	Grit
Pk Qty 50	30426	36
	30427	40
	30428	50
	30429T	60
	30430T	80
	30431T	100
	30432T	120
	30433T	150
	30434T	180
	30434TGR	220
	30435T	240
	30436T	320
	30436Z2T	400
5"	Item	Grit
Pk Qty 50	30438	36
	30439	40
	30440	50
	30441T	60
	30442T	80
	30443T	100
	30444T	120
	30445T	150
	30446T	180
	30446TGR	220
	30447T	240
	30448T	320
	30448TGR	400
6"	Item	Grit
Pk Qty 50	30450	36
	30451	40
	30452	50
	30453T	60
	30454T	80
	30455T	100
	30456T	120
	30457T	150
	30458T	180
	30458TGR	220
	30459T	240
	30460T	320
	30460TGR	400

# PSA DISCS

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

## Aluminum Oxide - Cloth

8"	Item	Grit
Pk Qty 50	30474	36
	30475	40
	30476	50
	30477	60
	30478	80
	30479	100
	30480	120
	30481	150
	30482	180
	30482GR	220
	30483	240
	30484	320
	30484Z1	400
10"	Item	Grit
Pk Qty 25	30498	36
	30499	40
	30500	50
	30501	60
	30502	80
	30503	100
	30504	120
	30505	150
	30506	180
	30506GR	220
	30507	240
	30508	320
	30508GR	400
12"	Item	Grit
Pk Qty 25	30510	36
	30511	40
	30512	50
	30513	60
	30514	80
	30515	100
	30516	120
	30517	150
	30518	180
	30518GR	220
	30519	240
	30520	320
	30520GR	400
15"	Item	Grit
Pk Qty 25	30522	36
	30523	40
	30524	50
	30525	60
	30526	80
	30527	100
	30528	120
	30529	150
	30530	180
	30530GR	220
	30531	240
	30532	320
	30532GR	400

16"	Item	Grit
Pk Qty 25	30534	36
	30535	40
	30536	50
	30537	60
	30538	80
	30539	100
	30540	120
	30541	150
	30542	180
	30542GR	220
	30543	240
	30544	320
	30544GR	400
18"	Item	Grit
Pk Qty 10	30546	36
	30547	40
	30548	50
	30549	60
	30550	80
	30551	100
	30552	120
	30553	150
	30554	180
	30554GR	220
	30555	240
	30556	320
	30556GR	400
20"	Item	Grit
Pk Qty 10	30558	36
	30559	40
	30560	50
	30561	60
	30562	80
	30563	100
	30564	120
	30565	150
	30566	180
	30566GR	220
	30567	240
	30568	320
	30568Z1	400
24"	Item	Grit
Pk Qty 5	30570-8	36
	30571	40
	30572	50
	30573	60
	30574	80
	30575	100
	30576	120
	30577	150
	30578	180
	30578GR	220
	30579	240
	30580	320
	30580GR	400

# PSA DISCS



## Aluminum Oxide - Film

Pk Qty 100

5"	6"	Grit
29005	29990	80
29007	29992	120
29009	29994	180
29010	29995	240
29011	29996	320
29012	29997	400
29013	29998	600
29014	29999	800
29015	31000	1000
29016	31001	1200

- Fine grinding with tight tolerances.
- Ideal for technical operations.
- Also available with vacuum holes and in hook & loop.
- PSA Disc Holders available on page 43.



## Silicon Carbide, Waterproof

Pk Qty 100

8"	12"	Grit
35200TPL	35203TPL	60
35201TPL	35204TPL	80
35117TPL	35205TPL	120
35119TPL	35132TPL	180
35121TPL	35134TPL	240
35123TPL	35136TPL	320
35124TPL	35137TPL	400
35126TPL	35139TPL	600
35126Z22TPL	35139Z1TPL	800/2400
35126Z23TPL	35139Z2TPL	1000/3000
35126Z24TPL	35139Z3TPL	1200/4000

- Use wet or dry.
- 60 to 80 grit C-weight for more aggressive applications.
- 100 and finer grit for finishing applications.
- PSA Disc Holders available on page 43.

# PSA DISCS

## PSA Cloth Disc Holders



Pk Qty 1

Size	Item	Max RPM
1/2 x 1/8"	50201	22,000
1/2 x 1/4"	50202	22,000
3/4 x 1/8"	50203	22,000
3/4 x 1/4"	50204	22,000
1 x 1/8"	50205	22,000
1 x 1/4"	50206	22,000
1-1/2 x 1/4"	50208	22,000
2 x 1/4"	50209	22,000
3 x 1/4"	50210	12,000
4 x 1/4"	50211	7,500
4"	50212	7,500
5 x 1/4"	50213	5,500
5 x 3/8"	50214	5,500



Pk Qty 1

## PSA Paper Disc Holders

Size	Item	Max RPM
5 x 5/16"-24	50217	10,000
6 x 5/16"-24	50218	10,000



Pk Qty 1

## Hook & Loop Disc Holders

Size	Item	Max RPM
5 x 5/16"-24	53905	10,000
5 x 5/8"-11	53905Z1	4,800
6 x 5/16"-24	53906	10,000
6 x 5/8"-11	53906SH	4,800

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS  
DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES



NO LAP BANDS

# PRODUCT OVERVIEW

## PREDATOR™ TYPE 1 CUT OFF WHEELS

Thin cut off wheels are designed for fast and accurate cutting and trimming. The accuracy of a cut depends on the thickness of the wheel. With tight tolerances, cutting or trimming with a thick wheel can disrupt accuracy, requiring more secondary work. It is important to choose the correct thickness for each application.

The industry standard in wheel thickness ranges from 0.030" to 0.125". PREDATOR™ Cut Off Wheels are offered in two widths - 0.040" and 0.0625" (or 1/16"). The thin dimensions of PREDATOR™ Cut Off Wheels prevent excessive material removal, allowing the wheel to last longer while producing finer cuts.



# BONDED PERFORMANCE COATING

Cut off wheels generate a tremendous amount of heat, particularly on soft metal cutting applications. With the application of performance coating you will see a 50 to 60% increase in cutting speed when working on soft metals such as aluminum. While designed for soft metals, performance coating will deliver a 25% increase in cut and speed on all metals including mild steel, stainless steel, titanium, and nickel alloys.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets


ROLLS

SPECIALTIES

NO LAP BANDS

## PREDATOR™ TYPE 27 DEPRESSED CENTER GRINDING WHEELS

When using a depressed center grinding wheel for grinding and metal shaping it is important to have a wheel that can work on a variety of metals while delivering a great cut and life. PREDATOR™ Depressed Center Grinding Wheels will deliver dependable results on mild steel with superior results on harder metals such as stainless steel and high nickel alloys.



Representatives available for joint sales calls.

[www.arcabrasives.com](http://www.arcabrasives.com)

# BONDED



- PREDATOR™ Cut-off Wheels provide a long-lasting, aggressive cut throughout their life and reduce heat with an integrated grinding aid.
- PREDATOR™ Cut-Off Wheels, and its proprietary blend of grains, are designed specifically for mild steel, where they offer an extremely high ratio of material removal and life but offer superior performance on stainless steel.
- Designed for fast and accurate cutting and trimming.
- Great on all metals.
- No burning.
- Performance Coating acts as a lubricant, providing a faster and smoother cut.

## PREDATOR™ T1 Cut-Off Wheels

<b>3"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
3 x .040 x 1/4"	903041405	A60T	25,500	
3 x .040 x 3/8"	903043805	A60T	25,500	
3 x 1/16 x 1/4"	903161403	A46T	25,500	
3 x 1/16 x 3/8"	903163803	A46T	25,500	

<b>4"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
4 x .040 x 1/4"	904041405	A60T	19,100	
4 x .040 x 3/8"	904043805	A60T	19,100	
4 x 1/16 x 1/4"	904161403	A46T	19,100	
4 x 1/16 x 3/8"	904163803	A46T	19,100	

<b>4-1/2"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
4-1/2 x .040 x 7/8"	945047805	A60T	13,600	
4-1/2 x 1/16 x 7/8"	945167803	A46T	13,600	

<b>5"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
5 x .040 x 7/8"	905047805	A60T	12,250	
5 x 1/16 x 7/8"	905167803	A46T	12,250	

<b>6"</b>	<b>Pk Qty 40</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
6 x 1/16 x 7/8"	906167803	A46T	10,200	

## Performance Coated PREDATOR™ T1 Cut-Off Wheels

<b>3"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
3 x .040 x 1/4"	903041405W	A60T	25,500	
3 x .040 x 3/8"	903043805W	A60T	25,500	
3 x 1/16 x 1/4"	903161403W	A46T	25,500	
3 x 1/16 x 3/8"	903163803W	A46T	25,500	

<b>4"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
4 x .040 x 1/4"	904041405W	A60T	19,100	
4 x .040 x 3/8"	904043805W	A60T	19,100	
4 x 1/16 x 1/4"	904161403W	A46T	19,100	
4 x 1/16 x 3/8"	904163803W	A46T	19,100	

<b>4-1/2"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
4-1/2 x .040 x 7/8"	945047805W	A60T	13,600	
4-1/2 x 1/16 x 7/8"	945167803W	A46T	13,600	

<b>5"</b>	<b>Pk Qty 50</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
5 x .040 x 7/8"	905047805W	A60T	12,250	
5 x 1/16 x 7/8"	905167803W	A46T	12,250	

<b>6"</b>	<b>Pk Qty 40</b>	<b>Item</b>	<b>Grade</b>	<b>Max RPM</b>
6 x 1/16 x 7/8"	906167803W	A46T	10,200	



# BONDED

## PREDATOR™ T27 Cut-Off Wheels

4-1/2"	Item	Grit	Max RPM
4-1/2 x .040 x 7/8"	745047805	A60T	13,600



## PREDATOR™ T27 Grinding Wheels

4-1/2"	Item	Grit	Max RPM
4-1/2 x 1/4 x 7/8"	845047801	24	13,600
4-1/2 x 1/8 x 7/8"	845087805	60	13,600
4-1/2 x 1/4 x 5/8"-11	845045801	24	13,600
4-1/2 x 1/8 x 5/8"-11	845085805	60	13,600

7"	Item	Grit	Max RPM
7 x 1/4 x 7/8"	807047801	24	8,700
7 x 1/8 x 7/8"	807087805	60	8,700
7 x 1/8 x 5/8"-11	807085805	60	8,700

7"	Item	Grit	Max RPM
7 x 1/4 x 5/8"-11	807045801	24	8,700

- Depressed center design.
- Reinforced with strong mesh fiberglass.
- Available with 5/8"-11 hub for safety and no tool change.
- Fast cut & long life.
- Excellent for grinding welds.
- 1/8" flexible wheels used with plastic support hub.



## Jet Wheel Mandrel Set

1/4 x 3/8" or 1/4"	Item
Pk Qty 1	50690

- For 4" diameter cut off wheels or smaller
- Contents includes 1/4" shank adapter, 1/4" screw, 1/4" screw with 3/8" shoulder

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# PRODUCT OVERVIEW

With sizes ranging from 1/8" wide to 600" in length in multiple grains and backings, we can deliver nearly any belt needed for your required application. The ARC ABRASIVES, INC. Custom Belt Program has set the industry standard. Our custom services and excellent application knowledge make it easy to deliver solutions directly to your shop floor.



## PREDATOR™


Quickly becoming our fastest growing product range, PREDATOR™ belts have a heavy Y-weight backing and proprietary grain structure, ensuring quality performance on a wide range of alloys. The combination of two grinding aids only reinforces its leading gram removal ratio.

## COMPACT GRAIN

Compact grain belts are best for finishing applications. With a grit range of 80 to 600, the clustered design delivers 3 to 1 performance when compared to conventional aluminum oxide products. Although aluminum oxide compact grain is excellent for mild and stainless steel applications, silicon carbide compact grain offers some of the industry's best grinding ratios for harder titanium and nickel alloys.

## PERFORMANCE COATING

Performance Coating is available for belts less than 12" in width. This product enhancement will add additional performance in aluminum applications.



# BELTS

## MILD STEEL


### APPLICATION

The most common belt applications performed by mild steel fabricators include inside corner weld cleanup and manual deburring of thermal and mechanically cut parts. Both of these applications require particular performance factors, including flexible backing, long lasting grains and cooling agents.

### SOLUTION

PREDATOR™ airfile belts are recommended for inside corner weld removal or general cleanup. To prevent breaking, PREDATOR™ belts are manufactured with a flexible backing and a strong butt joint. The technical grains used in PREDATOR™ materials will provide a fast cut, while the two grinding aids keep belts cool to increase life.

Also recommended is the use of PREDATOR™ on most benchstand applications. The durable PREDATOR™ backing is good for deburring all types of thermal and mechanically cut parts.




## STAINLESS STEEL

### APPLICATION

From aesthetic to sanitary purposes, stainless steel finishing is performed on a wide variety of components. What may work well on stainless plate, may not work well on stainless sheet. Considering these factors, it is important to have a wide variety of technical grains, backings and grinding aids from which to choose.

### SOLUTION

Top performing stainless materials include PREDATOR™, which contains a durable backing and self-sharpening grains. The two grinding aids assist in cooling the stainless steel while grinding.



## ALUMINUM


### APPLICATION

Aluminum fabrication consists mainly of flash and gate removal by soft metal foundries. Other common applications include flat finishing aluminum for appearance or cleaning inside corner welds. All of these applications have loading issues due to the low melting point of aluminum.

While grinding, aluminum will melt into the grain structure of the abrasive creating excessive heat and accentuating the problem. Most aluminum fabricators use any particular abrasive based on cost, not performance, as they cannot utilize the technical advantages of certain grains.

### SOLUTION

Performance Coated belts decrease heat during the grinding process and dramatically increase cut and life on aluminum. It is not uncommon to see 3 or 4 times more cut and life in common aluminum belt applications. Performance Coating allows technical grains, such as zirconia alumina and ceramic, to reach their full potential on soft metals.



RESIN FIBER DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED BELTS

SURFACE CONDITIONING CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES NO LAP BANDS

# BELT MATERIALS

## PREDATOR™

Metal	Mild Steel Stainless Steel
Coating	High Alloy
Grinding Aid	Closed Size/Top Size
Backing	Active Filler
Weight	Polyester
Application	Y-Wt Wet or Dry



## Aluminum Oxide, J-Weight (AO/J)

Metal	Mild Steel Stainless Steel
Coating	Soft Metals
Grinding Aid	Closed
Backing	Size
Weight	Cotton
Application	J-Wt Dry



## Aluminum Oxide Paper (AO Paper)

Metal	Mild Steel Stainless Steel
Coating	Open
Grinding Aid	n/a
Backing	Paper
Weight	F-Wt 40-120 E-Wt 150-400
Application	Dry



## Aluminum Oxide Open Coat, Y-Weight (AO/Y Open Coat)

Metal	Soft Metals
Coating	Open
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Wet or Dry



## Aluminum Oxide, X-Weight (AO/X GP)

Metal	Soft Metals
Coating	Closed
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Dry



## Aluminum Oxide Open Coat, X-Weight (AO/X Open Coat)

Metal	Soft Metals
Coating	Open
Grinding Aid	n/a
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Dry



## Aluminum Oxide Premium, Y-Weight (AO/Y Premium)

Metal	Mild Steel
Coating	Soft Metals
Grinding Aid	Closed
Backing	Size
Weight	Polyester
Application	Y-Wt 24-40 X-Wt 80-400



## Aluminum Oxide Compact Grain (AO CG)

Metal	Mild Steel
Coating	Stainless Steel
Grinding Aid	High Alloy
Backing	Closed
Weight	Size
Application	Active Filler



## Silicon Carbide (SC-Poly)

Metal	Non-Ferrous
Coating	Closed
Grinding Aid	n/a
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



## Silicon Carbide Compact Grain (SC CG)

Metal	Titanium
Coating	High Alloy
Grinding Aid	Closed
Backing	Size
Weight	Polyester
Application	Y-Wt



# BELTS

## Zirconia Alumina, Y-Weight (ZA/Y)

Metal	Mild Steel Stainless Steel
Coating	Closed
Grinding Aid	Size
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



## Zirconia Alumina Plus, Y-Weight (ZA/Y Plus)

Metal	Mild Steel Stainless Steel
Coating	Closed
Grinding Aid	Size/Top Size
Backing	Polyester
Weight	Y-Wt
Application	Wet or Dry



## Zirconia Alumina, X-Weight (ZA/X)

Metal	Mild Steel Aluminum
Coating	Closed
Grinding Aid	Size/Top Size
Backing	65% Polyester 35% Cotton
Weight	X-Wt
Application	Dry



	24	36	40	50	60	80	100	120	150	180	220	240	320	400	600
PREDATOR™	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AO Compact Grain						•		•		•					
AO Paper			•		•	•	•	•	•	•	•				
AO/J					•	•	•	•	•	•	•	•	•	•	•
AO/X General Purpose	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
AO/X Open Coat					•	•	•	•	•	•	•				
AO/Y Open Coat				•	•	•	•	•							
AO/Y Premium	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
SC Compact Grain						•		•		•		•		•	•
SC-Poly	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
ZA/X		•	•	•	•	•	•	•	•	•	•				
ZA/Y	•	•	•	•	•	•	•	•							
ZA/Y Plus	•	•	•	•	•	•	•	•							

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# BELTS

## Airfile Belts

1/4 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	-	70049	-	36
	-	70050	-	40
	-	70051	-	50
	-	70052	-	60
	-	70053	-	80
	-	70054	-	120
	-	70054Z2	-	180

1/2 x 12"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	71-005012002	70072	71401-2	36
	71-005012003	70073	71402-2	40
	71-005012004	70074	71403-2	50
	71-005012005	70075	71404-2	60
	71-005012006	70076	71405-2	80
	71-005012008	70078	7140507-2	120
	-	70080	-	180

1/2 x 18"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	71-005018002	70081802	714051802-2	36
	71-005018003	70081803	714051803-2	40
	71-005018004	70081804	714051804-2	50
	71-005018005	70081805	714051805-2	60
	71-005018006	70081806	714051806-2	80
	71-005018008	70081808	714051808-2	120
	-	70081810	-	180

1/2 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	71-005024002	70084	71406-2	36
	71-005024003	70085	71407-2	40
	71-005024004	70086	71408-2	50
	71-005024005	70087	71409-2	60
	71-005024006	70088	71410-2	80
	71-005024008	70090	7141002408-2	120
	-	70092	-	180

1 x 12"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	71-010012002	70150	71426-2	36
	71-010012003	70151	71427-2	40
	71-010012004	70152	71428-2	50
	71-010012005	70153	71429-2	60
	71-010012006	70154	71430-2	80
	71-010012008	70156	7143008	120
	-	70158	-	180

## Airfile Belts

1 x 18"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 50	71-010018002	701591802	714301802-2	36
	71-010018003	701591803	714301803-2	40
	71-010018004	701591804	714301804-2	50
	71-010018005	70160Z235	714301805-2	60
	71-010018006	701591806	714301806-2	80
	71-010018008	701591808	714301808-1	120
	-	70160Z235	-	180

## Portable Belts

3 x 21"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 10	71-030021002	70522	71576-2	36
	71-030021003	70523	71577-2	40
	71-030021004	70524	71578-2	50
	71-030021005	70525	71579-2	60
	71-030021006	70526	71580-2	80
	71-030021008	70528	71582-2	120
	-	70530	-	180

3 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 10	71-030024002	70546	71586-2	36
	71-030024003	70547	71587-2	40
	71-030024004	70548	71588-2	50
	71-030024005	70549	71589-2	60
	71-030024006	70550	71590-2	80
	71-030024008	70552	71592-2	120
	-	70554	-	180

3-1/2 x 15-1/2"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 10	71-035015502	70690	71636-2	36
	71-035015503	70691	71637-2	40
	71-035015504	70692	71638-2	50
	71-035015505	70693	71639-2	60
	71-035015506	70694	71640-2	80
	71-035015508	70696	71642-2	120
	-	70698	-	180

4 x 24"	PREDATOR™	AO/X GP	ZA/Y	Grit
Pk Qty 10	71-040024002	70738	71656-2	36
	71-040024003	70739	71657-2	40
	71-040024004	70740	71658-2	50
	71-040024005	70741	71659-2	60
	71-040024006	70742	71660-2	80
	71-040024008	70744	71660Z02-2	120
	-	70746	-	180

**BELTS****Benchstand Belts**

							RESIN FIBER DISCS	FLAP DISCS	QUICK-LOK DISCS	PSA DISCS	BONDED	BELTS	SURFACE CONDITIONING	CLEAN & FINISH	FLAP WHEELS	Sheets	Rolls	Specialties	No Lap Bands
<b>1 x 42"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 50</i>	71-010042002	70162	71431-2	70162PM	-	36													
	71-010042003	70163	71432-2	70163PM	-	40													
	71-010042004	70164	71433-2	70164PM	-	50													
	71-010042005	70165	71434-2	70165PM	-	60													
	71-010042006	70166	71435-2	70166PM	69181-2	80													
	71-010042008	70168	7143608-2	70168PM	69183-2	120													
	-	70170	-	70170PM	69185-2	180													
<b>2 x 48"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 10</i>	71-020048002	70318	71496-2	70318PM	-	36													
	71-020048003	70319	71497-2	70319PM	-	40													
	71-020048004	70320	71498-2	70320PM	-	50													
	71-020048005	70321	71499-2	70321PM	-	60													
	71-020048006	70322	71500-2	70322PM	-	80													
	71-020048008	70324	715021-3	70324PM	69254-2	120													
	-	70326	-	70326PM	69256-2	180													
<b>2 x 60"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 10</i>	71-020060002	70330	71501-2	70330PM	-	36													
	71-020060003	70331	71502-2	70331PM	-	40													
	71-020060004	70332	71503-2	70332PM	-	50													
	71-020060005	70333	71504-2	70333PM	-	60													
	71-020060006	70334	71505-2	70334PM	6926006	80													
	71-020060008	70336	715056008-2	70336PM	6926008	120													
	-	70338	-	70338PM	6926010	180													
<b>2 x 72"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 10</i>	71-020072002	70342	71506-2	70342PM	-	36													
	71-020072003	70343	71507-2	70343PM	-	40													
	71-020072004	70344	71508-2	70344PM	-	50													
	71-020072005	70345	71509-2	70345PM	-	60													
	71-020072006	70346	71510-2	70346PM	69271-2	80													
	71-020072008	70348	7151008-2	70348PM	69273-2	120													
	-	70350	-	70350PM	69275	180													
<b>2-1/2 x 60"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 10</i>	71-025060002	70438	71546-2	70438PM	-	36													
	71-025060003	70439	71547-2	70439PM	-	40													
	71-025060004	70440	71548-2	70440PM	-	50													
	71-025060005	70441	71549-2	70441PM	-	60													
	71-025060006	70442	7154906-2	70442PM	69341	80													
	71-025060008	70444	7154908-2	70444PM	69343	120													
	-	70446	-	70446PM	69345	180													
<b>4 x 36"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>AO/J</b>	<b>Grit</b>													
<i>Pk Qty 10</i>	71-040036002	70762	71666-2	70762PM	-	36													
	71-040036003	70763	71667-2	70763PM	-	40													
	71-040036004	70764	71668-2	70764PM	-	50													
	71-040036005	70765	71669-2	70765PM	-	60													
	71-040036006	70766	71670-2	70766PM	69510-2	80													
	71-040036008	70768	716708-2	70768PM	69512-2	120													
	-	70770	-	70770PM	69514-2	180													

# BELTS

## Benchstand Belts

<b>4 x 60"</b>	<b>PREDATOR™</b>	<b>A0/X GP</b>	<b>ZA/Y</b>	<b>A0/Y</b>	<b>A0/J</b>	<b>Grit</b>
<i>Pk Qty 10</i>	71-040060002	70798	7168202-2	70798PM	-	36
	71-040060003	70799	7168203-2	70799PM	-	40
	71-040060004	70800	7168204-2	70800PM	-	50
	71-040060005	70801	71684-2	70801PM	-	60
	71-040060006	70802	71685-2	70802PM	6952606-2	80
	71-040060008	70804	7168608-2	70804PM	69526008-2	120
	-	70806	-	70806PM	69526010-2	180
<b>4 x 72"</b>	<b>PREDATOR™</b>	<b>A0/X GP</b>	<b>ZA/Y</b>	<b>A0/Y</b>	<b>A0/J</b>	<b>Grit</b>
<i>Pk Qty 10</i>	71-040072002	70810	716867202-2	70810PM	-	36
	71-040072003	70811	71687-2	70811PM	-	40
	71-040072004	70812	71688-2	70812PM	-	50
	71-040072005	70813	71689-1	70813PM	-	60
	71-040072006	70814	71690-2	70814PM	6949807206-2	80
	71-040072008	70816	716917208-2	70816PM	6949807208-2	120
	-	70818	-	70818PM	6949807210-2	180
<b>6 x 48"</b>	<b>PREDATOR™</b>	<b>A0/X GP</b>	<b>ZA/Y</b>	<b>A0/Y</b>	<b>A0/J</b>	<b>Grit</b>
<i>Pk Qty 10</i>	71-060048001	70989	71745-2	70989PM	-	24
	71-060048002	70990	71746-2	70990PM	-	36
	71-060048003	70991	71747-2	70991PM	-	40
	71-060048004	70992	71748-2	70992PM	-	50
	71-060048005	70993	71749-2	70993PM	-	60
	71-060048006	70994	71750-2	70994PM	69641-2	80
	71-060048007	70995	71750Z7-2	70995PM	69642-2	100
	71-060048008	70996	71750Z2-2	70996PM	69643-2	120
	-	70997	-	-	69644-2	150
	-	70998	-	-	69645-2	180

## Backstand Belts

<b>1 x 132"</b>	<b>PREDATOR™</b>	<b>A0/X GP</b>	<b>ZA/X</b>	<b>ZA/Y</b>	<b>A0/Y</b>	<b>A0/J</b>	<b>Grit</b>
<i>Pk Qty 10</i>	71-010132001	70197	-	71445-2	70197PM	-	24
	71-010132002	70198	71446-3	71446-2	70198PM	-	36
	71-010132003	70199	71447-3	71447-2	70199PM	-	40
	71-010132004	70200	71448-3	71448-2	70200PM	-	50
	71-010132005	70201	71449-3	71449-2	70201PM	-	60
	71-010132006	70202	71450-3	71450-2	70202PM	6920906	80
	71-010132007	70203	-	7145007-2	70203PM	6920907	100
	71-010132008	70204	-	7145008-2	70204PM	6920908	120
	-	70205	-	-	-	6920909	150
	-	70206	-	-	-	6920910	180
<b>2 x 132"</b>	<b>PREDATOR™</b>	<b>A0/X GP</b>	<b>ZA/X</b>	<b>ZA/Y</b>	<b>A0/Y</b>	<b>A0/J</b>	<b>Grit</b>
<i>Pk Qty 10</i>	71-020132001	70377	-	71520-2	70377PM	-	24
	71-020132002	70378	71521-3	71521-2	70378PM	-	36
	71-020132003	70379	71522-3	71522-2	70379PM	-	40
	71-020132004	70380	71523-3	71523-2	70380PM	-	50
	71-020132005	70381	71524-3	71524-2	70381PM	-	60
	71-020132006	70382	71525-3	71525-2	70382PM	69311-2	80
	71-020132007	70383	-	71526-2	70383PM	69312-2	100
	71-020132008	70384	-	71527-2	70384PM	69313-2	120
	-	70385	-	-	-	69314-2	150
	-	70386	-	-	-	69315-2	180

# BELTS

## Backstand Belts

3 x 132"	PREDATOR™	A0/X GP	ZA/X	ZA/Y	A0/Y	A0/J	Grit
Pk Qty 10	71-030132001	70641	-	7162001-2	70641PM	-	24
	71-030132002	70642	71621-3	71621-2	70642PM	-	36
	71-030132003	70643	71622-3	71622-2	70643PM	-	40
	71-030132004	70644	71623-3	71623-2	70644PM	-	50
	71-030132005	70645	71624-3	71624-2	70645PM	-	60
	71-030132006	70646	71625-3	71625-2	70646PM	69431-4	80
	71-030132007	70647	-	7162507-2	70647PM	69432-2	100
	71-030132008	70648	-	7162508-2	70648PM	69433-2	120
-	70649	-	-	-	-	69434-2	150
-	70650	-	-	-	-	69435-2	180

4 x 132"	PREDATOR™	A0/X GP	ZA/X	ZA/Y	A0/Y	A0/J	Grit
Pk Qty 10	71-040132001	70881	-	7170501-2	70881PM	-	24
	71-040132002	70882	71706-3	71706-2	70882PM	-	36
	71-040132003	70883	71707-3	71707-2	70883PM	-	40
	71-040132004	70884	71708-3	71708-2	70884PM	-	50
	71-040132005	70885	71709-3	71709-2	70885PM	-	60
	71-040132006	70886	71710-3	71710-2	70886PM	69571-2	80
	71-040132007	70887	-	71712-2	70887PM	69572-2	100
	71-040132008	70888	-	71711-2	70888PM	69573-2	120
-	70889	-	-	-	-	69574-2	150
-	70890	-	-	-	-	69575-2	180

4 x 168"	PREDATOR™	A0/X GP	ZA/X	ZA/Y	A0/Y	A0/J	Grit
Pk Qty 10	71-040168001	70917	-	7172101-2	70917PM	-	24
	71-040168002	70918	71721-3	71721-2	70918PM	-	36
	71-040168003	70919	71722-3	71722-2	70919PM	-	40
	71-040168004	70920	71723-3	71723-2	70920PM	-	50
	71-040168005	70921	71724-3	71724-2	70921PM	-	60
	71-040168006	70922	71725-3	71725-2	70922PM	6960168506-2	80
	71-040168007	70923	-	71726-2	70923PM	6960168507-2	100
	71-040168008	70924	-	71727-2	70924PM	6960168508-2	120
-	70925	-	-	-	-	6960168509-2	150
-	70926	-	-	-	-	6960168510-2	180

6 x 132"	PREDATOR™	A0/X GP	ZA/X	ZA/Y	A0/Y	A0/J	Grit
Pk Qty 10	71-060132001	7103601	-	717700-2	7103601PM	-	24
	71-060132002	7103602	717701-3	717701-2	7103602PM	-	36
	71-060132003	7103603	717702-3	717702-2	7103603PM	-	40
	71-060132004	7103604	717703-3	717703-2	7103604PM	-	50
	71-060132005	7103605	717704-3	717704-2	7103605PM	-	60
	71-060132006	71037	717705-3	717705-2	71037PM	69671-2	80
	71-060132007	71038	-	717706-2	71038PM	69672-2	100
	71-060132008	71039	-	717707-2	71039PM	69673-2	120
-	71040	-	-	-	-	69674-2	150
-	71041	-	-	-	-	69675-2	180

RESIN FIBER  
DISCSFLAP DISCS  
DISCSQUICK-LOK  
DISCS

PSA DISCS

BONDED  
BELTSSURFACE  
CONDITIONING  
CLEAN & FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# BELTS

## Wide Belts

<b>36 x 75"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>AO/CG</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>Grit</b>
<i>Pk Qty 3 (24-60 Grit)</i>	71-360075001	72228	-	72228-10	72228PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-360075002	72229	-	72229-10	72229PM	36
	71-360075003	72230	-	72230-10	72230PM	40
	71-360075004	72231	-	72231-10	72231PM	50
	71-360075005	72232	-	72232-10	72232PM	60
	71-360075006	72233	40367506	72233-10	72233PM	80
	71-360075007	72234	-	72234-10	72234PM	100
	71-360075008	72235	40367508	72235-10	72235PM	120
	-	72236	-	-	72236PM	150
	-	72237	40367510	-	72237PM	180
	-	72238	-	-	-	220
	-	72239	-	-	-	240
	-	7223914	-	-	-	320
	-	7223915	-	-	-	400

<b>37 x 60"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>AO/CG</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>Grit</b>
<i>Pk Qty 3 (24-60 Grit)</i>	71-370060001	72280	-	72280-10	72280PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-370060002	72281	-	72281-10	72281PM	36
	71-370060003	72282	-	72282-10	72282PM	40
	71-370060004	72283	-	72283-10	72283PM	50
	71-370060005	72284	-	72284-10	72284PM	60
	71-370060006	72285	40376006	72285-10	72285PM	80
	71-370060007	72286	-	72286-10	72286PM	100
	71-370060008	72287	40376008	72287-10	72287PM	120
	-	72288	-	-	72288PM	150
	-	72289	40376010	-	72289PM	180
	-	72290	-	-	-	220
	-	72291	-	-	-	240
	-	72292	-	-	-	320
	-	72293	-	-	-	400

<b>37 x 75"</b>	<b>PREDATOR™</b>	<b>AO/X GP</b>	<b>AO/CG</b>	<b>ZA/Y</b>	<b>AO/Y</b>	<b>Grit</b>
<i>Pk Qty 3 (24-60 Grit)</i>	71-370075001	72303	-	72303-10	72303PM	24
<i>Pk Qty 5 (80-400 Grit)</i>	71-370075002	72304	-	72304-10	72304PM	36
	71-370075003	72305	-	72305-10	72305PM	40
	71-370075004	72306	-	72306-10	72306PM	50
	71-370075005	72307	-	72307-10	72307PM	60
	71-370075006	72308	40377506	72308-10	72308PM	80
	71-370075007	72309	-	72309-10	72309PM	100
	71-370075008	72310	40377508	72310-10	72310PM	120
	-	72311	-	-	72311PM	150
	-	72312	40377510	-	72312PM	180
	-	72312GR	-	-	-	220
	-	72313	-	-	-	240
	-	7231214	-	-	-	320
	-	72314Z2-MR	-	-	-	400

# BELTS

## Wide Belts

52 x 75"	PREDATOR™	A0/X GP	A0/CG	ZA/Y	A0/Y	Grit
Pk Qty 3 (24-60 Grit)	71-520075001	72436	-	72436-10	72436PM	24
Pk Qty 5 (80-400 Grit)	71-520075002	72437	-	72437-10	72437PM	36
	71-520075003	72438	-	72438-10	72438PM	40
	71-520075004	72439	-	72439-10	72439PM	50
	71-520075005	72440	-	72440-10	72440PM	60
	71-520075006	72441	40527506	72441-10	72441PM	80
	71-520075007	72442	-	72442-10	72442PM	100
	71-520075008	72443	40527508	72443-10	72443PM	120
	-	72444	-	-	72444PM	150
	-	72445	40527510	-	72445PM	180
	-	72446	-	-	-	220
	-	724457512	-	-	-	240
	-	724457514	-	-	-	320
	-	724457515	-	-	-	400

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

52 x 103"	PREDATOR™	A0/X GP	A0/CG	ZA/Y	A0/Y	Grit
Pk Qty 3 (24-60 Grit)	71-520103001	72447	-	72447-10	72447PM	24
Pk Qty 5 (80-400 Grit)	71-520103002	72448	-	72448-10	72448PM	36
	71-520103003	72449	-	72449-10	72449PM	40
	71-520103004	72450	-	72450-10	72450PM	50
	71-520103005	72451	-	72451-10	72451PM	60
	71-520103006	72452	405210306	72452-10	72452PM	80
	71-520103007	72453	-	72453-10	72453PM	100
	71-520103008	72454	405210308	72454-10	72454PM	120
	-	72455	-	-	72455PM	150
	-	72456	405210310	-	72456PM	180
	-	72457	-	-	-	220
	-	72458	-	-	-	240
	-	72459	-	-	-	320
	-	72460	-	-	-	400

# SURFACE CONDITIONING


## MILD STEEL

### APPLICATION

Mild steel fabricators use nonwoven materials in many product forms. Discs and belts are most commonly used for rust and mill scale removal, general deburring and refining coarse scratches before painting. Against a challenging range of applications, an equal offering grades, backings and grains are needed. The key to your application success is matching the correct choice in surface conditioning material.

### SOLUTION

The use of heavy duty products will produce a faster cut and longer life than ordinary nonwoven discs during mill scale removal scratch refinement. Also available is a wide range of surface conditioning belts, including no stretch and extra flexible to fit all application requirements.



## STAINLESS STEEL

### APPLICATION

Stainless steel fabricators commonly use belts to achieve a desired finish on parts. Attaining a #4, #6, brushed or mirrored finish can be tiresome and involves many steps.

### SOLUTION

The conforming structure of nonwoven abrasives provides a consistent finish without removing excessive material, unlike coated abrasives. The wide range of surface conditioning products absorb heat exceptionally well, due to the open structure of the material. There is always a product specifically designed to handle the cut and durability needed for your application.

## ALUMINUM

### APPLICATION

Scratch patterns are often removed before machined parts are painted. Some parts may be small or intricate and need a small diameter disc to perform the required operation. As small as parts may be, excessive heat is still generated and can cause loading. Shortened life from loading is common in rotary applications using quick-loks and discs.

### SOLUTION

Performance Coated surface conditioning products will reduce loading in all product forms, such as belts, quick-loks and discs. Applications that create the most heat, like quick-lok discs, will benefit greatly from Performance Coating.

# SURFACE CONDITIONING



- Special designed Surface Conditioning material with extra flexibility for belts.
- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, non-ferrous materials, alloys, and fiberglass.
- Premium surface conditioning material evenly coated with grit from material surface to base.
- Consistent and repeatable finish throughout the entire product life.
- Low stretch material for applications with high belt tension.
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges.
- Cool temperature on the work surface, thus preventing discoloration.
- No smearing.
- Available in custom sizes. Size range of 1/8 - 1" width; up to 30" length.

## Airfile Belts

1/4 x 18"	Item	Grade
Pk Qty 20	630030181	A CRS
	630030182	A MED
	630030188	A FIN
	630030183	A VFN
	630030184	S UFN
1/4 x 24"	Item	Grade
Pk Qty 20	630030241	A CRS
	630030242	A MED
	630030245	A FIN
	630030243	A VFN
	630030244	S UFN
3/8 x 13"	Item	Grade
Pk Qty 20	630040131	A CRS
	630040132	A MED
	630040138	A FIN
	630040133	A VFN
	630040134	A UFN
1/2 x 12"	Item	Grade
Pk Qty 20	630050121	A CRS
	630050122	A MED
	630050128	A FIN
	630050123	A VFN
	630050124	S UFN
1/2 x 18"	Item	Grade
Pk Qty 20	630050181	A CRS
	630050182	A MED
	630050185	A FIN
	630050183	A VFN
	630050184	S UFN
1/2 x 24"	Item	Grade
Pk Qty 20	630050241	A CRS
	630050242	A MED
	630050248	A FIN
	630050243	A VFN
	630050244	S UFN
3/4 x 18"	Item	Grade
Pk Qty 20	630080181	A CRS
	630080182	A MED
	630080185	A FIN
	630080183	A VFN
	630080184	S UFN
3/4 x 20-1/2"	Item	Grade
Pk Qty 20	6300802051	A CRS
	6300802052	A MED
	6300802058	A FIN
	6300802053	A VFN
	6300802054	S UFN

RESIN FIBER DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED

BELTS

SURFACE CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# SURFACE CONDITIONING



- Special designed Surface Conditioning material with extra flexibility for belts.
- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and fiberglass.
- Great for finishing and blending, surface preparation, gasket removal, mild cleaning, and #3 and #4 finishing on stainless steel.
- Consistent and repeatable finish throughout the entire product life.
- Low stretch material for applications with high belt tension.
- Cool temperature on the work surface, thus preventing discoloration.
- No smearing.
- Available in custom sizes. Size range of 2-1/2 - 4" width; up to 24" length.

## Portable Belts

1 x 18"	Item	Grade
Pk Qty 10	63010181	A CRS
	63010182	A MED
	63010188	A FIN
	63010183	A VFN
	63010184	S UFN
3 x 21"	Item	Grade
Pk Qty 10	64030211	A CRS
	64030212	A MED
	64030218	A FIN
	64030213	A VFN
	64030214	S UFN
3 x 24"	Item	Grade
Pk Qty 10	64030241	A CRS
	64030242	A MED
	64030248	A FIN
	64030243	A VFN
	64030244	S UFN
3-1/2 x 15-1/2"	Item	Grade
Pk Qty 10	6403501551	A CRS
	6403501552	A MED
	6403501555	A FIN
	6403501553	A VFN
	6403501554	S UFN
4 x 24"	Item	Grade
Pk Qty 10	64040241	A CRS
	64040242	A MED
	64040248	A FIN
	64040243	A VFN
	64040244	S UFN

# SURFACE CONDITIONING



## Benchstand Belts

RESIN FIBER DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED

BELTS

SURFACE CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

1 x 42"	Item	Grade
Pk Qty 10	64010421	A CRS
	64010422	A MED
	64010428	A FIN
	64010423	A VFN
	64010424	S UFN

2 x 48"	Item	Grade
Pk Qty 10	64020481	A CRS
	64020482	A MED
	64020488	A FIN
	64020483	A VFN
	64020484	S UFN

2 x 60"	Item	Grade
Pk Qty 10	64020601	A CRS
	64020602	A MED
	64020608	A FIN
	64020603	A VFN
	64020604	S UFN

4 x 60"	Item	Grade
Pk Qty 10	64040601	A CRS
	64040602	A MED
	64040608	A FIN
	64040603	A VFN
	64040604	S UFN

6 x 48"	Item	Grade
Pk Qty 5	64060481	A CRS
	64060482	A MED
	64060488	A FIN
	64060483	A VFN
	64060484	S UFN

- Special designed Surface Conditioning material with extra flexibility for belts.
- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and FIBERglass.
- Even coating provides improved performance in deburring and edge applications.
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges.
- Consistent and repeatable finish throughout the entire product life.
- Low stretch material for applications with high belt tension.
- Cool temperature on the work surface, thus preventing discoloration.
- No smearing.
- Available in custom sizes. Size range of 3/4 - 6" width; 36 - 72" length.

# SURFACE CONDITIONING



- Special designed Surface Conditioning material with extra flexibility for belts.
- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and FIBERglass.
- Great for finishing and blending, surface preparation, gasket removal, mild cleaning, and #3 and #4 finishing on stainless steel.
- Consistent and repeatable finish throughout the entire product life.
- Low stretch material for applications with high belt tension.
- Cool temperature on the work surface, thus preventing discoloration.
- No smearing.
- Available in custom sizes. Size range of 1 - 10" width; 70-1/2 - 335" length.

## Backstand Belts

1 x 132"	Item	Grade
Pk Qty 5	64011321	A CRS
	64011322	A MED
	64011328	A FIN
	64011323	A VFN
	64011324	S UFN

2 x 132"	Item	Grade
Pk Qty 5	64021321	A CRS
	64021322	A MED
	64021328	A FIN
	64021323	A VFN
	64021324	S UFN

3 x 132"	Item	Grade
Pk Qty 5	64031321	A CRS
	64031322	A MED
	64031328	A FIN
	64031323	A VFN
	64031324	S UFN

4 x 168"	Item	Grade
Pk Qty 5	64041681	A CRS
	64041682	A MED
	64041688	A FIN
	64041683	A VFN
	64041684	S UFN

6 x 132"	Item	Grade
Pk Qty 5	64061321	A CRS
	64061322	A MED
	64061328	A FIN
	64061323	A VFN
	64061324	S UFN

# SURFACE CONDITIONING



## Wide Belts

### 36 x 75"

Pk Qty 1

#### Item

#### Grade

64360751

A CRS

64360752

A MED

64360758

A FIN

64360753

A VFN

64360754

S UFN

### 37 x 60"

Pk Qty 1

#### Item

#### Grade

64370601

A CRS

64370602

A MED

64370608

A FIN

64370603

A VFN

64370604

S UFN

### 37 x 75"

Pk Qty 1

#### Item

#### Grade

64370751

A CRS

64370752

A MED

64370758

A FIN

64370753

A VFN

64370754

S UFN

- Special designed Surface Conditioning material with extra flexibility for belts.
- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and FIBERglass.
- Even coating provides improved performance in deburring and edge applications.
- Performs a wide variety of tasks including deburring, flat finishing and finishing on edges.
- Consistent and repeatable finish throughout the entire product life.
- Cool temperature on the work surface, thus preventing discoloration.
- No smearing.
- Available in custom sizes. Size range of 12 - 52" width; any length.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# SURFACE CONDITIONING



- PREDATOR™ Surface Conditioning material is designed with an extremely fast abrasive action and long life in blending, light deburring, and light stock removal applications.
- Suitable for application on mild steel, stainless steel, titanium, and alloys.
- PREDATOR™ Surface Conditioning Quick-Lok discs are available in Type P, R and S locking styles.
- Performance Coating increases cut rate and extends product life by reducing heat transfer.

## PREDATOR™ AP Quick-Lok Discs

2"	Type R	Type S	Grade
Pk Qty 50	59340	59240	XCRS
3"	Type R	Type S	Grade
Pk Qty 25	59360	59260	XCRS

## Performance Coated PREDATOR™ AP Quick-Lok Discs


2"	Type R	Type S	Grade
Pk Qty 50	59340W	59240W	XCRS
3"	Type R	Type S	Grade
Pk Qty 25	59360W	59260W	XCRS



## Quick-Lok Disc Holders

2 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50259	50253	30,000
3 x 1/4"	Type R	Type S	Max RPM
Pk Qty 1	50260	50254	20,000

# SURFACE CONDITIONING



## PREDATOR™ AP Hook & Loop Discs

Size	Item	Grade
4-1/2"	62013HD-2	XCRS
Pk Qty 25		
4-1/2 x 7/8"	Item	Grade
Pk Qty 25	62013CM-2	XCRS
5"	Item	Grade
Pk Qty 10	62016HD-2	XCRS
5 x 7/8"	Item	Grade
Pk Qty 10	62016CM-2	XCRS
7"	Item	Grade
Pk Qty 10	62023HD-2	XCRS
7 x 7/8"	Item	Grade
Pk Qty 10	62023HD-1	XCRS

- PREDATOR™ Surface Conditioning material is designed with an extremely fast abrasive action and long life in blending, light deburring, and light stock removal applications.
- New design keeps disc centered and firmly in place.
- Less vibration.
- Suitable for application on mild steel, stainless steel, titanium, and alloys.
- Best used with ARC's Hook & Loop back up pads.
- Performance Coating increases cut rate and extends product life by reducing heat transfer.



## Performance Coated PREDATOR™ AP Hook & Loop Discs

Size	Item	Grade
4-1/2"	62013HD-2W	XCRS
Pk Qty 25		
4-1/2 x 7/8"	Item	Grade
Pk Qty 25	62013CM-2W	XCRS
5"	Item	Grade
Pk Qty 10	62016HD-2W	XCRS
5 x 7/8"	Item	Grade
Pk Qty 10	62016CM-2W	XCRS
7"	Item	Grade
Pk Qty 10	62023HD-2W	XCRS
7 x 7/8"	Item	Grade
Pk Qty 10	62023HD-1W	XCRS

## PREDATOR™ AP Disc Holders

Pk Qty 1

Size	Item	Max RPM
4-1/2 x 5/8"-11	53904Z3-3	12,000
5 x 5/8"-11	53905Z1-3	10,000
7 x 5/8"-11	53907-3	6,000

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# SURFACE CONDITIONING



- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and fiberglass.
- Consistent and repeatable finish throughout the entire product life.
- Evenly coated with grit from material surface to base.
- Even coating provides improved performance in deburring and edge applications.
- Cool temperature on the work surface, thus preventing discoloration.
- Material resists loading and over-cutting.
- No smearing.
- Available in both Type R and S locking styles.



## Quick-Lok Discs

<b>1"</b>	<b>Type R</b>	<b>Type S</b>	<b>Grade</b>
<i>Pk Qty 100</i>	59311	59211	A CRS
	59312	59212	A MED
	59315	59215	A FIN
	59313	59213	A VFN
<b>1-1/2"</b>	<b>Type R</b>	<b>Type S</b>	<b>Grade</b>
<i>Pk Qty 100</i>	59321	59221	A CRS
	59322	59222	A MED
	59325	59225	A FIN
	59323	59223	A VFN
<b>2"</b>	<b>Type R</b>	<b>Type S</b>	<b>Grade</b>
<i>Pk Qty 50</i>	59341	59241	A CRS
	59342	59242	A MED
	59345	59245	A FIN
	59343	59243	A VFN
	59344	59244	S UFN
<b>3"</b>	<b>Type R</b>	<b>Type S</b>	<b>Grade</b>
<i>Pk Qty 25</i>	59361	59261	A CRS
	59362	59262	A MED
	59365	59265	A FIN
	59363	59263	A VFN
	59364-1	59263-1	S UFN
<b>4"</b>	<b>Type R</b>	<b>Type S</b>	<b>Grade</b>
<i>Pk Qty 25</i>	59381	59281	A CRS
	59382	59282	A MED
	59385	59285	A FIN
	59383	59283	A VFN

## Quick-Lok Disc Holders

*Pk Qty 1*

<b>Size</b>	<b>Type R</b>	<b>Type S</b>	<b>Max RPM</b>
1 x 1/4"	50257	50251	40,000
1-1/2 x 1/4"	50258	50252	30,000
2 x 1/4"	50259	50253	30,000
3 x 1/4"	50260	50254	20,000
4 x 1/4"	50261	50255	10,000

# SURFACE CONDITIONING

## Hook & Loop Discs



- High stock removal capacity when compared with competitors' products, on deburring, masking, and satin finish applications on stainless steel, steel, aluminum, titanium, nonferrous materials, alloys, and FIBERglass.
- Hook & loop backing provides quick and easy disc attachment and removal.
- Use on die grinders and right angle grinders in conjunction with ARC's Hook & Loop Disc Holders.
- Consistent and repeatable finish throughout the entire product life.
- Cool temperature on the work surface thus preventing discoloration.
- No smearing.



Size	Item	Grade
3"	62007	CRS
Pk Qty 25	62008	MED
	62008-5	FIN
	62009	VFN
4"	62010	CRS
Pk Qty 25	62011	MED
	62011-5	FIN
	62012	VFN
4-1/2"	62013	CRS
Pk Qty 25	62014	MED
	62014-5	FIN
	62015	VFN
5"	62016	CRS
Pk Qty 10	62017	MED
	62017-5	FIN
	62018	VFN
7"	62022	CRS
Pk Qty 10	62023	MED
	62023-5	FIN
	62024	VFN

## Hook & Loop Disc Holders

Pk Qty 1

Size	Item	Max RPM
3 X 1/4"	53903	18,000
4 X 1/4"	53904	10,000
4 X 5/8"-11	53904SH	4,800
4-1/2 X 5/8"-11	53904Z3	10,000
5 X 5/16"-24	53905	10,000
5 X 5/8"-11	53905Z1	4,800
6 X 5/16"-24	53906	10,000
6 X 5/8"-11	53906SH	4,800
7 X 5/8"-11	53907	6,000

Additional items are available. Contact us for details.

www.arcabrasives.com

RESIN FIBER DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED

SURFACE CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# CLEANING & FINISHING



## Quick-Lok Finishing Discs

2"	Type R	Type S	Grade
Pk Qty 50	53376	53343	A MED
	53377	53344	A FIN
	53378	53345	A VFN

3"	Type R	Type S	Grade
Pk Qty 25	53379	53346	A MED
	53380	53347	A FIN
	53381	53348	A VFN

- Nylon FIBER mesh, coated with grit and resin.
- Ideal for decorative finishing on flat surface.
- Suitable for application on steel, stainless steel, aluminum, and soft metals.
- Locking button centers disc on tool with a twist.
- Use on portable tools in conjunction with Quick-Lok Holders.
- Available in both Type R and S locking styles.



- Aluminum oxide and silicon carbide grits available.
- Used individually or stacked for varying face widths.
- May be used with hook & loop disc holder.
- Highly conformable to easily finish the hard-to-reach areas of a work piece.

## Spindle Mounted Finishing Discs

4 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53122	A MED	6,000
	53123	A FIN	6,000
	53124	A VFN	6,000

6 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53136	A MED	3,600
	53137	A FIN	3,600
	53138	A VFN	3,600

8 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53150	A MED	2,700
	53151	A FIN	2,700
	53152	A VFN	2,700

12 x 1/2"	Item	Grade	Max RPM
Pk Qty 25	53164	A MED	1,800
	53165	A FIN	1,800
	53166	A VFN	1,800

# CLEANING & FINISHING

## Interleaf Mounted Flap Wheels



- Alternating flaps of nonwoven and coated abrasive.
- Breaks down evenly providing consistent finish.
- Smooth and quiet in operation.

### 2"D x 1"W x 1/4"SH Item Grit Max RPM

Pk Qty 10	54123	120	15,000
	54124	180	15,000
	54125	320	15,000

### 3"D x 1"W x 1/4"SH Item Grit Max RPM

Pk Qty 5	54131	120	8,600
	54132	180	8,600
	54133	320	8,600

### 3"D x 2"W x 1/4"SH Item Grit Max RPM

Pk Qty 10	54139	120	8,600
Pk Qty 5	54140	180	8,600
Pk Qty 5	54141	320	8,600

- Used for metal finishing, oxidation and coating removal.
- Ideal for uneven surfaces or flat areas.
- Decorative finishes on a variety of different metals.



## Clean & Finish Flap Wheels

### 2"D x 1"W x 1/4"SH Item Grade Max RPM

Pk Qty 10	54020103	A MED	15,000
	54020105	A VFN	15,000
	54020107	S ULF	15,000

### 3"D x 2"W x 1/4"SH Item Grade Max RPM

Pk Qty 10	54030203	A MED	12,000
	54030205	A VFN	12,000
	54030207	S ULF	12,000

- Product conforms to shape of work piece.
- Breaks down evenly providing consistent finish.
- Smooth and quiet in operation.

## Finishing Rolls

### 4" x 30 ft. Item Grade

Pk Qty 1	53046	A MED
	53047	A FIN
	53048	A VFN
	53050	S VFN
	53051	S ULF

- Rolls made of nylon fibers, resins and abrasive grains.
- May be used wet or dry.
- Use by hand or with vibratory sanders.
- Cleaning, finishing, deburring of metals and plastics.

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING  
**CLEAN & FINISH**

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES  
NO LAP BANDS

# CLEANING & FINISHING



- Made of nylon fibers, resins and abrasive grains.
- May be used wet or dry.

## Handpad Holder

Pk Qty 1

3-1/8 x 5-5/8"

Item

53923

## 6 x 9" Handpads

Tan	Item	Grade	Case Qty
Pk Qty 1 Case	07440	A MED	60
White	Item	Grade	Case Qty
Pk Qty 1 Case	07444	N-ABR	60
Maroon	Item	Grade	Case Qty
Pk Qty 1 Case	07446	A FN	60
Maroon	Item	Grade	Case Qty
Pk Qty 1 Case	07447	A VFN	60
Gray	Item	Grade	Case Qty
Pk Qty 1 Case	07448	S ULF	60
Green	Item	Grade	Case Qty
Pk Qty 1 Case	07451	AL SIL	60
Black	Item	Grade	Case Qty
Pk Qty 1 Case	07460	S MED	40
Variety	Item	Grade	Case Qty
Pk Qty 1 Case	074391	All	6



- Hard wheels best suited for deburring.
- Soft wheels for finishing.
- Silicon carbide and aluminum oxide grains.

## Unitized Wheels

1"D x 1"W x 3/16"A	Item	Grade	Max RPM
Pk Qty 50	54489	8A-CRS	30,000
2"D x 1/4"W x 1/4"A	Item	Grade	Max RPM
Pk Qty 60	544897	2S-FN	18,000
	54490	2A-MED	18,000
	544903	8A-MED	18,000
3"D x 1/4"W x 1/4"A	Item	Grade	Max RPM
Pk Qty 40	54493	2S-FN	12,000
	54492	8A-MED	12,000

## Convolute Deburring Wheels

6"D x 1"W x 1"A	Item	Grade	Max RPM
Pk Qty 3	54550	7S-FN	6,000
	54792	8S-FN	6,000
	54793	9S-FN	6,000
	54795	9S-MED	6,000
	54711	5A-FN	6,000
	54710	5A-MED	6,000

- Deburring flashings, threads or sharp edges.
- Blending alloys.
- Finishing and deburring aircraft and automotive parts.

# CLEANING & FINISHING

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH


FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES  
NO LAP BANDS

## ARCSTRIP™ Discs



3"D x 1/4"A	Item	Grade	Max RPM
Pk Qty 10	0730-0303	S XCS	10,500
4"D x 1/4"A	Item	Grade	Max RPM
Pk Qty 10	0730-0403	S XCS	8,000
5"D x 1/2"A	Item	Grade	Max RPM
Pk Qty 10	0730-0505	S XCS	6,500
6"D x 1/2"A	Item	Grade	Max RPM
Pk Qty 10	0730-0605	S XCS	5,500
7"D x 1/2"A	Item	Grade	Max RPM
Pk Qty 10	0730-0705	S XCS	4,000
8"D x 1/2"A	Item	Grade	Max RPM
Pk Qty 10	0730-0805	S XCS	4,000

- Strong, continuous nylon filament with coarse silicon carbide grit that is extremely efficient in removing resistant material coated onto a surface like rust, paint, scale and oxidation, along with logging materials such as grease, salt, oil, and protective waxes.
- Extremely suitable for applications on stainless steel, aluminum, titanium, nonferrous materials and alloys.

## ARCSTRIP™ Quick-Lok Discs

2"	Type R	Grade	Max RPM
Pk Qty 25	0733-0201	S XCS	25,000
3"	Type R	Grade	Max RPM
Pk Qty 25	0733-0301	S XCS	20,000

## Depressed Center ARCSTRIP™ Discs

4 x 5/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0406	S XCS	12,000
4-1/2 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0458	S XCS	11,000
5 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0508	S XCS	10,000
7 x 7/8"	Item	Grade	Max RPM
Pk Qty 10	0732-0708	S XCS	8,600

# FLAP WHEELS



- 100% X-Flexed Egyptian cotton especially made for mounted flap wheels.
- Balanced construction gives the wheels resilience to pressure at high RPM.
- Blending, finishing and deburring on very tight areas.
- Cleans burrs and threads.

## Mounted Shank

<b>3/4"D x 5/8"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11130	60	35,000
	11131	80	35,000
	11133	120	35,000
	11135	180	35,000
<b>3/4"D x 3/4"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11139Z4	60	35,000
	11139Z5	80	35,000
	11139Z54	120	35,000
	11139Z56	180	35,000
<b>1"D x 5/8"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11156	60	30,000
	11157	80	30,000
	11159	120	30,000
	11161	180	30,000
	11163	240	30,000
	11165	320	30,000
<b>1"D x 1"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11169	60	30,000
	11170	80	30,000
	11172	120	30,000
	11174	180	30,000
	11176	240	30,000
	11178	320	30,000
<b>1-1/2"D x 1/2"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11208	60	25,000
	11209	80	25,000
	11211	120	25,000
	11213	180	25,000
	11215	240	25,000
	11217	320	25,000
<b>1-1/2"D x 1"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11234	60	25,000
	11235	80	25,000
	11237	120	25,000
	11239	180	25,000
	11241	240	25,000
	11243	320	25,000
<b>2"D x 1/2"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11260	60	25,000
	11261	80	25,000
	11263	120	25,000
	11265	180	25,000
	11267	240	25,000
	11269	320	25,000
<b>2"D x 3/4"W x 1/4"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	11273	60	25,000
	11274	80	25,000
	11276	120	25,000
	11278	180	25,000
	11280	240	25,000
	11282	320	25,000

# FLAP WHEELS

## Mounted Shank



- Extremely high heat-resistant epoxy.
- Material easily conforms to contours.
- Works great on non-ferrous and ferrous metals.

### 2"D x 1"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11286	60
	11287	80
	11289	120
	11291	180
	11293	240
	11295	320
		25,000
		25,000
		25,000
		25,000
		25,000

### 2"D x 1-1/2"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11299	60
	11300	80
	11302	120
	11304	180
	11306	240
	11308	320
		25,000
		25,000
		25,000
		25,000
		25,000

### 2-1/2"D x 1"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11338	60
	11339	80
	11341	120
	11343	180
	11345	240
	11347	320
		20,000
		20,000
		20,000
		20,000
		20,000

### 2-1/2"D x 1-1/2"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11351	60
	11352	80
	11354	120
	11356	180
	11358	240
	11360	320
		20,000
		20,000
		20,000
		20,000
		20,000

### 3"D x 1"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11390	60
	11391	80
	11393	120
	11395	180
	11397	240
	11399	320
		20,000
		20,000
		20,000
		20,000
		20,000

### 3"D x 1-1/2"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11403	60
	11404	80
	11406	120
	11408	180
	11410	240
	11412	320
		12,000
		12,000
		12,000
		12,000
		12,000

### 3"D x 2"W x 1/4"SH

Item	Grit	Max RPM
Pk Qty 10	11416	60
	11417	80
	11419	120
	11421	180
	11423	240
	11425	320
		9,000
		9,000
		9,000
		9,000
		9,000

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING  
CLEAN & FINISH  
FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES  
NO LAP BANDS

# FLAP WHEELS



- No tooling change for the operator.
- Extremely high heat-resistant epoxy.
- Balanced construction provides resilience to pressure.
- Material easily conforms to contours.
- Blending, finishing and deburring on very tight areas.
- Cleans burrs and threads.

## Threaded Shank

<b>1"D x 5/8"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12137	60	30,000
	12138	80	30,000
	12140	120	30,000
	12142	180	30,000
<b>1"D x 1"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12150	60	30,000
	12151	80	30,000
	12153	120	30,000
	12155	180	30,000
<b>1-1/2"D x 1/2"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12163	60	25,000
	12164	80	25,000
	12166	120	25,000
	12168	180	25,000
<b>1-1/2"D x 1"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12189	60	25,000
	12190	80	25,000
	12192	120	25,000
	12194	180	25,000
<b>2"D x 1/2"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12215	60	25,000
	12216	80	25,000
	12218	120	25,000
	12220	180	25,000
<b>2"D x 1"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12241	60	25,000
	12242	80	25,000
	12244	120	25,000
	12246	180	25,000
<b>3"D x 1/2"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12319	60	20,000
	12320	80	20,000
	12322	120	20,000
	12324	180	20,000
<b>3"D x 1"W x 1/4"-20SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	12345	60	20,000
	12346	80	20,000
	12348	120	20,000
	12350	180	20,000

# FLAP WHEELS

## Mini-Mounted Shank



- 1/8" shank for smaller tools.
- Works well in small areas.
- Cleans burrs and threads.

<b>3/8"D x 3/8"W x 1/8"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	11082	60	25,000
	11083	80	25,000
	11085	120	25,000
	11086	180	25,000

<b>3/4"D x 3/16"W x 1/8"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	11104	60	25,000
	11105	80	25,000
	11107	120	25,000
	11109	180	25,000

<b>3/4"D x 3/8"W x 1/8"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	11117	60	25,000
	11118	80	25,000
	11120	120	25,000
	11122	180	25,000

<b>1-3/16"D x 3/16"W x 1/8"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	11182	60	25,000
	11183	80	25,000
	11185	120	25,000
	11187	180	25,000

<b>1-3/16"D x 3/8"W x 1/8"SH</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 10	11195	60	25,000
	11196	80	25,000
	11198	120	25,000
	11200	180	25,000



## Shank Adapter & Extenders

<b>1 x 1/4" Adapter</b>	<b>Item</b>
Pk Qty 1	50931
<b>4 x 1/4"</b>	<b>Item</b>
Pk Qty 10	50932
<b>6 x 1/4"</b>	<b>Item</b>
Pk Qty 10	50933
<b>8 x 1/4"</b>	<b>Item</b>
Pk Qty 10	50934

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS  
DISCS

QUICK-LOK  
DISCS

PSA DISCS  
BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

FLAP WHEELS

SHETS

ROLLS

SPECIALTIES

NO LAP BANDS

# FLAP WHEELS



- Balanced construction provides resilience to pressure.
- Consistent finishing throughout wheel life.
- No dressing preparation before or during use.
- Use on stationary and portable grinders.
- Finishes flat and contour surfaces.



## Unmounted

<b>4"D x 1"W x 5/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 10</i>	10163	60	8,600
	10164	80	8,600
<b>6"D x 1"W x 1"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 5</i>	10241	40	5,700
	10243	60	5,700
	10244	80	5,700
	10246	120	5,700
<b>6"D x 1-1/2"W x 1"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 5</i>	10261	40	5,700
	10263	60	5,700
	10264	80	5,700
<b>6"D x 2"W x 1"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 5</i>	10281	40	5,700
	10283	60	5,700
	10284	80	5,700
	10286	120	5,700
<b>8"D x 2"W x 1"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 3</i>	10383	60	4,300
	10384	80	4,300

## Shank Adapter

<b>4 - 8"</b>	<b>Item</b>
<i>Pk Qty 1</i>	50937

## Reducing Bushing

<b>1 to 1/2"</b>	<b>Item</b>
<i>Pk Qty 1</i>	10502
<b>1 to 5/8"</b>	<b>Item</b>
<i>Pk Qty 1</i>	10503

# SHEETS



- Aluminum oxide grain.
- Closed coat is designed for more surface removal.
- Durable and flexible backing.
- Hand operation.
- Use on ferrous and non-ferrous metals.

## Cloth

9 x 11"	Item	Grit
Pk Qty 25	74101	36X
9 x 11"	Item	Grit
Pk Qty 50	74102	40X
	74103	50X
	74104	60J
	74105	80J
	74106	100J
	74107	120J
	74108	150J
	74109	180J
	74110	220J
	74111	240J
	74113	320J
	74114	400J
	74116	CROCUS



- Durable silicon carbide grain.
- Use wet or dry.
- 100 and finer grit for finishing applications.

## Silicon Carbide - Waterproof

9 x 11"	Item	Grit
Pk Qty 100	74121	60C
*500A Pk Qty 50	74122	80C
	74123	100C
	74124	120C
	74125	150C
	74126	180C
	74128	220A
	74129	240A
	74131	320A
	74133	400A
	74134	500A
	74135	600A



## Silicon Carbide - Waterproof PSA

3 x 11"	Item	Grit
Pk Qty 100	35145PL	180C
	35147PL	240C
	35149PL	320C
	35150PL	400C
	35152PL	600C

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

LEAVES

ROLLS

SPECIALTIES

NO LAP BANDS

# SHEETS & ROLLS



## Aluminum Oxide Glue Bond PSA

9 x 11"	Item	Grit
Pk Qty 50	30813	60
	30814	80
	30816	120
	30818	180
	30819	240
	30820	320



## Emery Cloth

9 x 11"	Item	Grade
Pk Qty 50	74117	FIN
	74118	MED
	74119	CRS



## Handy Rolls

1" x 50 yd.	Item	Grit
Pk Qty 1	73134	60J
	73135	80J
	73137	120J
	73138	150J
	73139	180J
	73140	220J
	73141	240J
	73143	320J
	73144	400J
	73193	CROCUS

1-1/2" x 50 yd.	Item	Grit
Pk Qty 1	73149	60J
	73150	80J
	73152	120J
	73153	150J
	73154	180J
	73155	220J
	73156	240J
	73158	320J
	73159	400J
	73194	CROCUS

2" x 50 yd.	Item	Grit
Pk Qty 1	73164	60J
	73165	80J
	73167	120J
	73168	150J
	73169	180J
	73170	220J
	73171	240J
	73173	320J
	73174	400J
	73195	CROCUS

- Sharp, durable aluminum oxide grain.
- Medium tensile strength J-weight cotton backing.
- Multi-purpose maintenance and machine shop use.
- Deburr, cleans and polishes metal surfaces.

# ROLLS

## Premium Shop Rolls



- Made from a resin bonded aluminum oxide cloth.
- Exceptional durability and flexibility.
- Ideal for cleaning and finishing.
- Used by mechanical workshops, cutlery and plumbing product manufacturers.

1" x 50 yd.	Item	Grit
Pk Qty 1	0901005	60
	0901006	80
	0901008	120
	0901009	150
	0901010	180
	0901011	220
	0901012	240
	0901014	320
	0901015	400

1-1/2" x 50 yd.	Item	Grit
Pk Qty 1	0901505	60
	0901506	80
	0901508	120
	0901509	150
	0901510	180
	0901511	220
	0901512	240
	0901514	320
	0901515	400

2" x 50 yd.	Item	Grit
Pk Qty 1	0902005	60
	0902006	80
	0902008	120
	0902009	150
	0902010	180
	0902011	220
	0902012	240
	0902014	320
	0902015	400



## Silicon Carbide - Waterproof

3" x 75 ft.	Item	Grit
Pk Qty 1	35501PL	180
	35503PL	240
	35505PL	320
	35506PL	400
	35508PL	600

3-7/16" x 75 ft.	Item	Grit
Pk Qty 1	35509PL	180
	35511PL	240
	35513PL	320
	35514PL	400
	35516PL	600

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

79

RESIN FIBER  
DISCS

FLAP DISCS  
DISCS

QUICK-LOK  
DISCS

PSA DISCS  
BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES  
NO LAP BANDS

# CARTRIDGE ROLLS



- Multi-layer coiled construction.
- Exposes sharp new cutting abrasive as each layer wears.
- Ideal for finishing operations, deburring, blending tool mark removal, and flash removal.
- Suitable for application on irregular concaves, contours, dead-end holes, and channels.
- Mandrels available on page 83.

## Straight Cartridge Rolls

<b>1/8"D x 1"L x 5/64"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21114Z05	60	26,000
	21115	80	26,000
	21116	100	26,000
	21117	120	26,000
	21119	180	26,000
	21120	240	26,000
	21121	320	26,000
<b>3/16"D x 1"L x 3/32"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21135Z8	60	26,000
	21136	80	26,000
	21137	100	26,000
	21138	120	26,000
	21140	180	26,000
	21141	240	26,000
	21142	320	26,000
<b>1/4"D x 1"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21158Z9	50	26,000
	21159	60	26,000
	21160	80	26,000
	21161	100	26,000
	21162	120	26,000
	21164	180	26,000
	21165	240	26,000
	21166	320	26,000
<b>1/4"D x 1-1/2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21166Z8	50	26,000
	21167	60	26,000
	21168	80	26,000
	21169	100	26,000
	21170	120	26,000
	21172	180	26,000
	21173	240	26,000
	21174	320	26,000
<b>5/16"D x 1"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21210	50	26,000
	21211	60	26,000
	21212	80	26,000
	21213	100	26,000
	21214	120	26,000
	21216	180	26,000
	21217	240	26,000
	21218	320	26,000
<b>5/16"D x 1-1/2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	21222	50	26,000
	21223	60	26,000
	21224	80	26,000
	21225	100	26,000
	21226	120	26,000
	21228	180	26,000
	21229	240	26,000
	21230	320	26,000

# CARTRIDGE ROLLS

## Straight Cartridge Rolls

<b>3/8"D x 1"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21270	50	26,000
	21271	60	26,000
	21272	80	26,000
	21273	100	26,000
	21274	120	26,000
	21276	180	26,000
	21277	240	26,000
	21278	320	26,000
<b>3/8"D x 1-1/2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21282	50	26,000
	21283	60	26,000
	21284	80	26,000
	21285	100	26,000
	21286	120	26,000
	21288	180	26,000
	21289	240	26,000
	21290	320	26,000
<b>1/2"D x 3/4"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21318	50	26,000
	21319	60	26,000
	21320	80	26,000
	21321	100	26,000
	21322	120	26,000
	21324	180	26,000
	21325	240	26,000
	21326	320	26,000
<b>1/2"D x 1"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21330	50	26,000
	21331	60	26,000
	21332	80	26,000
	21333	100	26,000
	21334	120	26,000
	21336	180	26,000
	21337	240	26,000
	21338	320	26,000
<b>1/2"D x 1-1/2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21342	50	26,000
	21343	60	26,000
	21344	80	26,000
	21345	100	26,000
	21346	120	26,000
	21348	180	26,000
	21349	240	26,000
	21350	320	26,000
<b>1/2"D x 2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21354	50	26,000
	21355	60	26,000
	21356	80	26,000

<b>1/2"D x 2"L x 1/8"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21357	100	26,000
	21358	120	26,000
	21360	180	26,000
	21361	240	26,000
	21362	320	26,000
<b>5/8"D x 1"L x 3/16"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21438	50	26,000
	21439	60	26,000
	21440	80	26,000
	21441	100	26,000
	21442	120	26,000
	21444	180	26,000
	21445	240	26,000
	21446	320	26,000
<b>5/8"D x 1-1/2)L x 3/16"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21450	50	18,000
	21451	60	18,000
	21452	80	18,000
	21453	100	18,000
	21454	120	18,000
	21456	180	18,000
	21457	240	18,000
	21458	320	18,000
<b>5/8"D x 2)L x 3/16"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21462	50	18,000
	21463	60	18,000
	21464	80	18,000
	21465	100	18,000
	21466	120	18,000
	21468	180	18,000
	21469	240	18,000
	21470	320	18,000
<b>3/4"D x 1)L x 3/16"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21522	50	18,000
	21523	60	18,000
	21524	80	18,000
	21525	100	18,000
	21526	120	18,000
	21528	180	18,000
	21529	240	18,000
	21530	320	18,000
<b>3/4"D x 1-1/2)L x 3/16"A</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
Pk Qty 100	21534	50	18,000
	21535	60	18,000
	21536	80	18,000
	21537	100	18,000
	21538	120	18,000
	21540	180	18,000
	21541	240	18,000
	21542	320	18,000

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# CARTRIDGE ROLLS

## Straight Cartridge Rolls

### 3/4"D x 1-1/2"L x 1/4"A

Pk Qty 100

Item	Grit	Max RPM
21618	50	18,000
21619	60	18,000
21620	80	18,000
21621	100	18,000
21622	120	18,000
21624	180	18,000
21625	240	18,000
21626	320	18,000

### 3/4"D x 2"L x 3/16"A

Pk Qty 100

Item	Grit	Max RPM
21546	50	18,000
21547	60	18,000
21548	80	18,000
21549	100	18,000
21550	120	18,000
21552	180	18,000
21553	240	18,000
21554	320	18,000

### 3/4"D x 2"L x 1/4"A

Pk Qty 100

Item	Grit	Max RPM
21630	50	18,000
21631	60	18,000
21632	80	18,000
21633	100	18,000
21634	120	18,000
21636	180	18,000
21637	240	18,000
21638	320	18,000

### 1"D x 1)L x 3/16"A

Pk Qty 100

Item	Grit	Max RPM
21666	50	18,000
21667	60	18,000
21668	80	18,000
21669	100	18,000
21670	120	18,000
21672	180	18,000
21673	240	18,000
21674	320	18,000

### 1"D x 1-1/2)L x 3/16"A

Pk Qty 100

Item	Grit	Max RPM
21786	50	18,000
21787	60	18,000
21788	80	18,000
21789	100	18,000
21790	120	18,000
21792	180	18,000
21793	240	18,000
21794	320	18,000

### 1"D x 1-1/2)L x 1/4"A

Pk Qty 100

Item	Grit	Max RPM
21798	50	15,000
21799	60	15,000
21800	80	15,000
21801	100	15,000
21802	120	15,000
21804	180	15,000
21805	240	15,000
21806	320	15,000

### 1"D x 2)L x 3/16"A

Pk Qty 100

Item	Grit	Max RPM
21906	50	15,000
21907	60	15,000
21908	80	15,000
21909	100	15,000
21910	120	15,000
21912	180	15,000
21913	240	15,000
21914	320	15,000

### 1"D x 2)L x 1/4"A

Pk Qty 100

Item	Grit	Max RPM
21918	50	15,000
21919	60	15,000
21920	80	15,000
21921	100	15,000
21922	120	15,000
21924	180	15,000
21925	240	15,000
21926	320	15,000

## Full Taper Cartridge Rolls

### 3/8"D x 1)L x 1/8"A

Pk Qty 100

Item	Grit	Max RPM
23104	50	26,000
23105	60	26,000
23106	80	26,000
23108	120	26,000
23110	180	26,000
23111	240	26,000
23112	320	26,000

### 3/8"D x 1-1/2)L x 1/8"A

Pk Qty 100

Item	Grit	Max RPM
23284	50	26,000
23285	60	26,000
23286	80	26,000
23288	120	26,000
23290	180	26,000
23291	240	26,000
23292	320	26,000

# CARTRIDGE ROLLS

## Full Taper Cartridge Rolls

1/2"D x 1"L x 1/8"A Pk Qty 100	Item	Grit	Max RPM	3/4"D x 2"L x 3/16"A Pk Qty 100	Item	Grit	Max RPM
23140	50	26,000		23548	50	18,000	
23141	60	26,000		23549	60	18,000	
23142	80	26,000		23550	80	18,000	
23144	120	26,000		23552	120	18,000	
23146	180	26,000		23554	180	18,000	
23147	240	26,000		23555	240	18,000	
23148	320	26,000		23556	320	18,000	
1/2"D x 1-1/2"L x 1/8"A Pk Qty 100	Item	Grit	Max RPM	1"D x 1)L x 3/16"A Pk Qty 100	Item	Grit	Max RPM
23320	50	26,000		23584	50	18,000	
23321	60	26,000		23585	60	18,000	
23322	80	26,000		23586	80	18,000	
23324	120	26,000		23588	120	18,000	
23326	180	26,000		23590	180	18,000	
23327	240	26,000		23591	240	18,000	
23328	320	26,000		23592	320	18,000	
1/2"D x 2"L x 1/8"A Pk Qty 100	Item	Grit	Max RPM	1"D x 1-1/2)L x 3/16"A Pk Qty 100	Item	Grit	Max RPM
23464	50	26,000		23620	50	18,000	
23465	60	26,000		23621	60	18,000	
23466	80	26,000		23622	80	18,000	
23468	120	26,000		23624	120	18,000	
23470	180	26,000		23626	180	18,000	
23472	240	26,000		23627	240	18,000	
2347214	320	26,000		23628	320	18,000	
5/8"D x 1)L x 1/8"A Pk Qty 100	Item	Grit	Max RPM	1"D x 2)L x 3/16"A Pk Qty 100	Item	Grit	Max RPM
23176	50	26,000		23656	50	18,000	
23177	60	26,000		23657	60	18,000	
23178	80	26,000		23658	80	18,000	
23180	120	26,000		23660	120	18,000	
23182	180	26,000		23662	180	18,000	
23183	240	26,000		2366412	240	18,000	
23184	320	26,000		2366414	320	18,000	
5/8"D x 1-1/2)L x 1/8"A Pk Qty 100	Item	Grit	Max RPM	Mandrels	Size	Item	Pk Qty 1
23356	50	18,000		A-1 5/64 x 1 x 1/8		50101	
23357	60	18,000		A-2 3/32 x 1 x 1/8		50102	
23358	80	18,000		A-4 1/8 x 3/4 x 1/8		50104	
23360	120	18,000		A-5 1/8 x 1 x 1/8		50105	
23362	180	18,000		A-6 1/8 x 1-1/2 x 1/8		50106	
23363	240	18,000		A-8 1/8 x 3/4 x 1/4		50108	
23364	320	18,000		A-9 1/8 x 1 x 1/4		50109	
3/4"D x 1-1/2)L x 3/16"A Pk Qty 100	Item	Grit	Max RPM	A-10 1/8 x 1-1/2 x 1/4		50110	
23404	50	18,000		A-13 3/16 x 3/4 x 1/8		50113	
23405	60	18,000		A-15 3/16 x 3/4 x 1/4		50115	
23406	80	18,000		A-16 3/16 x 1 x 1/4		50116	
23408	120	18,000		A-17 3/16 x 1-1/2 x 1/4		50117	
23410	180	18,000		A-21 1/4 x 1 x 1/4		50121	
23411	240	18,000		A-22 1/4 x 1-1/2 x 1/4		50122	
23412	320	18,000					

RESIN FIBER DISCS

FLAP DISCS

QUICK-LOK DISCS

PSA DISCS

BONDED BELTS

SURFACE CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# PADS



- Multi-ply abrasive pad.
- Exposes new cutting surface as each layer wears.
- Three eyelet sizes available: 3-48; 8-32; 1/4"-20.
- Eyelet allows quick on and off of cross pad.
- Deburring and cleaning the ID of a tube.
- Blending small radii.

## Cross Pads

<b>1 x 3/8 x 8P 3-48</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27739	60	25,000
	27740	80	25,000
	27742	120	25,000
	27744	180	25,000
	27745	240	25,000
<b>1-1/2 x 1/2 x 8P 8-32</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27750	60	23,000
	27751	80	23,000
	27753	120	23,000
	27755	180	23,000
	27756	240	23,000
<b>2 x 1/2 x 8P 8-32</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27772	60	23,000
	27773	80	23,000
	27775	120	23,000
	27777	180	23,000
	27778	240	23,000
<b>2 x 3/4 x 8P 8-32</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27794	60	23,000
	27795	80	23,000
	27797	120	23,000
	27799	180	23,000
	2779912-1	240	23,000
<b>2 x 1 x 8P 1/4-20</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27816	60	23,000
	27817	80	23,000
	27819	120	23,000
	27820	180	23,000
	27822-3	240	23,000
<b>2-1/2 x 3/4 x 8P 8-32</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27904	60	18,000
	27905	80	18,000
	27907	120	18,000
	27909	180	18,000
	27910	240	18,000
<b>3 x 1 x 8P 1/4-20</b>	<b>Item</b>	<b>Grit</b>	<b>Max RPM</b>
<i>Pk Qty 100</i>	27970	60	14,000
	27971	80	14,000
	27973	120	14,000
	27975	180	14,000
	27976	240	14,000



## Eyelet Mandrels

*Pk Qty 10*

<b>Size</b>	<b>Item</b>
3-48 x 1/4"	50328
8-32 x 1/4"	50329
1/4-20 x 1/4"	50330

# PADS



- Layered construction of material, formed as a square.
- Chatter-free grinding.
- Intermittent strokes of pad corners improve visibility.
- Corners very aggressive until edges round.
- When corners are round, good for polishing.
- Excellent for blending welds inside of pipes.

## Square Pads

	Item	Grit	Max RPM
<b>1-1/2 x 1/2 x 1/4-20</b>	26445	60	23,000
<i>Pk Qty 100</i>	26446	80	23,000
	26448	120	23,000
<b>2 x 1/2 x 1/4-20</b>	26478	60	23,000
<i>Pk Qty 100</i>	26479	80	23,000
	26481	120	23,000
<b>2-1/2 x 1/2 x 1/4-20</b>	26522	60	18,000
<i>Pk Qty 100</i>	26523	80	18,000
	26525	120	18,000
<b>3 x 1/4 x 1/4-20</b>	26533	60	14,000
<i>Pk Qty 100</i>	26534	80	14,000
	26536	120	14,000
<b>3 x 1/2 x 1/4-20</b>	26555	60	14,000
<i>Pk Qty 100</i>	26556	80	14,000
	26558	120	14,000



- 4/S Available.
- Exceptional balance at high RPM.
- Extremely flexible and durable.
- Unique shape allows you to reach inaccessible areas.
- Light removal of matter inside of pipe.
- Blends surface imperfections within pipes.

## 2/S Spin-On Overlap Discs 2 per Set

	Item	Grit	Max RPM
<b>1-1/4" 8-32</b>	33969	60	23,000
<i>Pk Qty 100</i>	33970	80	23,000
	33971	100	23,000
	33972	120	23,000
	33974	180	23,000
<b>1-1/2" 8-32</b>	33981	60	23,000
<i>Pk Qty 100</i>	33982	80	23,000
	33983	100	23,000
	33984	120	23,000
	33986	180	23,000
<b>2" 8-32</b>	34005	60	23,000
<i>Pk Qty 100</i>	34006	80	23,000
	34007	100	23,000
	34008	120	23,000
	34010	180	23,000
<b>3" 1/4-20</b>	34053	60	14,000
<i>Pk Qty 100</i>	34054	80	14,000
	34055	100	14,000
	34056	120	14,000
	34058	180	14,000

Additional items are available. Contact us for details.

[www.arcabrasives.com](http://www.arcabrasives.com)

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN & FINISH

FLAP WHEELS

Sheets

ROLLS

SPECIALTIES

NO LAP BANDS

# NO LAP BANDS



- Inner cloth liner adhered to band for extra durability.
- Inner liner prevents slippage while being used on an expandable drum.
- No tooling for operator.
- Great in curved and contoured areas.
- Fast cutting yet leaves smooth, even finish.

## No Lap Bands

<b>1/2"D x 1"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	76330	36
	76331	40
	76332	50
	76333	60
	76334	80
	76336	120
<b>3/4"D x 1"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	76618	36
	76619	40
	76620	50
	76621	60
	76622	80
	76624	120
<b>1"D x 1"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	76762	36
	76763	40
	76764	50
	76765	60
	76766	80
	76768	120
<b>1-1/2"D x 1-1/2"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	77134	36
	77135	40
	77136	50
	77137	60
	77138	80
	77140	120
<b>2"D x 1"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	77410	36
	77411	40
	77412	50
	77413	60
	77414	80
	77416	120
<b>2"D x 2"W</b>	<b>Item</b>	<b>Grit</b>
<i>Pk Qty 100</i>	77434	36
	77435	40
	77436	50
	77437	60
	77438	80
	77440	120

# NO LAP BANDS

## Solid Rubber Drums

Pk Qty 1

Size	Item	Max RPM
1/2 x 1 x 1/4"	50510	15,000
3/4 x 1 x 1/4"	50524	19,000
1 x 1 x 1/4"	50533	15,000
1-1/2 x 1-1/2 x 1/4"	50543	10,000
2 x 1 x 1/4"	50547	11,000
2 x 2 x 1/4"	50549	6,000



- For use with No Lap Bands.
- Balanced for maximum performance.
- Made from 60 durometer live rubber for controlled expansion.

RESIN FIBER  
DISCS

FLAP DISCS

QUICK-LOK  
DISCS

PSA DISCS

BONDED

BELTS

SURFACE  
CONDITIONING

CLEAN &amp; FINISH

FLAP WHEELS

SHEETS

ROLLS

SPECIALTIES

NO LAP BANDS

# APPENDIX

0730-0303.....71	11083.....75	11295.....73	12324.....74	21319.....81
0730-0403.....71	11085.....75	11299.....73	12345.....74	21320.....81
0730-0505.....71	11086.....75	11300.....73	12346.....74	21321.....81
0730-0605.....71	11104.....75	11302.....73	12348.....74	21322.....81
0730-0705.....71	11105.....75	11304.....73	12350.....74	21324.....81
0730-0805.....71	11107.....75	11306.....73	21115.....80	21325.....81
0732-0406.....71	11109.....75	11308.....73	21116.....80	21326.....81
0732-0458.....71	11117.....75	11338.....73	21117.....80	21330.....81
0732-0508.....71	11118.....75	11339.....73	21119.....80	21331.....81
0732-0708.....71	11120.....75	11341.....73	21120.....80	21332.....81
0733-0201.....71	11122.....75	11343.....73	21121.....80	21333.....81
0733-0301.....71	11130.....72	11345.....73	21136.....80	21334.....81
07440.....70	11131.....72	11347.....73	21137.....80	21336.....81
07444.....70	11133.....72	11351.....73	21138.....80	21337.....81
07446.....70	11135.....72	11352.....73	21140.....80	21338.....81
07447.....70	11156.....72	11354.....73	21141.....80	21342.....81
07448.....70	11157.....72	11356.....73	21142.....80	21343.....81
07451.....70	11159.....72	11358.....73	21159.....80	21344.....81
07460.....70	11161.....72	11360.....73	21160.....80	21345.....81
0901005.....79	11163.....72	11390.....73	21161.....80	21346.....81
0901006.....79	11165.....72	11391.....73	21162.....80	21348.....81
0901008.....79	11169.....72	11393.....73	21164.....80	21349.....81
0901009.....79	11170.....72	11395.....73	21165.....80	21350.....81
0901010.....79	11172.....72	11397.....73	21166.....80	21354.....81
0901011.....79	11174.....72	11399.....73	21167.....80	21355.....81
0901012.....79	11176.....72	11403.....73	21168.....80	21356.....81
0901014.....79	11178.....72	11404.....73	21169.....80	21357.....81
0901015.....79	11182.....75	11406.....73	21170.....80	21358.....81
0901505.....79	11183.....75	11408.....73	21172.....80	21360.....81
0901506.....79	11185.....75	11410.....73	21173.....80	21361.....81
0901508.....79	11187.....75	11412.....73	21174.....80	21362.....81
0901509.....79	11195.....75	11416.....73	21210.....80	21438.....81
0901510.....79	11196.....75	11417.....73	21211.....80	21439.....81
0901511.....79	11198.....75	11419.....73	21212.....80	21440.....81
0901512.....79	11200.....75	11421.....73	21213.....80	21441.....81
0901514.....79	11208.....72	11423.....73	21214.....80	21442.....81
0901515.....79	11209.....72	11425.....73	21216.....80	21444.....81
0902005.....79	11211.....72	12137.....74	21217.....80	21445.....81
0902006.....79	11213.....72	12138.....74	21218.....80	21446.....81
0902008.....79	11215.....72	12140.....74	21222.....80	21450.....81
0902009.....79	11217.....72	12142.....74	21223.....80	21451.....81
0902010.....79	11234.....72	12150.....74	21224.....80	21452.....81
0902011.....79	11235.....72	12151.....74	21225.....80	21453.....81
0902012.....79	11237.....72	12153.....74	21226.....80	21454.....81
0902014.....79	11239.....72	12155.....74	21228.....80	21456.....81
0902015.....79	11241.....72	12163.....74	21229.....80	21457.....81
10163.....76	11243.....72	12164.....74	21230.....80	21458.....81
10164.....76	11260.....72	12166.....74	21270.....81	21462.....81
10241.....76	11261.....72	12168.....74	21271.....81	21463.....81
10243.....76	11263.....72	12189.....74	21272.....81	21464.....81
10244.....76	11265.....72	12190.....74	21273.....81	21465.....81
10246.....76	11267.....72	12192.....74	21274.....81	21466.....81
10261.....76	11269.....72	12194.....74	21276.....81	21468.....81
10263.....76	11273.....72	12215.....74	21277.....81	21469.....81
10264.....76	11274.....72	12216.....74	21278.....81	21470.....81
10281.....76	11276.....72	12218.....74	21282.....81	21522.....81
10283.....76	11278.....72	12220.....74	21283.....81	21523.....81
10284.....76	11280.....72	12241.....74	21284.....81	21524.....81
10286.....76	11282.....72	12242.....74	21285.....81	21525.....81
10383.....76	11286.....73	12244.....74	21286.....81	21526.....81
10384.....76	11287.....73	12246.....74	21288.....81	21528.....81
10502.....76	11289.....73	12319.....74	21289.....81	21529.....81
10503.....76	11291.....73	12320.....74	21290.....81	21530.....81
11082.....75	11293.....73	12322.....74	21318.....81	21534.....81

## ITEM INDEX

APPENDIX

ITEM INDEX

21535.....81	21919.....82	23550.....83	27907.....84	30474.....41
21536.....81	21920.....82	23552.....83	27909.....84	30475.....41
21537.....81	21921.....82	23554.....83	27910.....84	30476.....41
21538.....81	21922.....82	23555.....83	27970.....84	30477.....41
21540.....81	21924.....82	23556.....83	27971.....84	30478.....41
21541.....81	21925.....82	23584.....83	27973.....84	30479.....41
21542.....81	21926.....82	23585.....83	27975.....84	30480.....41
21546.....82	23104.....82	23586.....83	27976.....84	30481.....41
21547.....82	23105.....82	23588.....83	29990.....42	30482.....41
21548.....82	23106.....82	23590.....83	29992.....42	30483.....41
21549.....82	23108.....82	23591.....83	29994.....42	30484.....41
21550.....82	23110.....82	23592.....83	29995.....42	30498.....41
21552.....82	23111.....82	23620.....83	29996.....42	30499.....41
21553.....82	23112.....82	23621.....83	29997.....42	30500.....41
21554.....82	23140.....83	23622.....83	29998.....42	30501.....41
21618.....82	23141.....83	23624.....83	29999.....42	30502.....41
21619.....82	23142.....83	23626.....83	30354.....39	30503.....41
21620.....82	23144.....83	23627.....83	30355.....39	30504.....41
21621.....82	23146.....83	23628.....83	30356.....39	30505.....41
21622.....82	23147.....83	23656.....83	30357.....39	30506.....41
21624.....82	23148.....83	23657.....83	30358.....39	30507.....41
21625.....82	23176.....83	23658.....83	30359.....39	30508.....41
21626.....82	23177.....83	23660.....83	30360.....39	30510.....41
21630.....82	23178.....83	23662.....83	30361.....39	30511.....41
21631.....82	23180.....83	26445.....85	30362.....39	30512.....41
21632.....82	23182.....83	26446.....85	30363.....39	30513.....41
21633.....82	23183.....83	26448.....85	30364.....39	30514.....41
21634.....82	23184.....83	26478.....85	30366.....39	30515.....41
21636.....82	23284.....82	26479.....85	30367.....39	30516.....41
21637.....82	23285.....82	26481.....85	30368.....39	30517.....41
21638.....82	23286.....82	26522.....85	30369.....39	30518.....41
21666.....82	23288.....82	26523.....85	30370.....39	30519.....41
21667.....82	23290.....82	26525.....85	30371.....39	30520.....41
21668.....82	23291.....82	26533.....85	30372.....39	30522.....41
21669.....82	23292.....82	26534.....85	30373.....39	30523.....41
21670.....82	23320.....83	26536.....85	30374.....39	30524.....41
21672.....82	23321.....83	26555.....85	30375.....39	30525.....41
21673.....82	23322.....83	26556.....85	30376.....39	30526.....41
21674.....82	23324.....83	26558.....85	30378.....39	30527.....41
21786.....82	23326.....83	27739.....84	30379.....39	30528.....41
21787.....82	23327.....83	27740.....84	30380.....39	30529.....41
21788.....82	23328.....83	27742.....84	30381.....39	30530.....41
21789.....82	23356.....83	27744.....84	30382.....39	30531.....41
21790.....82	23357.....83	27745.....84	30383.....39	30532.....41
21792.....82	23358.....83	27750.....84	30384.....39	30534.....41
21793.....82	23360.....83	27751.....84	30385.....39	30535.....41
21794.....82	23362.....83	27753.....84	30386.....39	30536.....41
21798.....82	23363.....83	27755.....84	30387.....39	30537.....41
21799.....82	23364.....83	27756.....84	30388.....39	30538.....41
21800.....82	23404.....83	27772.....84	30402.....39	30539.....41
21801.....82	23405.....83	27773.....84	30403.....39	30540.....41
21802.....82	23406.....83	27775.....84	30404.....39	30541.....41
21804.....82	23408.....83	27777.....84	30414.....40	30542.....41
21805.....82	23410.....83	27778.....84	30415.....40	30543.....41
21806.....82	23411.....83	27794.....84	30416.....40	30544.....41
21906.....82	23412.....83	27795.....84	30426.....40	30546.....41
21907.....82	23464.....83	27797.....84	30427.....40	30547.....41
21908.....82	23465.....83	27799.....84	30428.....40	30548.....41
21909.....82	23466.....83	27816.....84	30438.....40	30549.....41
21910.....82	23468.....83	27817.....84	30439.....40	30550.....41
21912.....82	23470.....83	27819.....84	30440.....40	30551.....41
21913.....82	23472.....83	27820.....84	30450.....40	30552.....41
21914.....82	23548.....83	27904.....84	30451.....40	30553.....41
21918.....82	23549.....83	27905.....84	30452.....40	30554.....41

# APPENDIX

30555.....41	31470.....32	31653.....32	33969.....85	50101.....83
30556.....41	31471.....32	31654.....32	33970.....85	50102.....83
30558.....41	31472.....32	31655.....32	33971.....85	50104.....83
30559.....41	31473.....32	31656.....32	33972.....85	50105.....83
30560.....41	31474.....32	31657.....32	33974.....85	50106.....83
30561.....41	31475.....32	31658.....32	33981.....85	50108.....83
30562.....41	31476.....32	31659.....32	33982.....85	50109.....83
30563.....41	31477.....32	31660.....32	33983.....85	50110.....83
30564.....41	31478.....32	31661.....32	33984.....85	50113.....83
30565.....41	31479.....32	31662.....32	33986.....85	50115.....83
30566.....41	31480.....32	31663.....32	34005.....85	50116.....83
30567.....41	31481.....32	31664.....32	34006.....85	50117.....83
30568.....41	31482.....32	31665.....32	34007.....85	50121.....83
30571.....41	31483.....32	31666.....32	34008.....85	50122.....83
30572.....41	31484.....32	31667.....32	34010.....85	50201.....43
30573.....41	31508.....38	31668.....32	34053.....85	50202.....43
30574.....41	31522.....31	31669.....32	34054.....85	50203.....43
30575.....41	31523.....31	31670.....32	34055.....85	50204.....43
30576.....41	31524.....31	31671.....32	34056.....85	50205.....43
30577.....41	31525.....31	31672.....32	34058.....85	50206.....43
30578.....41	31526.....31	31673.....32	36605.....38	50208.....43
30579.....41	31527.....31	31674.....32	36606.....38	50209.....43
30580.....41	31528.....31	31675.....32	36607.....38	50210.....43
30813.....78	31529.....31	31676.....32	36608.....38	50211.....43
30814.....78	31534.....31	31677.....32	36609.....38	50212.....43
30816.....78	31535.....31	31678.....32	36610.....38	50213.....43
30818.....78	31536.....31	31679.....32	36611.....38	50214.....43
30819.....78	31537.....31	31680.....32	36612.....38	50217.....43
30820.....78	31538.....31	31681.....32	36614.....38	50218.....43
31000.....42	31539.....31	31682.....32	36615.....38	50251.....33
31001.....42	31540.....31	31683.....32	36617.....38	50251.....66
31413.....32	31541.....31	31684.....32	37110.....14	50252.....33
31414.....32	31546.....31	31709.....31	37111.....14	50252.....66
31415.....32	31547.....31	31710.....31	37112.....14	50253.....23
31416.....32	31548.....31	31711.....31	37113.....14	50253.....33
31417.....32	31549.....31	31712.....31	37114.....14	50253.....64
31418.....32	31550.....31	31713.....31	37116.....14	50253.....66
31419.....32	31551.....31	31714.....31	37118.....14	50254.....23
31420.....32	31552.....31	31715.....31	37119.....14	50254.....33
31421.....32	31553.....31	31716.....31	37120.....14	50254.....64
31422.....32	31556.....31	31717.....31	37121.....14	50254.....66
31423.....32	31557.....31	31718.....31	37122.....14	50255.....33
31424.....32	31558.....31	31719.....31	37124.....14	50255.....66
31449.....32	31559.....31	31720.....31	37126.....14	50257.....33
31450.....32	31560.....31	31721.....31	37127.....14	50257.....66
31451.....32	31561.....31	31722.....31	37128.....14	50258.....33
31452.....32	31562.....31	31723.....31	37129.....14	50258.....66
31453.....32	31563.....31	31724.....31	37130.....14	50259.....23
31454.....32	31613.....32	31725.....31	37132.....14	50259.....33
31455.....32	31614.....32	31726.....31	37202.....13	50259.....64
31456.....32	31615.....32	31727.....31	37203.....13	50259.....66
31457.....32	31616.....32	31728.....31	37204.....13	50260.....23
31458.....32	31617.....32	31729.....31	37205.....13	50260.....33
31459.....32	31618.....32	31730.....31	37206.....13	50260.....64
31460.....32	31619.....32	31731.....31	37208.....13	50260.....66
31461.....32	31620.....32	31732.....31	37209.....13	50261.....33
31462.....32	31621.....32	31733.....31	37210.....13	50261.....66
31463.....32	31622.....32	31734.....31	37211.....13	50328.....84
31464.....32	31623.....32	31735.....31	37212.....13	50329.....84
31465.....32	31624.....32	31736.....31	37214.....13	50330.....84
31466.....32	31649.....32	31737.....31	37215.....13	50403.....15
31467.....32	31650.....32	31738.....31	37216.....13	50404.....15
31468.....32	31651.....32	31739.....31	37217.....13	50405.....15
31469.....32	31652.....32	31740.....31	37218.....13	50409.....15

## ITEM INDEX

APPENDIX

ITEM INDEX

50410 .....	15	54489 .....	70	62015 .....	67	70332 .....	53	70742 .....	52
50411 .....	15	54490 .....	70	62016 .....	67	70333 .....	53	70744 .....	52
50418 .....	15	54492 .....	70	62017 .....	67	70334 .....	53	70746 .....	52
50419 .....	15	54493 .....	70	62018 .....	67	70336 .....	53	70762 .....	53
50510 .....	87	54550 .....	70	62022 .....	67	70338 .....	53	70763 .....	53
50524 .....	87	54710 .....	70	62023 .....	67	70342 .....	53	70764 .....	53
50533 .....	87	54711 .....	70	62024 .....	67	70343 .....	53	70765 .....	53
50543 .....	87	54792 .....	70	69275 .....	53	70344 .....	53	70766 .....	53
50547 .....	87	54793 .....	70	69341 .....	53	70345 .....	53	70768 .....	53
50549 .....	87	54795 .....	70	69343 .....	53	70346 .....	53	70770 .....	53
50601 .....	15	59211 .....	66	69345 .....	53	70348 .....	53	70798 .....	54
50602 .....	15	59212 .....	66	70049 .....	52	70350 .....	53	70799 .....	54
50603 .....	15	59213 .....	66	70050 .....	52	70377 .....	54	70800 .....	54
50690 .....	47	59215 .....	66	70051 .....	52	70378 .....	54	70801 .....	54
50931 .....	75	59221 .....	66	70052 .....	52	70379 .....	54	70802 .....	54
50932 .....	75	59222 .....	66	70053 .....	52	70380 .....	54	70804 .....	54
50933 .....	75	59223 .....	66	70054 .....	52	70381 .....	54	70806 .....	54
50934 .....	75	59225 .....	66	70072 .....	52	70382 .....	54	70810 .....	54
50937 .....	76	59240 .....	64	70073 .....	52	70383 .....	54	70811 .....	54
53046 .....	69	59241 .....	66	70074 .....	52	70384 .....	54	70812 .....	54
53047 .....	69	59242 .....	66	70075 .....	52	70385 .....	54	70813 .....	54
53048 .....	69	59243 .....	66	70076 .....	52	70386 .....	54	70814 .....	54
53050 .....	69	59244 .....	66	70078 .....	52	70438 .....	53	70816 .....	54
53051 .....	69	59245 .....	66	70080 .....	52	70439 .....	53	70818 .....	54
53122 .....	68	59260 .....	64	70084 .....	52	70440 .....	53	70881 .....	55
53123 .....	68	59261 .....	66	70085 .....	52	70441 .....	53	70882 .....	55
53124 .....	68	59262 .....	66	70086 .....	52	70442 .....	53	70883 .....	55
53136 .....	68	59263 .....	66	70087 .....	52	70444 .....	53	70884 .....	55
53137 .....	68	59265 .....	66	70088 .....	52	70446 .....	53	70885 .....	55
53138 .....	68	59281 .....	66	70090 .....	52	70522 .....	52	70886 .....	55
53150 .....	68	59282 .....	66	70092 .....	52	70523 .....	52	70887 .....	55
53151 .....	68	59283 .....	66	70150 .....	52	70524 .....	52	70888 .....	55
53152 .....	68	59285 .....	66	70151 .....	52	70525 .....	52	70889 .....	55
53164 .....	68	59311 .....	66	70152 .....	52	70526 .....	52	70890 .....	55
53165 .....	68	59312 .....	66	70153 .....	52	70528 .....	52	70917 .....	55
53166 .....	68	59313 .....	66	70154 .....	52	70530 .....	52	70918 .....	55
53343 .....	68	59315 .....	66	70156 .....	52	70546 .....	52	70919 .....	55
53344 .....	68	59321 .....	66	70158 .....	52	70547 .....	52	70920 .....	55
53345 .....	68	59322 .....	66	70162 .....	53	70548 .....	52	70921 .....	55
53346 .....	68	59323 .....	66	70163 .....	53	70549 .....	52	70922 .....	55
53347 .....	68	59325 .....	66	70164 .....	53	70550 .....	52	70923 .....	55
53348 .....	68	59340 .....	64	70165 .....	53	70552 .....	52	70924 .....	55
53376 .....	68	59341 .....	66	70166 .....	53	70554 .....	52	70925 .....	55
53377 .....	68	59342 .....	66	70168 .....	53	70641 .....	55	70926 .....	55
53378 .....	68	59343 .....	66	70170 .....	53	70642 .....	55	70989 .....	54
53379 .....	68	59344 .....	66	70197 .....	54	70643 .....	55	70990 .....	54
53380 .....	68	59345 .....	66	70198 .....	54	70644 .....	55	70991 .....	54
53381 .....	68	59360 .....	64	70199 .....	54	70645 .....	55	70992 .....	54
53903 .....	67	59361 .....	66	70200 .....	54	70646 .....	55	70993 .....	54
53904 .....	67	59362 .....	66	70201 .....	54	70647 .....	55	70994 .....	54
53905 .....	43	59363 .....	66	70202 .....	54	70648 .....	55	70995 .....	54
53905 .....	67	59365 .....	66	70203 .....	54	70649 .....	55	70996 .....	54
53906 .....	43	59381 .....	66	70204 .....	54	70650 .....	55	70997 .....	54
53906 .....	67	59382 .....	66	70205 .....	54	70690 .....	52	70998 .....	54
53907 .....	67	59383 .....	66	70206 .....	54	70691 .....	52	71037 .....	55
54123 .....	69	59385 .....	66	70318 .....	53	70692 .....	52	71038 .....	55
54124 .....	69	62007 .....	67	70319 .....	53	70693 .....	52	71039 .....	55
54125 .....	69	62008 .....	67	70320 .....	53	70694 .....	52	71040 .....	55
54131 .....	69	62009 .....	67	70321 .....	53	70696 .....	52	71041 .....	55
54132 .....	69	62010 .....	67	70322 .....	53	70698 .....	52	72228 .....	56
54133 .....	69	62011 .....	67	70324 .....	53	70738 .....	52	72229 .....	56
54139 .....	69	62012 .....	67	70326 .....	53	70739 .....	52	72230 .....	56
54140 .....	69	62013 .....	67	70330 .....	53	70740 .....	52	72231 .....	56
54141 .....	69	62014 .....	67	70331 .....	53	70741 .....	52	72232 .....	56

# APPENDIX

72233 .....	.56	73143.....	.78	76624 .....	.86	7103602.....	.55	64030244.....	.60
72234 .....	.56	73144 .....	.78	76762 .....	.86	7103603 .....	.55	64030248.....	.60
72235 .....	.56	73149.....	.78	76763 .....	.86	7103604 .....	.55	64031321.....	.62
72236 .....	.56	73150.....	.78	76764 .....	.86	7103605 .....	.55	64031322.....	.62
72237 .....	.56	73152.....	.78	76765 .....	.86	7143008 .....	.52	64031323.....	.62
72238 .....	.56	73153.....	.78	76766 .....	.86	7223914 .....	.56	64031324.....	.62
72239 .....	.56	73154.....	.78	76768 .....	.86	7223915 .....	.56	64031328.....	.62
72280 .....	.56	73155.....	.78	77134 .....	.86	7231214 .....	.56	64040241.....	.60
72281 .....	.56	73156.....	.78	77135 .....	.86	40367506 .....	.56	64040242.....	.60
72282 .....	.56	73158.....	.78	77136 .....	.86	40367508 .....	.56	64040243.....	.60
72283 .....	.56	73159.....	.78	77137 .....	.86	40367510 .....	.56	64040244.....	.60
72284 .....	.56	73164.....	.78	77138 .....	.86	40376006 .....	.56	64040248.....	.60
72285 .....	.56	73165.....	.78	77140 .....	.86	40376008 .....	.56	64040601.....	.61
72286 .....	.56	73167.....	.78	77410 .....	.86	40376010 .....	.56	64040602.....	.61
72287 .....	.56	73168.....	.78	77411 .....	.86	40377506 .....	.56	64040603.....	.61
72288 .....	.56	73169.....	.78	77412 .....	.86	40377508 .....	.56	64040604.....	.61
72289 .....	.56	73170.....	.78	77413 .....	.86	40377510 .....	.56	64040608.....	.61
72290 .....	.56	73171.....	.78	77414 .....	.86	40527506 .....	.57	64041681.....	.62
72291 .....	.56	73173.....	.78	77416 .....	.86	40527508 .....	.57	64041682.....	.62
72292 .....	.56	73174.....	.78	77434 .....	.86	40527510 .....	.57	64041683.....	.62
72293 .....	.56	73193.....	.78	77435 .....	.86	54020103 .....	.69	64041684 .....	.62
72303 .....	.56	73194.....	.78	77436 .....	.86	54020105 .....	.69	64041688.....	.62
72304 .....	.56	73195.....	.78	77437 .....	.86	54020107 .....	.69	64060481 .....	.61
72305 .....	.56	74101.....	.77	77438 .....	.86	54030203 .....	.69	64060482 .....	.61
72306 .....	.56	74102.....	.77	77440 .....	.86	54030205 .....	.69	64060483 .....	.61
72307 .....	.56	74103.....	.77	311605 .....	.38	54030207 .....	.69	64060484 .....	.61
72308 .....	.56	74104.....	.77	311606 .....	.38	63010181 .....	.60	64060488 .....	.61
72309 .....	.56	74105.....	.77	311607 .....	.38	63010182 .....	.60	64061321 .....	.62
72310 .....	.56	74106.....	.77	311608 .....	.38	63010183 .....	.60	64061322 .....	.62
72311 .....	.56	74107.....	.77	311609 .....	.38	63010184 .....	.60	64061323 .....	.62
72312 .....	.56	74108.....	.77	311610 .....	.38	63010188 .....	.60	64061324 .....	.62
72313 .....	.56	74109.....	.77	311611 .....	.38	64010421 .....	.61	64061328 .....	.62
72436 .....	.57	74110.....	.77	311612 .....	.38	64010422 .....	.61	64360751 .....	.63
72437 .....	.57	74111.....	.77	311614 .....	.38	64010423 .....	.61	64360752 .....	.63
72438 .....	.57	74113.....	.77	311615 .....	.38	64010424 .....	.61	64360753 .....	.63
72439 .....	.57	74114.....	.77	311617 .....	.38	64010428 .....	.61	64360754 .....	.63
72440 .....	.57	74116.....	.77	349605 .....	.38	64011321 .....	.62	64360758 .....	.63
72441 .....	.57	74117.....	.78	349606 .....	.38	64011322 .....	.62	64370601 .....	.63
72442 .....	.57	74118.....	.78	349607 .....	.38	64011323 .....	.62	64370602 .....	.63
72443 .....	.57	74119.....	.78	349608 .....	.38	64011324 .....	.62	64370603 .....	.63
72444 .....	.57	74121.....	.77	349609 .....	.38	64011328 .....	.62	64370604 .....	.63
72445 .....	.57	74122.....	.77	349610 .....	.38	64020481 .....	.61	64370608 .....	.63
72446 .....	.57	74123.....	.77	349611 .....	.38	64020482 .....	.61	64370751 .....	.63
72447 .....	.57	74124.....	.77	349612 .....	.38	64020483 .....	.61	64370752 .....	.63
72448 .....	.57	74125.....	.77	349614 .....	.38	64020484 .....	.61	64370753 .....	.63
72449 .....	.57	74126.....	.77	349615 .....	.38	64020488 .....	.61	64370754 .....	.63
72450 .....	.57	74128.....	.77	349617 .....	.38	64020601 .....	.61	64370758 .....	.63
72451 .....	.57	74129.....	.77	544897 .....	.70	64020602 .....	.61	70081802 .....	.52
72452 .....	.57	74131.....	.77	544903 .....	.70	64020603 .....	.61	70081803 .....	.52
72453 .....	.57	74133.....	.77	2347214 .....	.83	64020604 .....	.61	70081804 .....	.52
72454 .....	.57	74134.....	.77	2366412 .....	.83	64020608 .....	.61	70081805 .....	.52
72455 .....	.57	74135.....	.77	2366414 .....	.83	64021321 .....	.62	70081806 .....	.52
72456 .....	.57	74391.....	.70	3720608 .....	.13	64021322 .....	.62	70081808 .....	.52
72457 .....	.57	76330.....	.86	3721208 .....	.13	64021323 .....	.62	70081810 .....	.52
72458 .....	.57	76331.....	.86	3721908 .....	.13	64021324 .....	.62	405210306 .....	.57
72459 .....	.57	76332.....	.86	6920906 .....	.54	64021328 .....	.62	405210308 .....	.57
72460 .....	.57	76333.....	.86	6920907 .....	.54	64030211 .....	.60	405210310 .....	.57
73134 .....	.78	76334.....	.86	6920908 .....	.54	64030212 .....	.60	630030181 .....	.59
73135 .....	.78	76336.....	.86	6920909 .....	.54	64030213 .....	.60	630030182 .....	.59
73137 .....	.78	76618.....	.86	6920910 .....	.54	64030214 .....	.60	630030183 .....	.59
73138 .....	.78	76619.....	.86	6926006 .....	.53	64030218 .....	.60	630030184 .....	.59
73139 .....	.78	76620.....	.86	6926008 .....	.53	64030241 .....	.60	630030188 .....	.59
73140 .....	.78	76621.....	.86	6926010 .....	.53	64030242 .....	.60	630030241 .....	.59
73141 .....	.78	76622.....	.86	7103601 .....	.55	64030243 .....	.60	630030242 .....	.59

## ITEM INDEX

APPENDIX

ITEM INDEX

630030243 .....	59	6403501552.....	60	10803AF .....	24	10856AF.....	24	30429T.....	40
630030244 .....	59	6403501553.....	60	10803FF.....	24	10856FF.....	24	30430T.....	40
630030245 .....	59	6403501554 .....	60	10804AF .....	24	10857AF .....	24	30431T .....	40
630040131 .....	59	6403501555.....	60	10804FF .....	24	10857FF .....	24	30432T.....	40
630040132 .....	59	1063152-1 .....	25	10805AF.....	24	10858AF.....	24	30433T.....	40
630040133 .....	59	1063153-1 .....	25	10805FF.....	24	10858FF.....	24	30434T.....	40
630040134 .....	59	1063155-1 .....	25	10806AF .....	24	10863AF.....	24	30434TGR .....	40
630040138 .....	59	1063156-1 .....	25	10806FF.....	24	10863FF.....	24	30435T.....	40
630050121 .....	59	1063158-1 .....	25	10807AF .....	24	10864AF .....	24	30436T.....	40
630050122 .....	59	1063172-1 .....	25	10807FF .....	24	10864FF .....	24	30436Z2T .....	40
630050123 .....	59	1063173-1 .....	25	10813AF .....	24	10865AF .....	24	30441T .....	40
630050124 .....	59	1063175-1 .....	25	10813FF .....	24	10865FF .....	24	30442T .....	40
630050128 .....	59	1063176-1 .....	25	10814AF .....	24	10866AF .....	24	30443T .....	40
630050181 .....	59	1063178-1 .....	25	10814FF .....	24	10866FF .....	24	30444T .....	40
630050182 .....	59	1063242-1 .....	25	10815AF .....	24	10867AF .....	24	30445T .....	40
630050183 .....	59	1063243-1 .....	25	10815FF .....	24	10867FF .....	24	30446T .....	40
630050184 .....	59	1063245-1 .....	25	10816AF .....	24	10868AF .....	24	30446TGR .....	40
630050185 .....	59	1063246-1 .....	25	10816FF .....	24	10868FF .....	24	30447T .....	40
630050241 .....	59	1063248-1 .....	25	10817AF .....	24	11139Z4 .....	72	30448T .....	40
630050242 .....	59	1063252-1 .....	25	10817FF .....	24	11139Z5 .....	72	30448TGR .....	40
630050243 .....	59	1063253-1 .....	25	10818AF .....	24	11139Z54 .....	72	30453T .....	40
630050244 .....	59	1063255-1 .....	25	10818FF .....	24	11139Z56 .....	72	30454T .....	40
630050248 .....	59	1063256-1 .....	25	10823AF .....	24	21114Z05 .....	80	30455T .....	40
630080181 .....	59	1063258-1 .....	25	10823FF .....	24	21135Z8 .....	80	30456T .....	40
630080182 .....	59	1063262-1 .....	25	10824AF .....	24	21158Z9 .....	80	30457T .....	40
630080183 .....	59	1063263-1 .....	25	10824FF .....	24	21166Z8 .....	80	30458T .....	40
630080184 .....	59	1063265-1 .....	25	10825AF .....	24	2779912-1 .....	84	30458TGR .....	40
630080185 .....	59	1063266-1 .....	25	10825FF .....	24	27822-3 .....	84	30459T .....	40
701591802 .....	52	1063268-1 .....	25	10826AF .....	24	29005 .....	42	30460T .....	40
701591803 .....	52	1063272-1 .....	25	10826FF .....	24	29007 .....	42	30460TGR .....	40
701591804 .....	52	1063273-1 .....	25	10827AF .....	24	29009 .....	42	30482GR .....	41
701591806 .....	52	1063275-1 .....	25	10827FF .....	24	29010 .....	42	30484Z1 .....	41
701591808 .....	52	1063276-1 .....	25	10828AF .....	24	29011 .....	42	30506GR .....	41
724457512 .....	57	1063278-1 .....	25	10828FF .....	24	29012 .....	42	30508GR .....	41
724457514 .....	57	1063342-2 .....	25	10833AF .....	24	29013 .....	42	30518GR .....	41
724457515 .....	57	1063343-2 .....	25	10833FF .....	24	29014 .....	42	30520GR .....	41
745047805 .....	47	1063345-2 .....	25	10834AF .....	24	29015 .....	42	30530GR .....	41
807045801 .....	47	1063346-2 .....	25	10834FF .....	24	29016 .....	42	30532GR .....	41
807047801 .....	47	1063348-2 .....	25	10835AF .....	24	30362GR .....	39	30542GR .....	41
807085805 .....	47	1063352-2 .....	25	10835FF .....	24	30364GR .....	39	30544GR .....	41
807087805 .....	47	1063353-2 .....	25	10836AF .....	24	30374GR .....	39	30554GR .....	41
845045801 .....	47	1063355-2 .....	25	10836FF .....	24	30376Z1 .....	39	30556GR .....	41
845047801 .....	47	1063356-2 .....	25	10837AF .....	24	30386GR .....	39	30566GR .....	41
845085805 .....	47	1063358-2 .....	25	10837FF .....	24	30388GR .....	39	30568Z1 .....	41
845087805 .....	47	1063362-2 .....	25	10838AF .....	24	30405T .....	39	30570-8 .....	41
903041405 .....	46	1063363-2 .....	25	10838FF .....	24	30406T .....	39	30578GR .....	41
903043805 .....	46	1063365-2 .....	25	10843AF .....	24	30407T .....	39	30580GR .....	41
903161403 .....	46	1063366-2 .....	25	10843FF .....	24	30408T .....	39	311505 .....	38
903163803 .....	46	1063368-2 .....	25	10844AF .....	24	30409T .....	39	311506 .....	38
904041405 .....	46	1063372-2 .....	25	10844FF .....	24	30410T .....	39	311507 .....	38
904043805 .....	46	1063373-2 .....	25	10845AF .....	24	30410TGR .....	39	311508 .....	38
904161403 .....	46	1063375-2 .....	25	10845FF .....	24	30411T .....	39	311509 .....	38
904163803 .....	46	1063376-2 .....	25	10846AF .....	24	30412T .....	39	311510 .....	38
905047805 .....	46	1063378-2 .....	25	10846FF .....	24	30412TZ2 .....	39	311511 .....	38
905167803 .....	46	1063552-2 .....	25	10847AF .....	24	30417T .....	40	311512 .....	38
906167803 .....	46	1063553-2 .....	25	10847FF .....	24	30418T .....	40	311514 .....	38
945047805 .....	46	1063555-2 .....	25	10848AF .....	24	30419T .....	40	311515 .....	38
945167803 .....	46	1063556-2 .....	25	10848FF .....	24	30420T .....	40	311516 .....	38
6300802051 .....	59	1063558-2 .....	25	10853AF .....	24	30421T .....	40	31454-5 .....	33
6300802052 .....	59	1063572-2 .....	25	10853FF .....	24	30422T .....	40	31454-8 .....	33
6300802053 .....	59	1063573-2 .....	25	10854AF .....	24	30422TGR .....	40	31456-5 .....	33
6300802054 .....	59	1063575-2 .....	25	10854FF .....	24	30423T .....	40	31456-8 .....	33
6300802058 .....	59	1063576-2 .....	25	10855AF .....	24	30424T .....	40	31458-8 .....	33
6403501551 .....	60	1063578-2 .....	25	10855FF .....	24	30424TGR .....	40	31459-8 .....	33

## APPENDIX

31466-5.....	.33	35204TPL .....	42	6949807206-2.....	.54	70345PM.....	.53	70989PM.....	.54
31466-8.....	.33	35205TPL.....	42	6949807208-2.....	.54	70346PM.....	.53	70990PM.....	.54
31468-5.....	.33	35501PL.....	.79	6949807210-2 .....	.54	70348PM.....	.53	70991PM.....	.54
31468-8.....	.33	35503PL .....	.79	69510-2 .....	.53	70350PM.....	.53	70992PM.....	.54
31470-8.....	.33	35505PL .....	.79	69512-2.....	.53	70377PM.....	.54	70993PM.....	.54
31471-8.....	.33	35506PL .....	.79	69514-2 .....	.53	70378PM.....	.54	70994PM.....	.54
31505.....	.38	35508PL .....	.79	69526008-2 .....	.54	70379PM.....	.54	70995PM.....	.54
31506.....	.38	35509PL .....	.79	69526010-2.....	.54	70380PM.....	.54	70996PM.....	.54
31507.....	.38	35511PL .....	.79	6952606-2 .....	.54	70381PM.....	.54	71-005012002.....	.52
31509.....	.38	35513PL .....	.79	69571-2.....	.55	70382PM.....	.54	71-005012003.....	.52
31510.....	.38	35514PL .....	.79	69572-2 .....	.55	70383PM.....	.54	71-005012004.....	.52
31511.....	.38	35516PL .....	.79	69573-2 .....	.55	70384PM.....	.54	71-005012005.....	.52
31512.....	.38	50401Z2 .....	.15	69574-2 .....	.55	70438PM.....	.53	71-005012006.....	.52
31514.....	.38	50418Z1 .....	.15	69575-2 .....	.55	70439PM.....	.53	71-005012008.....	.52
31515.....	.38	53904SH .....	.67	6960168506-2 .....	.55	70440PM.....	.53	71-005018002.....	.52
31517.....	.38	53904Z3 .....	.67	6960168507-2.....	.55	70441PM.....	.53	71-005018003.....	.52
31654-5.....	.33	53904Z3-3.....	.65	6960168508-2 .....	.55	70442PM.....	.53	71-005018004 .....	.52
31654-8.....	.33	53905Z1 .....	.43	6960168509-2 .....	.55	70444PM.....	.53	71-005018005.....	.52
31656-5.....	.33	53905Z1.....	.67	6960168510-2.....	.55	70446PM.....	.53	71-005018006 .....	.52
31656-8.....	.33	53905Z1-3.....	.65	69641-2 .....	.54	70641PM.....	.55	71-005018008.....	.52
31658-8.....	.33	53906SH.....	.43	69642-2 .....	.54	70642PM.....	.55	71-005024002.....	.52
31659-8.....	.33	53906SH.....	.67	69643-2 .....	.54	70643PM.....	.55	71-005024003.....	.52
31666-5.....	.33	53907-3 .....	.65	69644-2 .....	.54	70644PM.....	.55	71-005024004 .....	.52
31666-8.....	.33	53923 .....	.70	69645-2 .....	.54	70645PM.....	.55	71-005024005.....	.52
31668-5.....	.33	59240W .....	.64	69671-2.....	.55	70646PM.....	.55	71-005024006.....	.52
31668-8.....	.33	59260W .....	.64	69672-2 .....	.55	70647PM.....	.55	71-005024008.....	.52
31670-8.....	.33	59263-1.....	.66	69673-2 .....	.55	70648PM.....	.55	71-010012002 .....	.52
31671-8.....	.33	59340W .....	.64	69674-2 .....	.55	70762PM.....	.53	71-010012003 .....	.52
349505.....	.38	59360W .....	.64	69675-2 .....	.55	70763PM.....	.53	71-010012004 .....	.52
349506.....	.38	59364-1 .....	.66	70054Z2 .....	.52	70764PM.....	.53	71-010012005 .....	.52
349507.....	.38	62008-5 .....	.67	70160Z235.....	.52	70765PM.....	.53	71-010012006 .....	.52
349508.....	.38	62011-5 .....	.67	70160Z253.....	.52	70766PM.....	.53	71-010012008 .....	.52
349509.....	.38	62013CM-2.....	.65	70162PM .....	.53	70768PM.....	.53	71-010018002 .....	.52
349510.....	.38	62013CM-2W .....	.65	70163PM .....	.53	70770PM.....	.53	71-010018003 .....	.52
349511.....	.38	62013HD-2 .....	.65	70164PM .....	.53	70798PM.....	.54	71-010018004 .....	.52
349512.....	.38	62013HD-2W .....	.65	70165PM .....	.53	70799PM.....	.54	71-010018005 .....	.52
349514.....	.38	62014-5 .....	.67	70166PM .....	.53	70800PM.....	.54	71-010018006 .....	.52
349515.....	.38	62016CM-2.....	.65	70168PM .....	.53	70801PM.....	.54	71-010018008 .....	.52
349517.....	.38	62016CM-2W .....	.65	70170PM .....	.53	70802PM.....	.54	71-010042002 .....	.53
35117TPL.....	.42	62016HD-2 .....	.65	70197PM.....	.54	70804PM.....	.54	71-010042003 .....	.53
35119TPL.....	.42	62016HD-2W .....	.65	70198PM .....	.54	70806PM.....	.54	71-010042004 .....	.53
35121TPL.....	.42	62017-5.....	.67	70199PM .....	.54	70810PM.....	.54	71-010042005 .....	.53
35123TPL.....	.42	62023-5.....	.67	70200PM .....	.54	70811PM.....	.54	71-010042006 .....	.53
35124TPL.....	.42	62023HD-1 .....	.65	70201PM .....	.54	70812PM.....	.54	71-010042008 .....	.53
35126TPL.....	.42	62023HD-1W .....	.65	70202PM.....	.54	70813PM.....	.54	71-010132001 .....	.54
35126Z22TPL.....	.42	62023HD-2 .....	.65	70203PM.....	.54	70814PM.....	.54	71-010132002 .....	.54
35126Z23TPL.....	.42	62023HD-2W.....	.65	70204PM .....	.54	70816PM.....	.54	71-010132003 .....	.54
35126Z24TPL.....	.42	69181-2 .....	.53	70318PM .....	.53	70818PM.....	.54	71-010132004 .....	.54
35132TPL.....	.42	69183-2 .....	.53	70319PM .....	.53	70881PM.....	.55	71-010132005 .....	.54
35134TPL.....	.42	69185-2 .....	.53	70320PM .....	.53	70882PM.....	.55	71-010132006 .....	.54
35136TPL.....	.42	69254-2 .....	.53	70321PM .....	.53	70883PM.....	.55	71-010132007 .....	.54
35137TPL.....	.42	69256-2 .....	.53	70322PM .....	.53	70884PM.....	.55	71-010132008 .....	.54
35139TPL.....	.42	69271-2 .....	.53	70324PM .....	.53	70885PM.....	.55	71-020048002 .....	.53
35139Z1TPL.....	.42	69273-2 .....	.53	70326PM .....	.53	70886PM.....	.55	71-020048003 .....	.53
35139Z2TPL.....	.42	69311-2 .....	.54	70330PM .....	.53	70887PM.....	.55	71-020048004 .....	.53
35139Z3TPL.....	.42	69312-2 .....	.54	70331PM .....	.53	70888PM.....	.55	71-020048005 .....	.53
35145PL.....	.77	69313-2 .....	.54	70332PM .....	.53	70917PM.....	.55	71-020048006 .....	.53
35147PL.....	.77	69314-2 .....	.54	70333PM .....	.53	70918PM.....	.55	71-020048008 .....	.53
35149PL.....	.77	69315-2 .....	.54	70334PM .....	.53	70919PM.....	.55	71-020060002 .....	.53
35150PL.....	.77	69431-4 .....	.55	70336PM .....	.53	70920PM.....	.55	71-020060003 .....	.53
35152PL.....	.77	69432-2 .....	.55	70338PM .....	.53	70921PM.....	.55	71-020060004 .....	.53
35200TPL.....	.42	69433-2 .....	.55	70342PM .....	.53	70922PM.....	.55	71-020060005 .....	.53
35201TPL.....	.42	69434-2 .....	.55	70343PM .....	.53	70923PM.....	.55	71-020060006 .....	.53
35203TPL.....	.42	69435-2 .....	.55	70344PM .....	.53	70924PM .....	.55	71-020060008 .....	.53

## ITEM INDEX

APPENDIX

ITEM INDEX

71-020072002.....53	71-040036006.....53	71-060132003.....55	71-10815FF.....20	71-10834FF.....20
71-020072003.....53	71-040036008.....53	71-060132004.....55	71-10815FFW.....21	71-10834FFW.....21
71-020072004.....53	71-040060002.....54	71-060132005.....55	71-10815FXL.....22	71-10835AF.....20
71-020072005.....53	71-040060003.....54	71-060132006.....55	71-10815FXLW.....22	71-10835AFW.....21
71-020072006.....53	71-040060004.....54	71-060132007.....55	71-10816AF.....20	71-10835FF.....20
71-020072008.....53	71-040060005.....54	71-060132008.....55	71-10816AFW.....21	71-10835FFW.....21
71-020132001.....54	71-040060006.....54	71-077801.....12	71-10816FF.....20	71-10836AF.....20
71-020132002.....54	71-040060008.....54	71-077801W.....12	71-10816FFW.....21	71-10836AFW.....21
71-020132003.....54	71-040072002.....54	71-077802.....12	71-10816FXL.....22	71-10836FF.....20
71-020132004.....54	71-040072003.....54	71-077802W.....12	71-10816FXLW.....22	71-10836FFW.....21
71-020132005.....54	71-040072004.....54	71-077804.....12	71-10817AF.....20	71-10837AF.....20
71-020132006.....54	71-040072005.....54	71-077804W.....12	71-10817AFW.....21	71-10837AFW.....21
71-020132007.....54	71-040072006.....54	71-077805.....12	71-10817FF.....20	71-10837FF.....20
71-020132008.....54	71-040072008.....54	71-077805W.....12	71-10817FFW.....21	71-10837FFW.....21
71-025060002.....53	71-040132001.....55	71-077806.....12	71-10817FXL.....22	71-10838AF.....20
71-025060003.....53	71-040132002.....55	71-077806W.....12	71-10817FXLW.....22	71-10838AFW.....21
71-025060004.....53	71-040132003.....55	71-077808.....12	71-10818AF.....20	71-10838FF.....20
71-025060005.....53	71-040132004.....55	71-077808W.....12	71-10818AFW.....21	71-10838FFW.....21
71-025060006.....53	71-040132005.....55	71-1056103.....23	71-10818FF.....20	71-10843AF.....20
71-025060008.....53	71-040132006.....55	71-1056103W.....23	71-10818FFW.....21	71-10843AFW.....21
71-030021002.....52	71-040132007.....55	71-1056105.....23	71-10818FXL.....22	71-10843FF.....20
71-030021003.....52	71-040132008.....55	71-1056105W.....23	71-10818FXLW.....22	71-10843FFW.....21
71-030021004.....52	71-040168001.....55	71-1056106.....23	71-10823AF.....20	71-10844AF.....20
71-030021005.....52	71-040168002.....55	71-1056106W.....23	71-10823AFW.....21	71-10844AFW.....21
71-030021006.....52	71-040168003.....55	71-1056108.....23	71-10823FF.....20	71-10844FF.....20
71-030021008.....52	71-040168004.....55	71-1056108W.....23	71-10823FFW.....21	71-10844FFW.....21
71-030024002.....52	71-040168005.....55	71-1056303.....23	71-10823FXL.....22	71-10845AF.....20
71-030024003.....52	71-040168006.....55	71-1056303W.....23	71-10823FXLW.....22	71-10845AFW.....21
71-030024004.....52	71-040168007.....55	71-1056305.....23	71-10824AF.....20	71-10845FF.....20
71-030024005.....52	71-040168008.....55	71-1056305W.....23	71-10824AFW.....21	71-10845FFW.....21
71-030024006.....52	71-047801.....12	71-1056306.....23	71-10824FF.....20	71-10846AF.....20
71-030024008.....52	71-047801W.....12	71-1056306W.....23	71-10824FFW.....21	71-10846AFW.....21
71-030132001.....55	71-047802.....12	71-1056308.....23	71-10824FXL.....22	71-10846FF.....20
71-030132002.....55	71-047802W.....12	71-1056308W.....23	71-10824FXLW.....22	71-10846FFW.....21
71-030132003.....55	71-047804.....12	71-1056403.....23	71-10825AF.....20	71-10847AF.....20
71-030132004.....55	71-047804W.....12	71-1056403W.....23	71-10825AFW.....21	71-10847AFW.....21
71-030132005.....55	71-047805.....12	71-1056405.....23	71-10825FF.....20	71-10847FF.....20
71-030132006.....55	71-047805W.....12	71-1056405W.....23	71-10825FFW.....21	71-10847FFW.....21
71-030132007.....55	71-047806.....12	71-1056406.....23	71-10825FXL.....22	71-10848AF.....20
71-030132008.....55	71-047806W.....12	71-1056406W.....23	71-10825FXLW.....22	71-10848AFW.....21
71-035015502.....52	71-047808.....12	71-1056408.....23	71-10826AF.....20	71-10848FF.....20
71-035015503.....52	71-047808W.....12	71-1056408W.....23	71-10826AFW.....21	71-10848FFW.....21
71-035015504.....52	71-057801.....12	71-1056503.....23	71-10826FF.....20	71-10853AF.....20
71-035015505.....52	71-057801W.....12	71-1056503W.....23	71-10826FFW.....21	71-10853AFW.....21
71-035015506.....52	71-057802.....12	71-1056505.....23	71-10826FXL.....22	71-10853FF.....20
71-035015508.....52	71-057802W.....12	71-1056505W.....23	71-10826FXLW.....22	71-10853FFW.....21
7103601PM.....55	71-057804.....12	71-1056506.....23	71-10827AF.....20	71-10854AF.....20
7103602PM.....55	71-057804W.....12	71-1056506W.....23	71-10827AFW.....21	71-10854AFW.....21
7103603PM.....55	71-057805.....12	71-1056508.....23	71-10827FF.....20	71-10854FF.....20
7103604PM.....55	71-057805W.....12	71-1056508W.....23	71-10827FFW.....21	71-10854FFW.....21
7103605PM.....55	71-057806.....12	71-10813AF.....20	71-10827FXL.....22	71-10855AF.....20
71037PM.....55	71-057806W.....12	71-10813AFW.....21	71-10827FXLW.....22	71-10855AFW.....21
71038PM.....55	71-057808.....12	71-10813FF.....20	71-10828AF.....20	71-10855FF.....20
71039PM.....55	71-057808W.....12	71-10813FFW.....21	71-10828AFW.....21	71-10855FFW.....21
71-040024002.....52	71-060048001.....54	71-10813FXL.....22	71-10828FF.....20	71-10856AF.....20
71-040024003.....52	71-060048002.....54	71-10813FXLW.....22	71-10828FFW.....21	71-10856AFW.....21
71-040024004.....52	71-060048003.....54	71-10814AF.....20	71-10828FXL.....22	71-10856FF.....20
71-040024005.....52	71-060048004.....54	71-10814AFW.....21	71-10828FXLW.....22	71-10856FFW.....21
71-040024006.....52	71-060048005.....54	71-10814FF.....20	71-10833AF.....20	71-10857AF.....20
71-040024008.....52	71-060048006.....54	71-10814FFW.....21	71-10833AFW.....21	71-10857AFW.....21
71-040036002.....53	71-060048007.....54	71-10814FXL.....22	71-10833FF.....20	71-10857FF.....20
71-040036003.....53	71-060048008.....54	71-10814FXLW.....22	71-10833FFW.....21	71-10857FFW.....21
71-040036004.....53	71-060132001.....55	71-10815AF.....20	71-10834AF.....20	71-10858AF.....20
71-040036005.....53	71-060132002.....55	71-10815AFW.....21	71-10834AFW.....21	71-10858AFW.....21

# APPENDIX

71-10858FF .....	20	71-30476.....	37	71-31466 .....	29	71-31675.....	29	71-38204 .....	29
71-10858FFW .....	21	71-30477.....	37	71-31466W.....	30	71-31675W.....	30	71-38204W.....	30
71-10863AF .....	20	71-30478.....	37	71-31467.....	29	71-31676.....	29	71-38205.....	29
71-10863AFW .....	21	71-30480.....	37	71-31467W.....	30	71-31676W.....	30	71-38205W.....	30
71-10863FF .....	20	71-30498.....	37	71-31468.....	29	71-31677.....	29	71-38206.....	29
71-10863FFW .....	21	71-30499.....	37	71-31468W.....	30	71-31677W.....	30	71-38206W.....	30
71-10864AF .....	20	71-30500.....	37	71-31474.....	29	71-31678.....	29	71-38208.....	29
71-10864AFW .....	21	71-30501.....	37	71-31474W.....	30	71-31678W.....	30	71-38208W.....	30
71-10864FF .....	20	71-30502.....	37	71-31475.....	29	71-31679.....	29	71-38301.....	29
71-10864FFW .....	21	71-30504.....	37	71-31475W.....	30	71-31679W.....	30	71-38301W.....	30
71-10865AF .....	20	71-30510.....	37	71-31476.....	29	71-31680 .....	29	71-38302.....	29
71-10865AFW .....	21	71-30511.....	37	71-31476W.....	30	71-31680W.....	30	71-38302W.....	30
71-10865FF .....	20	71-30512.....	37	71-31477.....	29	71-360075001 .....	.56	71-38304 .....	.29
71-10865FFW .....	21	71-30513.....	37	71-31477W.....	30	71-360075002 .....	.56	71-38304W.....	.30
71-10866AF .....	20	71-30514.....	37	71-31478.....	29	71-360075003 .....	.56	71-38305.....	.29
71-10866AFW .....	21	71-30516.....	37	71-31478W.....	30	71-360075004 .....	.56	71-38305W.....	.30
71-10866FF .....	20	71-30558.....	37	71-31479.....	29	71-360075005 .....	.56	71-38306 .....	.29
71-10866FFW .....	21	71-30559.....	37	71-31479W.....	30	71-360075006 .....	.56	71-38306W.....	.30
71-10867AF .....	20	71-30560.....	37	71-31480 .....	29	71-360075007 .....	.56	71-38308 .....	.29
71-10867AFW .....	21	71-30561.....	37	71-31480W .....	30	71-360075008 .....	.56	71-38308W .....	.30
71-10867FF .....	20	71-30562.....	37	71-31638.....	29	71-36201 .....	29	71401-2 .....	.52
71-10867FFW .....	21	71-30564.....	37	71-31638W.....	30	71-36201W .....	30	71402-2 .....	.52
71-10868AF .....	20	71-30570.....	37	71-31639 .....	29	71-36202 .....	29	71403-2 .....	.52
71-10868AFW .....	21	71-30571.....	37	71-31639W .....	30	71-36202W .....	30	71404-2 .....	.52
71-10868FF .....	20	71-30572.....	37	71-31640 .....	29	71-36204 .....	29	7140507-2 .....	.52
71-10868FFW .....	21	71-30573.....	37	71-31640W .....	30	71-36204W .....	30	714051802-2 .....	.52
71-10913AP .....	19	71-30574.....	37	71-31641 .....	29	71-36205 .....	29	714051803-2 .....	.52
71-10913APW .....	19	71-30576.....	37	71-31641W .....	30	71-36205W .....	30	714051804-2 .....	.52
71-10913HE .....	19	71-31438 .....	29	71-31642 .....	29	71-36206 .....	29	714051805-2 .....	.52
71-10913HEW .....	19	71-31438W .....	30	71-31642W .....	30	71-36206W .....	30	714051806-2 .....	.52
71-10914AP .....	19	71-31439 .....	29	71-31643 .....	29	71-36208 .....	29	714051808-2 .....	.52
71-10914APW .....	19	71-31439W .....	30	71-31643W .....	30	71-36208W .....	30	71405-2 .....	.52
71-10914HE .....	19	71-31440 .....	29	71-31644 .....	29	71-36301 .....	29	71406-2 .....	.52
71-10914HEW .....	19	71-31440W .....	30	71-31644W .....	30	71-36301W .....	30	71407-2 .....	.52
71-10915AP .....	19	71-31441 .....	29	71-31650 .....	29	71-36302 .....	29	71408-2 .....	.52
71-10915APW .....	19	71-31441W .....	30	71-31650W .....	30	71-36302W .....	30	71409-2 .....	.52
71-10915HE .....	19	71-31442 .....	29	71-31651 .....	29	71-36304 .....	29	7141002408-2 .....	.52
71-10915HEW .....	19	71-31442W .....	30	71-31651W .....	30	71-36304W .....	30	71410-2 .....	.52
71-10916AP .....	19	71-31443 .....	29	71-31652 .....	29	71-36305 .....	29	71426-2 .....	.52
71-10916APW .....	19	71-31443W .....	30	71-31652W .....	30	71-36305W .....	30	71427-2 .....	.52
71-10916HE .....	19	71-31444 .....	29	71-31653 .....	29	71-36306 .....	29	71428-2 .....	.52
71-10916HEW .....	19	71-31444W .....	30	71-31653W .....	30	71-36306W .....	30	71429-2 .....	.52
71-10917AP .....	19	71-31450 .....	29	71-31654 .....	29	71-36308 .....	29	714301802-2 .....	.52
71-10917APW .....	19	71-31450W .....	30	71-31654W .....	30	71-36308W .....	30	714301803-2 .....	.52
71-10917HE .....	19	71-31451 .....	29	71-31655 .....	29	71-370060001 .....	.56	714301804-2 .....	.52
71-10917HEW .....	19	71-31451W .....	30	71-31655W .....	30	71-370060002 .....	.56	714301805-2 .....	.52
71-10918AP .....	19	71-31452 .....	29	71-31656 .....	29	71-370060003 .....	.56	714301806-2 .....	.52
71-10918APW .....	19	71-31452W .....	30	71-31656W .....	30	71-370060004 .....	.56	714301808-1 .....	.52
71-10918HE .....	19	71-31453 .....	29	71-31662 .....	29	71-370060005 .....	.56	71430-2 .....	.52
71-10918HEW .....	19	71-31453W .....	30	71-31662W .....	30	71-370060006 .....	.56	71431-2 .....	.53
71-30438 .....	37	71-31454 .....	29	71-31663 .....	29	71-370060007 .....	.56	71432-2 .....	.53
71-30439 .....	37	71-31454W .....	30	71-31663W .....	30	71-370060008 .....	.56	71433-2 .....	.53
71-30440 .....	37	71-31455 .....	29	71-31664 .....	29	71-370075001 .....	.56	71434-2 .....	.53
71-30441 .....	37	71-31455W .....	30	71-31664W .....	30	71-370075002 .....	.56	71435-2 .....	.53
71-30442 .....	37	71-31456 .....	29	71-31665 .....	29	71-370075003 .....	.56	7143608-2 .....	.53
71-30444 .....	37	71-31456W .....	30	71-31665W .....	30	71-370075004 .....	.56	71445-2 .....	.54
71-30450 .....	37	71-31462 .....	29	71-31666 .....	29	71-370075005 .....	.56	71446-2 .....	.54
71-30451 .....	37	71-31462W .....	30	71-31666W .....	30	71-370075006 .....	.56	71446-3 .....	.54
71-30452 .....	37	71-31463 .....	29	71-31667 .....	29	71-370075007 .....	.56	71447-2 .....	.54
71-30453 .....	37	71-31463W .....	30	71-31667W .....	30	71-370075008 .....	.56	71447-3 .....	.54
71-30454 .....	37	71-31464 .....	29	71-31668 .....	29	71-38201 .....	29	71448-2 .....	.54
71-30456 .....	37	71-31464W .....	30	71-31668W .....	30	71-38201W .....	30	71448-3 .....	.54
71-30474 .....	37	71-31465 .....	29	71-31674 .....	29	71-38202 .....	29	71449-2 .....	.54
71-30475 .....	37	71-31465W .....	30	71-31674W .....	30	71-38202W .....	30	71449-3 .....	.54

## ITEM INDEX

APPENDIX

ITEM INDEX

7145007-2 .....	54	71587-2 .....	52	71722-2 .....	55	72287PM .....	56	904043805W .....	46
7145008-2 .....	54	71588-2 .....	52	71722-3 .....	55	72288PM .....	56	904161403W .....	46
71450-2 .....	54	71589-2 .....	52	71723-2 .....	55	72289PM .....	56	904163803W .....	46
71450-3 .....	54	71590-2 .....	52	71723-3 .....	55	72303-10 .....	56	905047805W .....	46
71496-2 .....	53	71592-2 .....	52	71724-2 .....	55	72303PM .....	56	905167803W .....	46
71497-2 .....	53	7162001-2 .....	55	71724-3 .....	55	72304-10 .....	56	906167803W .....	46
71498-2 .....	53	71621-2 .....	55	71725-2 .....	55	72304PM .....	56	945047805W .....	46
71499-2 .....	53	71621-3 .....	55	71725-3 .....	55	72305-10 .....	56	945167803W .....	46
71500-2 .....	53	71622-2 .....	55	71726-2 .....	55	72305PM .....	56		
71501-2 .....	53	71622-3 .....	55	71727-2 .....	55	72306-10 .....	56		
71502-3 .....	53	71623-2 .....	55	71745-2 .....	54	72306PM .....	56		
71502-2 .....	53	71623-3 .....	55	71746-2 .....	54	72307-10 .....	56		
71503-2 .....	53	71624-2 .....	55	71747-2 .....	54	72307PM .....	56		
71504-2 .....	53	71624-3 .....	55	71748-2 .....	54	72308-10 .....	56		
71505-2 .....	53	7162507-2 .....	55	71749-2 .....	54	72308PM .....	56		
715056008-2 .....	53	7162508-2 .....	55	71750-2 .....	54	72309-10 .....	56		
71506-2 .....	53	71625-2 .....	55	71750Z2-2 .....	54	72309PM .....	56		
71507-2 .....	53	71625-3 .....	55	71750Z7-2 .....	54	72310-10 .....	56		
71508-2 .....	53	71636-2 .....	52	717700-2 .....	55	72310PM .....	56		
71509-2 .....	53	71637-2 .....	52	717701-2 .....	55	72311PM .....	56		
7151008-2 .....	53	71638-2 .....	52	717701-3 .....	55	72312GR .....	56		
71510-2 .....	53	71639-2 .....	52	717702-2 .....	55	72312PM .....	56		
71-520075001 .....	57	71640-2 .....	52	717702-3 .....	55	72314Z2-MR .....	56		
71-520075002 .....	57	71642-2 .....	52	717703-2 .....	55	72436-10 .....	57		
71-520075003 .....	57	71656-2 .....	52	717703-3 .....	55	72436PM .....	57		
71-520075004 .....	57	71657-2 .....	52	717704-2 .....	55	72437-10 .....	57		
71-520075005 .....	57	71658-2 .....	52	717704-3 .....	55	72437PM .....	57		
71-520075006 .....	57	71659-2 .....	52	717705-2 .....	55	72438-10 .....	57		
71-520075007 .....	57	71660-2 .....	52	717705-3 .....	55	72438PM .....	57		
71-520075008 .....	57	71660Z02-2 .....	52	717706-2 .....	55	72439-10 .....	57		
71-520103001 .....	57	71666-2 .....	53	717707-2 .....	55	72439PM .....	57		
71-520103002 .....	57	71667-2 .....	53	72228-10 .....	56	72440-10 .....	57		
71-520103003 .....	57	71668-2 .....	53	72228PM .....	56	72440PM .....	57		
71-520103004 .....	57	71669-2 .....	53	72229-10 .....	56	72441-10 .....	57		
71-520103005 .....	57	71670-2 .....	53	72229PM .....	56	72441PM .....	57		
71-520103006 .....	57	716708-2 .....	53	72230-10 .....	56	72442-10 .....	57		
71-520103007 .....	57	7168202-2 .....	54	72230PM .....	56	72442PM .....	57		
71-520103008 .....	57	7168203-2 .....	54	72231-10 .....	56	72443-10 .....	57		
71520-2 .....	54	7168204-2 .....	54	72231PM .....	56	72443PM .....	57		
71521-2 .....	54	71684-2 .....	54	72232-10 .....	56	72444PM .....	57		
71521-3 .....	54	71685-2 .....	54	72232PM .....	56	72445PM .....	57		
71522-2 .....	54	7168608-2 .....	54	72233-10 .....	56	72447-10 .....	57		
71522-3 .....	54	716867202-2 .....	54	72233PM .....	56	72447PM .....	57		
71523-2 .....	54	71687-2 .....	54	72234-10 .....	56	72448-10 .....	57		
71523-3 .....	54	71688-2 .....	54	72234PM .....	56	72448PM .....	57		
71524-2 .....	54	71689-1 .....	54	72235-10 .....	56	72449-10 .....	57		
71524-3 .....	54	71690-2 .....	54	72235PM .....	56	72449PM .....	57		
71525-2 .....	54	716917208-2 .....	54	72236PM .....	56	72450-10 .....	57		
71525-3 .....	54	7170501-2 .....	55	72237PM .....	56	72450PM .....	57		
71526-2 .....	54	71706-2 .....	55	72280-10 .....	56	72451-10 .....	57		
71527-2 .....	54	71706-3 .....	55	72280PM .....	56	72451PM .....	57		
71546-2 .....	53	71707-2 .....	55	72281-10 .....	56	72452-10 .....	57		
71547-2 .....	53	71707-3 .....	55	72281PM .....	56	72452PM .....	57		
71548-2 .....	53	71708-2 .....	55	72282-10 .....	56	72453-10 .....	57		
7154906-2 .....	53	71708-3 .....	55	72282PM .....	56	72453PM .....	57		
7154908-2 .....	53	71709-2 .....	55	72283-10 .....	56	72454-10 .....	57		
71549-2 .....	53	71709-3 .....	55	72283PM .....	56	72454PM .....	57		
71576-2 .....	52	71710-2 .....	55	72284-10 .....	56	72455PM .....	57		
71577-2 .....	52	71710-3 .....	55	72284PM .....	56	72456PM .....	57		
71578-2 .....	52	71711-2 .....	55	72285-10 .....	56	903041405W .....	46		
71579-2 .....	52	71712-2 .....	55	72285PM .....	56	903043805W .....	46		
71580-2 .....	52	7172101-2 .....	55	72286-10 .....	56	903161403W .....	46		
71582-2 .....	52	71721-2 .....	55	72286PM .....	56	903163803W .....	46		
71586-2 .....	52	71721-3 .....	55	72287-10 .....	56	904041405W .....	46		

To Order Contact: Exact Tooling / [www.exacttooling.com](http://www.exacttooling.com) / [sales@exacttooling.com](mailto:sales@exacttooling.com) / 888-988-8820

To Order Contact: Exact Tooling / [www.exacttooling.com](http://www.exacttooling.com) / [sales@exacttooling.com](mailto:sales@exacttooling.com) / 888-988-8820



## OUR STORY

In 1960, Zerla and Si Stayman's dream came true in the town of Troy, Ohio. ARC Abrasives, Inc. began by using a Mixmaster™ to create the adhesive for the company's first product – the PSA disc.

Initially, the company consisted of five people working out of a rented garage. As the PSA discs grew in popularity, more products were introduced such as cartridge rolls and other specialties. As the product lines expanded, so did the facility. The Staymans moved ARC Abrasives, Inc. to its current location in 1985. After the relocation, ARC Abrasives, Inc. started producing belts, a quick-lok disc line in 1992, and a flap disc line in 1998. Today, under a second generation ownership, ARC Abrasives, Inc. is one of the nation's largest abrasives converters, proudly supporting American manufacturing companies.

## COMPANY PHILOSOPHY

Since 1960, ARC ABRASIVES, INC. has defined commitment as the process of understanding customer needs. We go beyond selling products - we evaluate applications to provide individual metalworking solutions. Our goal is to create cost savings and process improvements for our customers.

Successful product development depends on our ability to work in the field to determine the needs of our customers'. Our trained sales force is highly skilled in abrasive metalworking applications. Understanding how our products work within weld removal, deburring and flash removal, and surface finishing allow us to develop innovative and unique products.